Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.39

RECEIVED

SEP 22 1927

U.S. Department of Agr culture

The Bay State Nurseries

W. H. WYMAN & SON, Proprietors

North Abington, Massachusetts





Price List, Fall 1927



Telephones: Rockland 26 and 1215

THE PLANTING SEASON

Evergreens may be successfully transplanted during August and September. Herbaceous plants do best when moved during September, and before the middle of October. Flowering shrubs and deciduous trees may be planted in October, November and until the ground is frozen in December.

LOCATION

The Bay State Nurseries are located in North Abington, Mass., 18 miles south of Boston, on the Plymouth Division of the N. Y., N. H. & H. R.R.—half way from Boston to Plymouth. To reach us by automobile from Boston, drive to Quincy, then proceed directly south through Weymouth and South Weymouth until you see our sign at the fork of the road. Then turn to the left and you cannot miss our office one-half mile farther on. Our office and shipping headquarters are at 678 Adams Street, North Abington, Mass., about one mile north of the car line and railroad station, and less than a mile from the main highway running from Quincy to Bridgewater and the Cape. Our perennial department, however, is located on North Avenue, between North Abington and Rockland. We are, however, not open for business on Sunday.

GENERAL INDEX

| Deciduous Shrubs | | 23 |
|--------------------|--|----|
| Deciduous Trees | | 15 |
| Evergreen Shrubs | | 11 |
| Evergreen Trees | | 4 |
| Fruit Trees . | | 42 |
| Perennials . | | 44 |
| Rhododendrons | | 14 |
| Roses | | 40 |
| Vines and Climbers | | 38 |

SHIPPING DIRECTIONS

In ordering nursery stock our customers are requested to state explicitly the mode of conveyance by which they wish their stock forwarded. We make shipments by express, freight, or motor truck. The price for all our material is at the nursery and does not include delivery. We can make shipment by motor truck at a moderate charge, provided the order is large enough to make a truckload. When no route or method is designated, we exercise our judgment. In no case do we assume any responsibility after packages are shipped, except for our own mistakes. When losses occur by detention or mishandling, claim should at once be made on the transportation company by the consignee.

CLEAN STOCK

In addition to owning one of the finest spraying outfits manufactured, we maintain an inspector formerly in the employ of the U. S. Government, who attends to the spraying at the proper season and also inspects all stock before it is shipped. Our customers are in this way assured of receiving clean stock, free from any injurious insect pest or disease. A certificate of inspection accompanies every shipment.

PLANT NAMES

We have endeavored to list our plants in accordance with the names as given in "Standardized Plant Names," which has been officially adopted by the American Association of Nurserymen. Copies of this book can be obtained from A. T. DeLaMare Company, Inc., 438-448 West St., New York, N. Y., at \$5.00 each. If you have difficulty in finding in our price list any varieties you wish write us and we will give you an immediate reply as to whether or not we can furnish them.

CONDITIONS OF SALE

- 1. The articles herein listed will be furnished in accordance with the following schedule:
 - 1 to 4 plants of one kind will be priced at the each rate, whatever the aggregate of a list made up in numbers of 5 plants of a specific sort may be.
 - 5 to 39 plants of one kind and size will be priced at the ten rate.
 - 40 to 250 plants of one kind will be furnished at the hundred rate, when hundred rates are given, except in the case of perennials, when 25 or more of one kind will be priced at the hundred rate.
 - 250 or more plants of the same kind will be priced at the thousand rate, when the thousand rate is given.

FROM THIS SCHEDULE WE WILL NOT VARY be-

cause of the fact that considerable time is required to assemble an order made up of small lots of a kind that are scattered over the nursery.

- 2. We make no charge for packing retail orders, except on very large evergreens and large shade trees.
- 3. We give no warranty, expressed or implied, as to quality, description, productiveness, of any nursery stock that we sell. The only guarantee that we make is that our stock is alive at time of shipment and true to name. No complaints will be considered that are not made within ten days after receipt of order. Any stock ordered from this list, found untrue to name, will be cheerfully replaced at the first favorable opportunity for planting, after it has been found not as ordered.
- 4. Higher prices will be charged for specimens of higher quality selected by the customer, or his representative.

TERMS

Our terms are cash, unless by special agreement. Charge accounts may be opened upon receipt of the names of two or more parties with whom the customer has credit relations, or by sending us bank or trade references, allowing us time for investigation. We can ship by express C.O.D. when desired, with charges for collection added to the bill—provided 20 per cent of the amount of the order accompanies the same as a guarantee. All accounts unpaid after the due date will be subject to sight draft without further notice.

BAY STATE NURSERIES W. H. WYMAN & SON, Owners North Abington, Mass.

Telephones — Rockland 26 and 1215
Telegraphic Address — North Abington, Mass.

EVERGREEN TREES

Our Evergreens are all thrifty and heavily rooted, and have been several times transplanted.

All Evergreens will be B $\ensuremath{\mathtt{V}}$ B (balled and burlapped), without extra charge.

| out extra charge. | | | |
|---|---------------|----------------|------------------|
| | Each | Per 10 | Per 100 |
| ABIES concolor | | Ţ | White Fir |
| 3 to 4 ft | 10.00 | 95.00 | |
| 4 to 5 ft | 12.00 | 115.00 | |
| veitchi | | V | eitch Fir |
| 2 to 2½ ft. | 3.50 | , | C. C. C. L. C. |
| 3 to 4 ft. | | | |
| | | | |
| CHAMAECYPARIS obtusa compa | ıcta | Football | Cypress |
| 18 to 24 in. | | | |
| 2 to 2½ ft. | 5.00 | 48.00 | |
| | Dwarf Hir | ioki Chan | aeyp aris |
| 18 to 24 in. | 4.00 | 36.00 | |
| 2 ft | 5.00 | 48.00 | |
| pisifera | S | awara Ret | inospora |
| 2 to 2½ ft. | | | |
| 2½ to 3 ft. | | | |
| 3 to 3 ½ ft. | | | |
| | Golden S | awara Rot | inosnora |
| 2 to 2½ ft | | mum rec | inosporu |
| $2\frac{1}{2}$ to 3 ft. | | 55.00 | |
| 3 to 3 ½ ft. | | | |
| 3 ½ to 4 ft. | | 72.00 | |
| 4 to 5 ft. | | 72.00 | |
| | | 1 1 D . | |
| p. filifera | | liread Ret | mospora |
| 18 to 24 in | | 36.00 45.00 | |
| , - | | | |
| 2 ½ to 3 ft. | | 55.00 65.00 | |
| 3 to 3 ½ ft | | | |
| | Golden T | | nospo ra |
| 18 in. spread | | 55.00 | |
| 2 ft. spread | | 65.00 | |
| 2 ½ ft | | 85.00 | |
| 3 ft | | 110.00 | |
| p. plumosa | P | lume Reti | nospora |
| 18 to 24 in. | | 33.00 | |
| 2 to $2\frac{1}{2}$ ft. | | 40.00 | |
| $2\frac{1}{2}$ to 3 ft. | | 48.00 | |
| 3 to $3\frac{1}{2}$ ft. | 6.00 | 57.00 | |
| p plumosa aurea | Goldenp | lume Reti | nospora |
| 18 to 24 in. | 2120 | 33.00 | |
| 2 to 2½ ft. | | 40.00 | |
| $2\frac{1}{2}$ to 3 ft. | 5.50 | 52.00 | |
| 3 to 3 ½ ft. | | 66.00 | |
| 5 or more Evergreens of one kind take 1 | 0 rate: 40 or | more rate p | per 100 |

| CHAMAECYPARIS—continued | Each | Per 10 | Per 100 |
|---------------------------------|---------|----------------|-------------------|
| p. tutescens | | Dwarf Re | tinospora |
| 18 in | 4 5 0 | 42.00 | • |
| 2 ft | 5 50 | 52.00 | |
| 2 ½ ft | 7.00 | | |
| p. /quarrosa | | Moss Re | tinospora |
| 18 in | 4.00 | | 350.00 |
| 2 ft | 5.00 | 48.00 | |
| 8 to 10 ft. | 20 00 | | |
| p sulphurea | | Plume Re | tinospora |
| 18 to 24 in. | | 33.00 | тоорога |
| 2 to 2½ ft. | | 40.00 | |
| 2½ to 3 ft. | | 52.00 | |
| 3 to 3 ½ ft. | | | |
| | | | |
| JUNIPERUS chinensis pfitzeriana | | | · Juniper |
| 18 to 24 in. spread | | 38.00 | |
| 2 to 2½ ft. spread | | 52.00 | |
| 2 ½ to 3 ft. spread | | 65.00 | |
| 3 to 3½ ft. spread | | 95.00 | |
| 3 ½ to 4 ft. spread | | 140.00 | |
| 4 to 5 ft. spread | 20.00 | | |
| communis depressa | Common | Spreading | : Junipe r |
| 12 to 18 in | | 22.50 | |
| 18 to 24 in. spread | 3.25 | 30.00 | |
| 2 to 2 1/2 ft. spread | 4.00 | | |
| c aurea | | Golden | Juniper |
| 3 to 4 ft spread | 9.00 | | |
| c. hibernica | | Irish | Juniper |
| 2½ to 3 ft. | 4.50 | 42.00 | |
| 3 to 3½ ft. | | 52.00 | |
| , | | C 1: 1. | 1 |
| c. suecica | 1.00 | Swearsn | Juniper |
| 2 to 2½ ft | 4.00 | | |
| excelsa stricta | S_{I} | oiny Greek | Juniper |
| 18 to 24 ft. | 3.75 | 33.00 | |
| aorizontalis | | Creeping | Luninan |
| 18 to 24 in. | 4.50 | 42.00 | Juniper |
| 2 to 2½ ft. | | 52.00 | |
| , - |),)() | | |
| japonica | | Japan ese | Junipe r |
| 18 to 24 in | | | |
| 2 to $2\frac{1}{2}$ ft | 7.00 | | |
| prostrata | | | |
| 18 to 24 in | 4.50 | 40.00 | |
| 2 to 2½ ft | | | |
| ,- | | e | Toronto and |
| sabina | 2 50 | | Juniper |
| 15 to 18 in. | | 33.00 42.00 | |
| 18 to 24 in. | | 52.00 | |
| 2 to 2 ½ ft. | | 52.00 | |
| 2 ½ to 3 ft | 7.00 | | |

| JUNIPERUS—continued | Each | Per 10 | Per 100 |
|---------------------|-------|---------|----------|
| s. tamariscifolia | | Tamar | ix Savin |
| 15 to 18 in. spread | 4.00 | | |
| 18 to 24 in | 5.00 | | |
| virginalis globosa | Globe | Chinese | Juniper |
| 18 to 24 in. | 7.50 | | |
| 2 to 2½ ft. spread | 9.00 | | |
| virginiana | | i | Redcedar |
| 3 to 4 ft | 5.50 | | |
| 4 to 5 ft. | 7.00 | | |
| 5 to 6 ft. | 10.00 | 95.00 | |
| 6 to 7 ft. | 14.00 | 135.00 | |
| 7 to 8 ft. | 18.00 | 175.00 | |
| 8 to 9 ft | 24.00 | | |
| 9 to 10 ft. | 30.00 | | |

NOTE: We have a number of these trees that have bare stems for one or two feet from ground, but have beautiful tops. We will sell them at one-third less than the above.

| v. elegantissima | | Goldtip Redcedar |
|-------------------------|-------|------------------|
| 15 to 18 in | 4.00 | |
| v. glauca | | Silver Redcedar |
| 2 ft | 4.50 | 42.00 |
| 2 ½ ft. | 6.00 | 57.00 |
| 3 ft | 8.00 | |
| v. schetti | | Schott Redcedar |
| 6 ft | 12.00 | |
| PICEA canadensis | | White Spruce |
| 2 to 2½ ft | 3.00 | 27.00 |
| $2\frac{1}{2}$ to 3 ft. | 3.75 | 33.00 |
| 3 to 4 ft. | 4.75 | 42.00 |
| 4 to 5 ft | 6.50 | |
| 5 to 6 ft | 8.00 | |
| can. albertiana | | Albert Spruce |
| 12 to 15 in. | 5.00 | 48.00 |
| 15 in. | 6.50 | 60.00 |
| 18 in | 8.00 | |
| engelmanni | | Engelmann Spruce |
| 2 ft. | 6.00 | |
| 2½ ft. | 7.00 | |
| 3 ft | 9.00 | |
| excelsa | | Norway Spruce |
| 2 to 3 ft. | 3.00 | 27.00 |
| 3 to 4 ft. | 4.50 | 40.00 360.00 |
| 4 to 5 ft. | 5.50 | 50.00 480.00 |
| 5 to 6 ft | 7.00 | 65.00 |
| 6 to 7 ft | 9.00 | |
| 7 to 8 ft | 12.00 | |
| 8 to 9 ft | 15.00 | |

| PICEA — continued | Each Per 10 Per 100 |
|---|-------------------------------|
| The following varieties of Nonexcept pendula. | way Spruce are very dwarf, |
| e. compacta | Globe Norway Spruce |
| 3 to 4 ft. spread |) |
| 4 to 5 ft. spread | |
| _ | • |
| e. conica 4 ft. | Arrowhead Norway Spruce |
| 5 ft | |
| 6 ft. | |
| e. maxwelli | • |
| | Maxwell Spruce 15.00 to 25.00 |
| 2 to 21/ ft spread | 20.00 to 30.00 |
| 2 to 2 /2 it. spread | 25.00 to 40.00 |
| e. pendula | Weeping Norway Spruce |
| 3½ to 4 ft. | |
| 5 ft | 7.50 72.00 |
| e. procumbens | Prostrate Norway Spruce |
| - | 18.00 to 30.00 |
| e. pumila | Dwarf Spruce |
| - | 20.00 to 35.00 |
| | |
| mariana | Black Spruce |
| 2 to 3 ft. | |
| 6 ft | |
| o it. | 2.00 |
| pungens | Colorado Spruce |
| 18 in | |
| 2 ft | |
| 3 ft | |
| 4 ft. | |
| 5 ft | 12.00 |
| p. glauca | Blue Colorado Spruce |
| 3 ft | 15.00 |
| 4 ft | 18.00 |
| p. kosteri | Koster Blue Spruce |
| 3 ft. specimens | 20.00 |
| 3 ½ ft. specimens | 24.00 |
| 4 ft. specimens | |
| 4½ ft. specimens | |
| 5 ft. specimens | |
| 8 ft | |
| 9 ft. | |
| Larger specimens | 50.00 to 90.00 |
| PINUS cembra | Swiss Stone Pine |
| 2 ft | 5.00 |
| 2 ½ ft. | |
| 3 ft | 7.00 |

| PINUS-continued | Each | Per 10 Per 100 |
|-----------------------------|-----------|-------------------|
| montana | Sw | iss Mountain Pine |
| 18 to 24 in. | 3.50 | |
| 5 ft | 15.00 | |
| 6 ft | 18.00 | |
| m. mughus | | Mugho Pine |
| 15 to 18 in. spread | 3.50 | 33.00 |
| 18 to 24 in. spread | 5.50 | |
| nigra (austriaca) | | Austrian Pine |
| 2 to 3 ft | 5.00 | 48.00 |
| 3 to 4 ft. | 6.50 | |
| strobus | | White Pine |
| 2 to 3 ft) | 3.50 | 30.00 |
| 3 to 4 ft | 4.00 | 36.00 |
| 4 to 5 ft | 5.00 | 45.00 |
| 5 to 6 ft Heavy | 6.00 | 55.00 |
| 6 to 7 ft Trees | 8.00 | |
| 7 to 8 ft | 10.00 | 90.00 |
| 8 to 10 ft | 14.00 | 125.00 |
| 10 to 12 ft. | 18.00 | 160.00 |
| sylvestris | | Scotch Pine |
| 2 to 3 ft. | 3.75 | 35.00 |
| 3 to 4 ft. | 5.00 | |
| | 7.00 | |
| PSEUDOTSUGA douglasi | | Douglas-Fir |
| 2 to 3 ft | 4.50 | 42.00 |
| 3 to 4 ft. | 6.00 | 57.00 |
| 4 to 5 ft. | 8.00 | |
| RETINOSPORA—See CHAMAECYI | PARIS | |
| SCIADOPITYS verticillata | | Umbrella-Pine |
| 3 ft | 10.00 | |
| TAXUS baccata elegantissima | Go | lden English Yew |
| 18 in. | | 36.00 |
| 2 ft. | | 48.00 |
| b. repandens | Sprag | ding English Yew |
| 12 in. spread | - | 36.00 |
| 18 in spread | 6.00 | 30.00 |
| 24 in spread | 7.50 | |
| · | , , , , , | 107 1 . 37 |
| b. washingtoni | 7.00 | Washington Yew |
| , - | 7.00 | |
| canadensis | | Canada Yew |
| 18 in. spread | 3.50 | 33.00 |
| 2 ft. spread | 4.50 | 42.00 |
| 2 ½ ft. spread | 6.00 | |
| 3 ft. spread | 9.00 | |

| TAXUS—continued | Each | Per 10 | Per 100 |
|---|-------------|----------------|-------------|
| cuspidata (spreading form) | | Japar | iese Yew |
| 15 to 18 in. spread | 4.00 | 36.00 | |
| 18 to 24 in. | | 45.00 | |
| 2 to 2½ ft. | | 70.00 | |
| $2\frac{1}{2}$ to 3 ft | | 110.00 | |
| 3 to 3 ½ ft. | 16.00 | | |
| c. capitata (upright form) | | Japan | ese Yew |
| 15 to 18 in | 4.00 | 38.00 | |
| 18 to 24 in. | 6.00 | 57.00 | |
| 2 ft | 8.00 | | |
| c. nana | | warf Japai | nese Yew |
| Spreading | | 26.00 | |
| 12 to 15 in. | | 36.00 | |
| 15 to 18 in. | | 45.00 | |
| 18 to 21 in. | | 75.00 | |
| 21 to 24 in24 to 30 in | | | |
| 24 to 30 in. | 10.00 | | |
| c. nana | | varf Japai | iese Yew |
| Upright Com | _ | 26.00 | |
| 12 to 15 in 15 to 18 in | | 36.00 | |
| | | 48.00 75.00 | |
| 18 to 21 in 21 to 24 in | | 75.00 | |
| 24 to 30 in | | 170.00 | |
| Absolutely hardy—on | | | |
| Kindly specify which type of Dwarf Japa | | * | n ordering. |
| THUYA occidentalis | | ierican A | |
| 3 to 4 ft | | 40.00 | 360.00 |
| 4 to 5 ft. | | 55.00 | 300.00 |
| 5 to 6 ft. | | 75.00 | |
| 6 to 7 ft. | | , , , , , , | |
| 15 to 16 ft. | | 340.00 | |
| 16 to 17 ft. | | 390.00 | |
| 17 to 18 ft | 45.00 | 440.00 | |
| Some extra large broad specimens t | from \$75.0 | 0 to \$100 | 0.00 each |
| oc. compacta | I | Parsons A | borvitae |
| 2 ft | 4.00 | 36.00 | |
| 3 ft | 6.00 | | |
| oc. douglasi pyramidalis L | - | | |
| $2\frac{1}{2}$ to 3 ft. | | 40.00 | 360.00 |
| 3 to 4 ft. | | 48.00 | |
| 4 to 5 ft. | 7.00 | 65.00 | |
| co. ellwangeriana | | Thumb A | borvitae |
| 2 to 2½ ft. | | 35.00 | |
| $2\frac{1}{2}$ to 3 ft. | | 42.00 | |
| 3 to 4 ft | 5.50 | 52.00 | |
| 4 to 4½ ft. | | 70.00 | |

| THUYA—continued | Each | Per 10 | Per 100 |
|-------------------------------|-------------|----------------|-------------------|
| oc. globosa | American | Globe A | rborvitae |
| 15 to 18 in. | 3.00 | 27.00 | |
| 18 to 24 in. | 4.00 | 36.00 | |
| 2 to $2\frac{\pi}{2}$ ft. | 5.00 | 48.00 | |
| oc. hoveyi | | Hovey A | rborvitae |
| 18 in | 3.00 | 27.00 | |
| 2 ft | 3.50 | 33.00 | 300.00 |
| 3 ft | 5.00 | 45.00 | |
| 4 ft | 7.50 | 70.00 | |
| oc. little gem | Littl | le Gem A | rborvitae |
| 15 to 18 in | 5.00 | | |
| oc. lutea | George P | eabody A | rborvita e |
| 2 ft | | 40.00 | |
| 2 ½ ft | 5.00 | 48.00 55.00 | |
| 3 ft | 6.00 | 55.00 | |
| oc. pumila (umbracuilifera) | Green | Globe A | borvitae |
| 12 in | 2.75 | | |
| | 3.25 | | |
| oc. pyramidalis A | merican Pyr | amidal A1 | borvitae |
| $2\frac{1}{2}$ to 3 ft. | 5.00 | 45.00 | 420.00 |
| 3 to $3\frac{1}{2}$ ft. | 6.00 | 57.00 | |
| $3\frac{1}{2}$ to 4 ft. | 7.00 | 68.00 | |
| 4 to $4\frac{1}{2}$ ft. | 8.50 | 82.00 | |
| oc. reidi | | Reid Ar | borvitae |
| 15 to 18 in | 3.50 | 33.00 | |
| 18 to 24 in | 4.50 | 42.00 | |
| oc. rosenthali | Ros | enthal Ar | borvitae |
| 3 ft. | 7.00 | | |
| oc siberica (See oc. wareana) | | | |
| oc. vervaeneana aurea | Ver | rvaene Ar | borvitae |
| 2 to 3 ft. | 4.00 | 36.00 | |
| 3 to 4 ft. | 6.00 | 55.00 | |
| oc. wareana | Ware Arbo | orvitae (S | iberian) |
| 18 in | 3.50 | 33.00 | |
| 2 ft | 4.50 | 40.00 | |
| 2 ½ ft | 5.50 | 50.00 | |
| 3 ft | 7.50 | | |
| orientalis | Or | iental Ar | borvitae |
| 18 to 24 in. | 2.25 | 20.00 | |
| 2 to 2½ ft. | 2.75 | 25.00 | |
| $2\frac{1}{2}$ to 3 ft. | 3.25 | | |
| | | | |

| | Each | Per 10 | Per 100 |
|----------------------------|-------|----------|---------|
| TSUGA canadensis | | Canada | Hemlock |
| 2 to 2½ ft. | 4.00 | 36.00 | |
| $2\frac{\tau}{2}$ to 3 ft. | 5.50 | 50.00 | |
| 3 to $3\frac{1}{2}$ ft. | 6.50 | 60.00 | |
| 3 ½ to 4 ft. | 9.00 | 85.00 | |
| 4 to 5 ft. | 12.00 | | |
| 5 to 6 ft. | 15.00 | | |
| 5 to 6 ft. extra broad | 20.00 | | |
| 6 to 7 ft. | 20.00 | | |
| 6 to 7 ft. extra broad | 25.00 | | |
| 7 to 8 ft. | 25.00 | | |
| 8 to 9 ft | 30.00 | | |
| caroliniana | | Carolina | Hemlock |
| 2 ft | 4.50 | 42.00 | |
| 3 ft. | 6.00 | 57.00 | |
| 4 ft. | 10.00 | | |
| 5 ft. | 15.00 | | |
| diversifolia | | Japanese | Hemlock |
| 15 to 18 in. | 4.00 | 36.00 | |
| 18 to 24 in. | 5.00 | 48.00 | |
| sieboldi | | Siebold | Hemlock |
| 15 in | 4.00 | | |
| | | | |

EVERGREEN SHRUBS

| | Each | Per 10 | Per 100 |
|---|------|------------------|-----------------|
| BUXUS koraiensis | | Korean I | Boxwood |
| Korean Boxwood is something new and we hardy in New England—it is not dwarf but g | | | |
| Strong plants, 8 to 10 in | 1.00 | 9.00 | |
| sempervirens suffruticosa | | Truedu | earf Box |
| 6 to 8 in., heavy plants | .50 | 4.00 | 30.00 |
| CALLUNA vulgaris | | | Heathe r |
| 6 to 8 in. | .75 | 6.00 | 54.00 |
| 8 to 10 in. | .90 | 8.00 | |
| 10 to 12 in. | 1.25 | 11.00 | |
| v. alba | | White | Heather |
| 6 to 8 in. | .75 | 6.00 | 54.00 |
| 8 to 10 in. | .90 | 8.00 | |
| 10 to 12 in. | 1.25 | 11.00 | |
| v. alba elata | 7 | all White | Heather |
| 6 to 8 in | .75 | 6.00 | 54.00 |
| 8 to 10 in. | .90 | 8.00 | |
| 10 to 12 in. | 1.25 | 11.00 | |
| v. alba erecta | T | all White | Heather |
| 6 in. | .75 | 6.00 | |
| v. alba hammondi 6 to 8 in. | | nd White 6.00 | Heather |
| v. alba searlei | 75 | Searle | Heather |

| CALLUNA—continued | | Per 10 all White | |
|----------------------------|--------------|---------------------|---|
| v. alba spicata 6 in. | .75 | 6.00 | 54.00 |
| v. alporti 6 to 8 in. | .75 | <i>Alport</i> 6.00 | Heather |
| v. argentea 6 in. | .75 | 6.00 | |
| v. aurea 6 in | .75 | Golden 6.00 | Heathe r |
| v. cuprea 6 in | .75 | 6.00 | |
| v. hypnoides | .75 | 6.00 | 54.00 |
| v. nana | | | Heather |
| (A very compact deep gr | | | 65.00 |
| 4 to 6 in. clumps | .75 .90 | | 65.00 |
| 6 to 8 in. v, rubra | .90 | 8.00 | Heather |
| 6 in75 | 6.00 | Rea | Heather |
| v. rubra elata | 0.00 | Upright | Heather |
| 6 to 8 in. | .75 | 6.00 | |
| 8 to 10 in. | .90 | 8.00 | |
| v. tenella | | Slender | Heather |
| 6 in | 6.00 | | |
| DAPHNE cneorum | | Rose | Daphne |
| 6 to 8 in. spread | 1.25 | 11.00 | • |
| 8 to 10 in. spread | 1.50 | 14.00 | |
| 12 to 15 in., heavy plants | 2.50 | | |
| EUONYMUS radicans | | Winte | rcreeper |
| 3 yrs | .75 | | 45.00 |
| 4 yrs. | 1.00 | 0,00 | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| r. argenteo-marginatus | | ge Winte | rcreeper |
| 3 yrs | .75 | | |
| r. carrieri | Glos | sy Winte | rcreeper |
| 3 yrs | 1.00 | 8.00 | 70.00 |
| 4 yrs | 1.50 | 12.50 | 110.00 |
| 5 yrs | 2.00 | 18.00 | |
| 18 in. x 18 in. B. & B. | 3.00 | 27.00 | |
| r. colorata. | | | |
| A new variety introduc | ed by th | e Arnold | Arbore- |
| tum, the foliage of wl | | | |
| 2 yr. plants | .75 | 7.00 | 60.00 |
| 4 yr. plants | 1.25 | 7.00 11.00 | 00.00 |
| r. minimus | | | |
| 4 in. pots | .75 | 6.50 | or cop or |
| r. vegetus | | af Winte | rcreeper |
| 2 yrs | .75 | 6.00 | 48.00 |
| 4 y 15. | | | 70.00 |
| 3 yrs | 1.00 | 0.00 | |
| | 1.00 1.50 | 8.00 13.50 | 120.00 |
| 3 yrs. | | | |
| 3 yrs | 1.50 | 13.50 | |

| | , | | |
|--|---|--------------|--------------------|
| | Each | Per 10 | Per 100 |
| HEDERA helix | | | glish Ivy |
| 3 in. pots | | | 42.00 |
| 4 in. pots | .75 | 6.50 | 60.00 |
| ILEX glabra (Particularly go | od stock) | | Inkberry |
| 12 in. clumps | 150 | 14 00 | innoerr, |
| 15 in. clumps | | 22.00 | |
| 18 in. clumps | | 27.00 | |
| 2 ft. clumps | | | |
| KALMIA angustifolia | | | Lambkile |
| 12 in | 1 50 | | |
| 18 in | 2.50 | | |
| latifolia | | Mounta | in-Lou re t |
| 18 to 24 in | 3.50 | 30.00 | 270.00 |
| 2 to 2½ ft. | 4.00 | 35.00 | 330.00 |
| $2\frac{1}{2}$ to 3 ft. | | 45.00 | |
| 3 to 3 ½ ft. | | 65.00 | |
| 3 ½ to 4 ft. | | | |
| 4 to 4½ ft. | | | |
| LEIOPHYLLUM buxifolium prost | ratum Alle | | ndmyrtle |
| 6 to 8 in. (from 4 in. pots) | .90 | 8.00 | |
| LEUCOTHOE catesbaei | | ooping L | eucothoe |
| 12 to 15 in | | 18.00 | |
| 15 to 18 in | 2.50 | 22.50 | |
| MAHONIA aquifolium | | regon He | ollygrape |
| 15 to 18 in | .75 | 6.50 | 60.00 |
| PACHISTIMA canbyi | | Canby Pa | ichistima |
| 2 ½ in. pots | .75 | | |
| PACHYSANDRA terminalis | | nese Paci | |
| From 2½ in. pots | .30 | 2.20 | 15.00 |
| Field grown | | 2.50 | |
| Note:—We treat Pachysandra exactly will be priced at rate per 100. | as we do p | erennials: 2 | 5 or more |
| PIERIS floribunda | Mou | ntain An | dromeda |
| 15 to 18 in. spread | | | 360.00 |
| 18 to 24 in. spread | | 60.00 | |
| 2 to 2½ ft. spread | | 85.00 | |
| $2\frac{1}{2}$ to 3 ft. spread | | | |
| japonica | | anese An | dromeda |
| 18 to 24 in. | | 45.00 | |
| 2 to 2½ ft. | | 65.00 | |
| 2½ to 3 ft. | | | |
| 5 ft | | | |
| VINCA minor | | mmon Pe | |
| Pot grown and field grown | .25 | 2.20 | 15.00 |
| | | | |

Note:—We can supply both the large leaf and the small leaved varieties The small leaf is the hardier of the two.

See conditions of sale on page 3.

RHODODENDRONS

Our prices for Rhododendrons as well as for Evergreens include balling and burlapping.

| | Each | Per 10 | Per 100 |
|----------------------------------|--------------|---------|---------|
| RHODODENDRON ALPINE—Dwarf | Hybrid | Varieti | es |
| n.yrtifolium | | | Red |
| 2 to 2½ ft. | 4.50 | 42.00 | |
| 2½ to 3 ft. | 6.00 | 57.00 | |
| ovatum | | | Pink |
| 15 to 18 in | 4.50 | 42.00 | |
| 18 to 24 in. | 6.00 | 57.00 | |
| 2 to 2 ½ ft | 8.00 | | |
| wilsoni | | | Pink |
| 2 to 2 ½ ft. | 7.50 | | |
| | 10.00 | | |
| RHODODENDRON CAROLINIANU | M | | |
| 18 in | 3.50 | 33.00 | |
| 2 ft | 4.50 | 42.00 | |
| RHODODENDRON CATAWBIENSE | | | |
| Transplanted nursery stock, with | good hall | le. | |
| * ' | - | | |
| 2 ft. | 4.00 | | |
| 2 ½ ft | 5.00 6.50 | | |
| 3 ½ ft | 8.00 | 03.00 | |
| 772 11 | 0.00 | | |
| RHODODENDRON MAXIMUM (Na | tive) | | |
| Transplanted with good balls. | | | |
| 2 ft] | 1.00 | 26.00 | |

| 2 ft. | | 4.00 | 36.00 | |
|--------------|---------------|------|----------|---------|
| 2 ½ ft. | Exceptionally | 5.00 | 45.00 | |
| 3 ft. } | , | 6.50 | 60.00 | |
| 3 ½ 'ft. | Heavy | 7.50 | 70.00 | |
| 4 ft. | | 9.00 | 85.00 | |
| Larger speci | mens from | \$ | 12.00 to | \$20.00 |

RIIODODENDRON. MINUS

| 3 | ft. | 6.00 |
|---|-----|----------|
| 4 | ft. | 7.50 |

The native Catawbiense and Maximum types we offer are all nursery grown, healthy and vigorous. We can, through our collector, furnish these types in collected plants of any quantity desired. Write giving sizes and quantities wanted and we will make special quotations.

See CONDITIONS OF SALE on page 3.

DECIDUOUS TREES

In compiling this list, we have endeavored to include only such varieties of stock as we have now in our nurseries, in sizes and quantities offered. In filling orders we shall grade stock according to these specifications. Should orders be received for sizes not found in this list, or should any specified grade be exhausted, we will send the nearest size we have in stock at the time the order is received and charge accordingly UNLESS OTHERWISE ADVISED.

| | Each | Per 10 | Per 100 |
|--|-----------|-----------------------|----------|
| ACER campestre | | | ge Maple |
| 6 to 8 ft | \$1.25 | \$11.00 | |
| 8 to 10 ft | 1.75 | 15.00 | |
| 10 to 12 ft | 2.25 | 20.00 | |
| 12 to 14 ft | 3.00 | | |
| dasycarpum | | Silv | er Maple |
| 8 to 10 ft. | 2.00 | 18.00 | |
| 10 to 12 ft. | 3.00 | 27.00 | |
| 12 to 14 ft | 4.00 | 36.00 | |
| d. wieri | | Wi | er Maple |
| 8 to 10 ft | 3.00 | 27.00 | |
| 3 to 5 in. cal. from \$9.00 to | \$21.00 | | |
| ginnala | | Ami | ır Maple |
| 3 to 4 ft | 1.00 | 9.00 | _ |
| 4 to 5 ft | 1.25 | 11.00 | |
| 5 to 6 ft | 1.75 | 16.00 | |
| 6 to 8 ft | 2.00 | 18.00 | |
| 8 to 10 ft | 2.25 | 21.00 | |
| negundo (A rapid growing maple |) | | Boxelder |
| 6 to 8 ft | 1.25 | 12.00 | |
| 8 to 10 ft | 2.00 | 17.50 | 150.00 |
| 10 to 12 ft. | 2.50 | 24.00 | |
| palmatum | | Japanes | e Maple |
| 3 to 4 ft | 3.50 | 1 | |
| 4 to 5 ft | 5.00 | | |
| 5 to 6 ft. | 7.50 | | |
| 6 to 7 ft | 9.00 | | |
| 7 to 8 ft | 12.00 | | |
| platanoides | | Norwa | y Maple |
| 6 to 8 ft. | 2.50 | 22.50 | , map o |
| 8 to 10 ft., 1 to 1 1/4 in | 3.50 | 33.00 | |
| 3 to 3½ in8 | | | |
| $3\frac{1}{2}$ to 4 in | | 0 20.00 | |
| p. schwedleri | 12.00 | Schwedle | r Manko |
| 6 to 7 ft | 3.00 | Demireare | napoc |
| pseudoplatanus | 5.00 | Sycamor | o Manlo |
| 8 to 10 ft | 3.00 | 27.00 | · |
| p. purpurascens | | Sycamor | e Manle |
| 6 to 8 ft | 3.00 | Dycumor | e mapie |
| rubrum | 5.00 | Ra | d Maple |
| 6 to 8 ft. | 2.00 | | 150.00 |
| 8 to 10 ft. | 3.00 | 27.00 | 150.00 |
| 5 or more trees of one kind take the 10 rate | | 27.00 ore take 100 | rate |
| of more trees of one kind take the 10 lare | 10 01 111 | Lake 100 | ·acc |

| ACER—continued | Each | Per 10 Per 100 Sugar Maple |
|--|---------|-------------------------------|
| 8 to 10 ft. | 3.50 | 33.00 |
| 10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. | | JJ.00 |
| 12 to 14 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. | | |
| 14 to 16 ft., 2 to 2½ in | | |
| 16 to 18 ft., 2½ to 3 in | | 80.00 |
| 3 to 3½ in | | 110.00 |
| Larger specimens | | |
| | 110111 | |
| tataricum | 1.75 | Tatarian Maple |
| 6 to 8 ft | | 15.00 |
| 8 to 10 ft 10 to 12 ft | | 21.00 |
| 10 to 12 ft | 2.75 | 25.00 |
| AESCULUS hippocastanum | | Horsechestnut |
| 3 to 4 in. caliper | 10.00 | |
| h. alba florepleno | Dble. W | hite Horsechestnut |
| 8 to 10 ft | 5.00 | |
| 10 to 12 ft | 6.50 | |
| 12 to 14 ft | 8.00 | |
| rubicunda | 1 | Red Horsechestnut |
| 6 to 7 ft | 4.00 | |
| AILANTHUS glandulosa | | Ailanthus |
| 4 to 5 ft | 1.50 | 12.00 |
| 8 to 10 ft. | 3.00 | |
| ARALIA spinosa | | Devils-walkings tick |
| 4 to 5 ft | 1.00 | 9.00 |
| 5 to 6 ft. | 1.20 | 10.00 |
| 6 to 8 ft. | 1.50 | 14.00 |
| 8 to 10 ft. | 2.00 | 17.50 |
| 10 to 12 ft. | 2.50 | 22.00 |
| BETULA alba | | pean White Birch |
| 5 to 6 ft | | 16.00 |
| 6 to 8 ft | 2.50 | 10.00 |
| lutea | 2.50 | Yellow Birch |
| 5 to 6 ft | 1.50 | 12.50 |
| 10 to 12 ft. | 3.00 | 12.90 |
| 12 to 14 ft. | 4.50 | |
| nigra | 1.50 | River Birch |
| 10 to 12 ft. | 2.50 | Teres Buren |
| 12 to 14 ft | 3.00 | 27.00 |
| 14 to 16 ft. | 3.50 | 32.00 290.00 |
| papyrifera | 3.50 | Canoe Birch |
| 5 to 6 ft. | 2.00 | 18.00 |
| 6 to 8 ft. | 2.50 | 22.50 |
| 8 to 10 ft. | 3.00 | 22.90 |
| pendula gracilis | | of Weeping Birch |
| 5 to 6 ft. | 3.00 | , sopang buon |
| 6 to 8 ft. | 4.00 | |
| 8 to 10 ft. | 5.00 | |
| pendula purpurea | | leaf White Birch |
| 6 to 8 ft | 2.50 | , |
| | | |

| BETULA—continued | Each | Per 10 Per 100 |
|----------------------------------|------|-------------------|
| populifolia | | Gray Birch |
| 5 to 6 ft | 1.00 | oray Biron |
| 6 to 8 ft. | 1.50 | 14.00 |
| 8 to 10 ft. | 1.75 | 15.00 |
| Clumps 6 to 8 ft. | 4.00 | |
| CARPINUS caroliniana | 4 2 | nerican Hornbeam |
| 4 to 5 ft. B. & B | 1.50 | tericuit Hornbeam |
| 5 to 6 ft. B. & B | 1.75 | |
| 6 to 8 ft. B. & B | 2.25 | |
| 8 to 10 ft. B. & B | 2.75 | |
| CATALPA bignonioides nana (bunge | | Umbrella Catalpa |
| 2 yr. heads 5 to 6 ft. stems | 2.00 | 18.00 |
| speciosa | 2.00 | Western Catalpa |
| 6 to 8 ft. | 1.25 | 10.00 |
| 8 to 10 ft | 1.50 | 14.00 125.09 |
| 10 to 12 ft | 2.00 | 18.00 160.00 |
| 12 to 14 ft. | 2.50 | 22.50 |
| CELTIS occidentalis | | Hackberry |
| 6 to 8 ft | 2.00 | 18.00 |
| 8 to 10 ft. | 2.50 | |
| CERCIDIPHYLLUM japonicum | | Katsura Tree |
| 6 to 8 ft | 2.00 | 18.00 |
| 8 to 10 ft | 2.50 | 22.00 |
| 10 to 12 ft | 3.00 | 28.00 |
| 12 to 14 ft. | 4.00 | |
| 14 to 16 ft | 5.00 | 45.00 |
| 20 to 25 ft. | 9.00 | 85.00 |
| CERCIS canadensis | | American Redbud |
| 2 to 3 ft | .75 | 7.00 |
| 3 to 4 ft | 1.00 | 9.00 |
| 4 to 5 ft. | 1.50 | |
| CHIONANTHUS virginica | | White Fringe |
| 3 to 4 ft | 1.50 | 12.00 |
| 4 to 5 ft | 2.00 | 18.00 |
| 5 to 6 ft. | 2.50 | 24.00 |
| 6 to 8 ft | 3.00 | |
| CLADRASTIS lutea | | Yellow Wood |
| 4 to 5 ft. | 1.50 | |
| 5 to 6 ft. | 2.00 | 17.50 |
| 6 to 8 ft. | 2.50 | 24.00 |
| 8 to 10 ft. | 3.50 | |
| CORNUS florida | | owering Dogwood |
| 3 to 4 ft. | 1.50 | 12.50 |
| 4 to 5 ft. B. & B. | 2.50 | |
| 5 to 6 ft. B. & B. | 3.50 | |
| 6 to 8 ft. B. & B. | 5.00 | |
| 8 to 10 ft. B. & B | 7.50 | amarina Dania I |
| 3 to 4 ft | 5.00 | owering Dogwood |
| 4 to 5 ft. B. & B | 6.50 | |
| 1 to 5 ft. D. O D. | 0.50 | |

| co e mil para | Each | Per 10 Per 100 |
|---------------------------|-----------|--------------------|
| CRATAEGUS coccinea | 1.50 | Thicket Hawthorn |
| 3 to 4 ft. | | 14.00 |
| 4 to 5 ft | | 16.00 |
| 5 to 6 ft | | 18.00 |
| cordata | | shington Hawthorn |
| 3 to 4 ft | | 14.00 |
| 4 to 5 ft. | | 16.00 |
| 5 to 6 ft | | 18.00 |
| 6 to 7 ft | 2.75 | C 1 TI |
| crusgalli | 1 75 | Cockspur Thorn |
| 4 to 5 ft | | 10.00 |
| 5 to 6 ft. | | 18.00 |
| 6 to 7 ft. | 2.75 | D 1: 1 77 1 |
| oxycantha | 1.05 | English Hawthorn |
| 4 to 5 ft | | |
| 8 to 10 ft. | | 11 C 1 . 701 |
| o. splendens | | ble. Scarlet Thorn |
| 4 to 5 ft | 3.00 | 777 7 77 .7 |
| succulenta | 2.05 | Fleshy Hawthorn |
| 6 to 8 ft. | 3.25 | 30.00 |
| 8 to 10 ft. | 4.50 | 42.00 |
| FAGUS americana | 2.00 | American Beech |
| 4 to 5 ft. | 3.00 | |
| 8 to 10 ft. B. & B. | 7.00 | |
| 10 to 12 ft. B. & B. | 12.00 | |
| 12 to 14 ft. B. & B. | 15.00 | T D 1 |
| sylvatica | F 00 | European Beech |
| 8 to 10 ft. B. & B. | 5.00 | |
| 10 to 12 ft. B. & B | 7.00 | 135.00 |
| 16 to 18 ft. B. & B. | 15.00 | 135.00 |
| 20 to 25 ft. B. & B | 20.00 | 225 00 |
| s. incisa | 25.00 | 235.00 |
| 6 to 8 ft. B. & B | 0.00 | Cutleaf Beech |
| 8 to 10 ft. B. & B | 8.00 | 75.00 |
| 10 to 12 ft. B. & B | 10.00 | 90.00 |
| s. purpurea | 12.00 | D 7 D 7 |
| 12 to 14 ft. B. & B | 15.00 | Purple Beech |
| 16 to 20 ft. B. & B. | 15.00 | 140.00 |
| 20 to 25 ft. B. & B | 20.00 | 180.00 |
| Note—B. & B. means dug wi | 30.00 | 270.00 |
| without extra | in ball a | nd burlapped |
| FRAXINUS americana | cnarge. | II71 * 4 1 |
| 6 to 8 ft | 1 = 0 | White Ash |
| 8 to 10 ft. | 1.50 | 14.00 |
| 10 to 12 ft. | 2.00 | 18.00 |
| 12 to 14 ft. | 2.50 | 22.50 |
| 14 to 16 ft. | 3.00 | 27.00 |
| excelsior | 4.00 | 36.00 |
| 10 to 12 ft. | 2 00 | European Ash |
| nigra | 3.00 | D7 7 4 7 |
| 12 to 14 ft | 2.50 | Black Ash |
| 1 20 11 10, | 2.50 | |

| | Each | Per 10 Per 100 |
|-------------------------|------|--------------------|
| GINKGO biloba | | Maidenhair-Tree |
| 6 to 8 ft | 2.50 | 24.00 |
| 10 to 12 ft. | | 48.00 |
| GLEDITSIA triacanthos | | nmon Honeylocust |
| 3 to 4 ft | | 5.00 45.00 |
| 4 to 5 ft. | | |
| 5 to 6 ft. | | 11.00 100.00 |
| 6 to 8 ft | | 12.00 |
| 8 to 10 ft. | | 18.00 |
| GYMNOCLADUS dioica | K | entucky Coffeetree |
| 4 to 5 ft | | |
| 5 to 6 ft | | 16.00 |
| 6 to 8 ft | | |
| 8 to 10 ft. | | |
| JUGLANS cinerea | | Butternut |
| 5 to 6 ft | 1.75 | 16.00 |
| 6 to 8 ft. | | 18.00 |
| 8 to 10 ft | | |
| nigra | | Black Walnut |
| 6 to 8 ft | 2.00 | 18.00 |
| 8 to 10 ft | 2.50 | 24.00 |
| 10 to 12 ft. | 3.00 | 27.00 |
| LABURNUM vulgare | | Goldenchain |
| 3 to 4 ft | 1.50 | 12.50 |
| 4 to 5 ft. | 2.00 | |
| 5 to 6 ft | | |
| LARIX europea | | European Larch |
| 10 to 12 ft. B. & B. | 4.00 | |
| 12 to 14 ft. B. & B. | | |
| laricina | | American Larch |
| 3 to 4 ft | 1.00 | 23 Welveur Buren |
| 4 to 5 ft. | | |
| 5 to 6 ft | | |
| 6 to 8 ft. | | |
| LIQUIDAMBAR styraciflua | | Sweetgum |
| 5 to 6 ft | 2.00 | Siveergum |
| 6 to 8 ft. | | |
| 8 to 10 ft. | | |
| LIRIODENDRON tulipifera | | Tuliptree |
| 4 to 5 ft | 1.50 | runpuree |
| 6 to 8 ft. | | |
| 8 to 10 ft. | | |
| 10 to 12 ft. | | |
| MALUS arnoldiana | | Arnold Crab |
| 3 to 4 ft | 2.00 | Arnola Grav |
| 4 to 5 ft. | | 22.50 |
| 5 to 6 ft. | | 27.00 |
| atropurpurea | 7.00 | Purpleleaf Crab |
| 4 to 5 ft | 2.50 | rurpteteaf Grab |
| 5 to 6 ft. | | |
| J 10 0 11, | 3.00 | |

| MALUS-continued | Each | Per 10 Per 100 |
|--------------------------|------------|---------------------------|
| baccata | | Siberian Crab |
| 4 to 5 ft | 2.50 | |
| 5 to 6 ft | 3.00 | 28.00 |
| 6 to 7 ft | 4.00 | |
| floribunda | Japanes | e Flowering Crab |
| 3 to 4 ft. | 2.00 | 18.00 |
| 4 to 5 ft | 2.50 | 22.50 |
| 5 to 6 ft | 3.00 | |
| floribunda atrosanguinea | | |
| 3 to 4 ft | 2.00 | 18.00 |
| 4 to 5 ft. | 2.50 | 22.50 |
| 5 to 6 ft | 3.00 | |
| ioensis plena | | Bechtel Crab |
| 3 to 4 ft | 2.00 | 18.00 |
| 4 to 5 ft | 2.50 | 22.50 |
| 5 to 6 ft | | 27.00 |
| niedzwetzkyana | | Redvein Crab |
| 4 to 5 ft | 2.00 | 18.00 |
| 5 to 6 ft | | 27.00 |
| 6 to 8 ft | | 36.00 |
| parkmani | | Parkman Crab |
| 3 to 4 ft | 2.00 | |
| 4 to 5 ft | | |
| sargenti | | Sargent Crab |
| 6 to 7 ft | 5.00 | |
| scheideckeri | | Scheidecker Crab |
| 3 to 4 ft | 2.00 | 18.00 |
| 4 to 5 ft. | 2.50 | 24.00 |
| 5 to 6 ft | 3.00 | 27.00 |
| spectabilis | | e Flowering Crab |
| 4 to 5 ft | 2.50 | e riowering Grao |
| MORUS alba pendula | | 7 . 14 17 |
| 2 yr. heads | | Veeping Mulberry 24.00 |
| | | |
| a. tatarica | 1.50 | Russian Mulberry |
| 5 to 6 ft. | | |
| 6 to 8 ft. | 1.75 | |
| OXYDENDRON arboreum | | Sourwood |
| 2 to 3 ft. | 1.25 | |
| 3 to 4 ft | 1.60 | |
| PHELLODENDRON amurense | | Amur Corktree |
| 8 to 10 ft. | 2.50 | |
| 10 to 12 ft. | | 25.00 |
| 12 to 14 ft. | 4.00 | 36.00 |
| PLATANUS occidental's | | nerican Planetree |
| 6 to 8 ft. | 1.75 | |
| 8 to 10 ft. | 2.00 | |
| 0 to 10 ft. | 2.00 | |
| orientalis | | ropean Planetree |
| | Eu 1.60 | ropean Planetree |

| DODIN IIC balanciform | Each | Per 10 Per 100 |
|---------------------------------|-------|--------------------|
| POPULUS balsamifera 8 to 10 ft. | 1.50 | Balsam Poplar |
| | | 14.00 |
| 10 to 12 ft. | | 16.00 |
| 12 to 14 ft | 2.00 | 18.00 |
| canadensis | 1 25 | 11.00 100.00 |
| 8 to 10 ft. | | 11.00 100.00 |
| 10 to 12 ft. | 1.50 | 14.00 |
| 12 to 14 ft | 1.75 | |
| eugenei | | Carolina Poplar |
| 6 to 8 ft. | 1.25 | 10.00 |
| 8 to 10 ft. | 1.50 | 12.00 110.00 |
| 10 to 12 ft. | 1.75 | 15.00 135.00 |
| nigra italica | | Lombardy Poplar |
| 6 to 8 ft. | 1.25 | 11.00 90.00 |
| 8 to 10 ft | 1.50 | 12.50 100.00 |
| 10 to 12 ft. | 2.00 | 18.00 160.00 |
| 12 to 14 ft. | 2.50 | 22.00 |
| PRUNUS avium alba plena | Dhla | White Flg. Cherry |
| 4 to 5 ft | 3.00 | " nite Fig. Cherry |
| | | 7 7701 211 |
| cerasifera othello | | Improved Pissardi) |
| 5 to 6 ft. | 2.75 | |
| 6 to 8 ft | 3.25 | |
| c. pissardi | | Purpleleaf Plum |
| 4 to 5 ft. | 2.00 | 18.00 |
| 5 to 6 ft. | 2.50 | 22.50 |
| PTELEA trifoliata | | Common Hoptree |
| 5 to 6 ft. | .60 | |
| 6 to 8 ft | .75 | |
| 8 to 10 ft. | 1.25 | |
| QUERCUS bicolor | | Swamp White Oak |
| 6 to 8 ft | 3.00 | Steamp " " " Cour |
| 8 to 10 ft. | 4.00 | 38.00 |
| 10 to 12 ft. | 5.00 | 48.00 |
| | 2.00 | |
| coccinea 5 to 6 ft | 3.50 | Scarlet Oak |
| 6 to 8 ft | 4.50 | |
| | 1.70 | D: 0.1 |
| palustris | 4.00 | Pin Oak |
| 6 to 8 ft. | 4.00 | 38.00 |
| 12 to 14 ft. | 7.50 | 72.00 |
| 14 to 16 ft. | 9.00 | 87.00 |
| Specimens 3 to 8 in. caliper | | 18.00 to 75.00 |
| robur | | English Oak |
| 14 to 16 ft. | 7.50 | |
| 16 to 18 ft. | 10.00 | |
| rubra | | Common Red Oak |
| 5 to 6 ft | 3.00 | 27.00 |
| 6 to 8 ft | 3.50 | 33.00 |
| ROBINIA pseudoacacia | | Common Locust |
| 4 to 5 ft | 1.50 | 14.00 |
| 14 to 16 ft. | 4.50 | 11.00 |
| 11 to 10 1t. | 1,50 | |

| | D 1 | D | D |
|------------------------------|------------|----------|-----------|
| | | | Per 100 |
| SALIX babylonica | | Weepin | g Willow |
| 6 to 8 ft. | 1.50 | 14.00 | |
| elegant ss ma | Thurlow | Weeping | g Willow |
| 5 to 6 ft | | | |
| 6 to 7 ft | 1.50 | | |
| pentandra | | Laure | l Willow |
| 3 to 4 ft. bushy | .70 | 6.50 | |
| 4 to 5 ft | | 7.00 | |
| 5 to 6 ft | .90 | 8.00 | 75.00 |
| 6 to 8 ft | | 9.00 | 85.00 |
| vitellina | | Colder | Willow |
| 5 to 6 ft | 1.00 | | 85.00 |
| 6 to 8 ft. | 1.25 | 11.00 | 07.00 |
| • | * - 4 > | | |
| SORBUS aucuparia | European | | |
| 5 to 6 ft | 1.50 | | 120.00 |
| 6 to 8 ft | 2.00 | 18.00 | |
| 8 to 10 ft | 2.50 | 24.00 | |
| SYRINGA japonica | Jap | anese Ti | ree Lilac |
| 6 to 8 ft. | 2.50 | | |
| 8 to 10 ft | 3.00 | | |
| TILIA americana | | Amorica | ı Linden |
| 6 to 8 ft | 2.00 | 18.00 | immen |
| 8 to 10 ft. | 3.00 | 27.00 | |
| 10 to 12 ft. | 4.00 | 36.00 | |
| 14 to 15 ft. 3 to 8 in | | 10.00 t | 0 50.00 |
| whatenbulles | D: 1 . / I | 7 | T : 1 |
| platyphyllos 12 to 14 ft. | Bigleaf E | Luropean | Linden |
| 14 to 16 ft. | 7.50 | | |
| 16 to 18 ft | | | |
| 10 to 18 ft | 10.00 | | |
| spectabilis | | Showy | Linden |
| 8 to 10 ft. | 6.00 | | |
| 10 to 12 ft. | 7.50 | | |
| ULMUS americana | | Ameri | can Elm |
| 6 to 8 ft. | 2.00 | | 160.00 |
| 8 to 10 ft. | 2.75 | 25.00 | 225.00 |
| 10 to 12 ft. | 4.00 | 36.00 | |
| 12 to 14 ft. | 5.00 | 48.00 | |
| glabra | | 8 | tclı Elm |
| 6 to 8 ft | 1.50 | 14.00 | icu Eim |
| 8 to 10 ft. | 2.25 | 20.00 | |
| 10 to 12 ft. | 3.00 | 27.00 | |
| 10 to 12 it. | 2.00 | 27.00 | |

DECIDUOUS SHRUBS

Our shrubs are grown with plenty of space in the nursery rows to insure good, vigorous growth, and they lift with strong roots. They are healthy and make quick development after planting.

| ACANTHOPANAX pentaphyllum | | Fivele | eaf Aralia |
|--|------------|-------------|------------|
| | Each | | Per 100 |
| 3 to 4 ft | .75 | 5.50 | 45.00 |
| 4 to 5 ft. | | 7.50 | |
| 5 to 6 ft. | 1.25 | 10.00 | |
| AMELANCHIER canadensis | | Downy ! | Shadblow |
| 2 to 3 ft | 75 | 6.00 | |
| 3 to 4 ft. | | 8.00 | |
| 4 to 5 ft. | | | |
| 5 to 6 ft | | | |
| 6 to 8 ft. | | | |
| rotundifolia | | uropean S | Shadblow |
| 3 to 4 ft | | 6.00 | maaorow |
| 4 to 5 ft. | | | |
| AMORPHA canescens | . 1.00 | | eadplant |
| 2 to 3 ft | .75 | 1. | reampiani |
| fruticosa | ./) | I. | digobush |
| 3 to 4 ft | .60 | 5.00 | aigoousii |
| 4 to 5 ft. | | 6.00 | |
| | | | (0.00 |
| 5 to 6 ft. | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft. | 1.50 | 12.00 | |
| ARALIA—See Acanthopanax | | | |
| ARONIA arbutifolia | | Red Ch | okeberry |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | |
| 4 to 5 ft. | 1.25 | 9.00 | |
| melanocarpa | | Black Che | okeberry |
| 2 to 3 ft | .75 | 5.40 | |
| 3 to 4 ft | .90 | 7.00 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| AZALEA arborescens | | Swee | t Azalea |
| All Azaleas will be balled and burlapped | (B & B) wi | | |
| 18 to 24 in. | 2.75 | | 225.00 |
| 2 to 2 ½ ft. | 3.50 | 33.00 | |
| 2½ to 3 ft. | 4.50 | 42.00 | |
| calendulacea | | Flame | Azalea |
| 18 to 24 in. | 3.00 | 27.00 | |
| 2 to 2½ ft. | 3.50 | 33.00 | |
| $2\frac{1}{2}$ to 3 ft | 4.50 | 42.00 | |
| 3 to 4 ft | 6.00 | 55.00 | |
| canadense—See RHODORA cana | | ,,,,,, | |
| canescens | | Grav | Azalea |
| 18 to 24 in | 2.50 | 22.50 | 112atea |
| 2 to 2 ½ ft. | | 27.00 | |
| 2 ½ to 3 ft. | 3.75 | 27.00 | |
| f 1 . 1f 11 . 1 . 11 1 11 | | 10. 40 or m | ore at |
| rate per 100 |), | , .o or m | |
| | | | |

| AZALEA—continued | Each | | Per 100 ch Azalea |
|---|---------|-----------|----------------------|
| kaempferi 9 to 12 in | 2.00 | 18.00 | CH Azuteu |
| | 3.00 | 27.00 | |
| 12 to 15 in | 6.00 | 27.00 | |
| 2 to 2 ½ ft | 0.00 | China | se Azalea |
| mollis (mixed colors) | 2.00 | | |
| 15 to 18 in | 3.00 | 27.00 | 250.00 |
| 18 to 24 in. | 3.50 | | |
| 2 to 2 ½ ft. | 4.50 | 74 72 | 47 |
| mucronulatum . | | Mongou | nn Azale a |
| 18 to 24 in | 4.00 | | |
| 2 to 2 ½ ft. | 4.50 | D: | |
| nudiflora | 2.50 | | er Bloom |
| 15 to 18 in | 2.50 | 22.50 | |
| 18 to 24 in | 3.00 | 27.00 | |
| 2 to 2 ½ ft | 3.75 | 35.00 | |
| poukhanensis | | | an Azalea |
| 15 to 18 in | 4.00 | 36.00 | |
| 18 to 24 in | 5.00 | 45.00 | |
| vaseyi | | Pinkshe | ell Azal ea |
| 18 to 24 in | 4.50 | 42.00 | |
| viscosa | | Swam | p Azalea |
| 18 to 24 in | 2.25 | 20.00 | |
| 2 to 2½ ft. | 2.75 | 25.00 | |
| 2 ½ to 3 ft. | 3.50 | 33.00 | |
| 3 to 4 ft | 4.25 | | |
| 4 to 5 ft. | 5.50 | 50.00 | 480.00 |
| 5 to 6 ft | 6.50 | 60.00 | |
| ACCHARIS balimifolia | | Groun | idselbush |
| 3 to 4 ft. | .75 | 6.50 | |
| ERBERIS sieboldi | | Siebold | Barberry |
| 2 to 3 ft. | .60 | 4.50 | • |
| 3 to 4 ft | .75 | | |
| thunbergi (the variety for hedges | | apanese | Barberry |
| Note these price 12 to 15 in | .20 | 1.50 | 9.00 |
| 15 to 18 in. | .25 | 2.00 | 12.00 |
| 18 to 24 in. | .35 | 2.50 | 18.00 |
| 2 to 2 ½ ft. | .50 | 4.00 | 27.00 |
| 2 ½ to 3 ft. | .60 | 5.40 | 45.00 |
| | | | |
| $3 \text{ to } 3\frac{1}{2} \text{ ft.}$ thunbergi red-leaved Red- | .90 | 7.50 | 60.00 |
| | | | |
| Exactly like Japanese Barberry, ex | | | |
| ed and maintains a bright color thr all was the first time this variety wa | oughout | the seaso | n. Last |
| 1 yr. plants | .90 | 8.00 | 75.00 |
| 2 yr. plants | 1.25 | 11.50 | 100.00 |
| 3 yr | | 14.00 | 100.00 |
| vernae | 1.50 | | Barberry |
| (A desirable new variety with attract $2\frac{1}{2}$ to 3 ft. | | | |
| vulgaris | | ıropean İ | Barberry |
| 2 to 3 ft | .50 | 3.50 | 30.00 |
| v. atropurpurea | .,, | Purple 1 | |
| 7 7 | .60 | 4.50 | Jarverry |
| 2 to 3 ft. | | | |
| 2 to 3 ft. 3 to 4 ft. | .75 | 6.50 | |

Note:—We do not ship any Berberis vulgaris or var. Atropurpurea outside of New England.

| | Each | Per 10 | Per 100 |
|---------------------------|------------|------------|------------------|
| BUDDLEIA davidi magnifica | | | terflybush |
| 2 yrs | | | 30.00 |
| d. veitchiana | | | terflybush |
| 2 yrs | .50 | 4.00 | 30.00 |
| CALYCANTHUS floridus | Co | mmon Si | veetshrub |
| 18 to 24 in | .60 | 5.00 | |
| 2 to 2½ ft. | | | |
| CARAGANA arborescens | | Siberian | Pea-Tree |
| 3 to 4 ft. | | | |
| 4 to 5 ft. | | 7.50 | |
| CARYOPTERIS incana | | | Bluebeard |
| 2 yr | | 4.50 | - raco cara |
| CEPHALANTHUS occidentalis | | | 1 1 |
| | | | uttonbush |
| 2 to 3 ft. | | 4.00 | |
| 3 to 4 ft. | .60 | | |
| CLETHRA alnifolia | | | mersweet |
| 2 to 3 ft | | 5.50 | 45.00 |
| 3 to 4 ft. | | 7.00 | |
| CORNUS alba (siberica) | | Tatarian . | |
| 3 to 4 ft | | 4.50 | 30.00 40.00 |
| 4 to 5 ft | | | |
| 5 to 6 ft. | 1.00 | 7.50 | 48.00 |
| a. spaethi | | Spaeth 1 | Dogwood |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| alternifolia | | Pagoda | Dogwood |
| 3 to 4 ft. | .60 | 5.00 | |
| 4 to 5 ft. | | 7.00 | |
| amomum | | Silky I | Dogwood |
| 2 to 3 ft. | .60 | 4.50 | Ü |
| 3 to 4 ft | .75 | 6.00 | 45.00 |
| 4 to 5 ft | | 7.00 | 52.00 |
| 5 to 6 ft | | 8.00 | |
| mas elegantissima | 'ariegated | Cornelia | n-Ch erry |
| mas elegantissima | .60 | | |
| 3 to 4 ft. | | 6.50 | |
| paniculata | | Gray 1 | Dogwood |
| 2 to 3 ft | .60 | 4.50 | |
| 3 to 4 ft. | | 6.00 | |
| sanguinea | | odtwig 1 | Dogwood |
| 2 to 3 ft | | 4.00 | |
| 3 to 4 ft | | 5.00 | |
| 4 to 5 ft | .75 | 6.50 | |
| stolonifera | | ed-Osier 1 | |
| 2 to 3 ft | .50 | 4.00 | |
| 3 to 4 ft | .60 | 5.00 | |
| 4 to 5 ft | | | |
| stolonifera flaviramea | | dentwig I | Dogwood |
| 2 to 3 ft | .60 | 4.50 | 30.00 |
| 3 to 4 ft | .75 | 6.00 | 40.00 |

| | Each | Per 10 | Per 100 |
|------------------------------------|-------|----------------|------------|
| CORYLUS americana | | American | Hazelnut |
| 2 to 3 ft | .60 | 5.50 | |
| 3 to 4 ft | .75 | 6.00 | |
| atropurpurea | | Purp | le Filbert |
| 2 ft | 2.25 | 21.00 | |
| COTONEASTER acutifolia villosula | ı | | |
| 4 in. pots, 12 to 15 in | 1.00 | 9.00 | |
| dielsiana | | Diels Co | toneaster |
| 4 in. pots, 6 to 9 in | .80 | 7.00 | |
| divaricata | | eading Co | |
| 4 in. pots, 9 to 12 in | | 9.00 | |
| 4 in pots, 15 to 18 in. | 1.25 | 11.00 14.00 | 100.00 |
| Field grown, 2 to 3 fthorizontalis | 1.50 | Rock Co | 4 4 |
| 6 in. pots, 9 to 12 in | 1.25 | 11.00 | ioneasier |
| var. perpusilla | 1.27 | 11100 | |
| 4 in. pots, 6 to 9 in | 1.00 | 9.00 | |
| nitens | | | |
| 4 in. pots, 12 to 15 in. | 1.00 | 9.00 | |
| racemiflora | 1 00 | 9.00 | |
| 4 in. pots, 9 to 12 in. wilsoni | | Vilson Co | tomonotom |
| 4 in. pots, 9 to 12 in | | 11.00 | ioneusier |
| - | | | |
| CYDONIA japonica | 75 | Flowering | |
| 18 to 24 in. | .75 | 0.50 | 50.00 |
| 2 to 3 ft. | .90 | | 60.00 |
| 3 to 4 ft | 1.25 | 10.00 | |
| DEUTZIA gracilis | | Slender | Deutzia |
| 12 to 15 in | .60 | | 36.00 |
| 15 to 18 in | .75 | 5.50 | 45.00 |
| 18 to 24 in. | .90 | | |
| lemoinei | | Lemoine | Deutzia |
| 2 to 3 ft | .60 | 5.50 | 50.00 |
| 3 to 4 ft | .75 | 7.00 | 63.00 |
| 4 to 5 ft. | .90 | 8.00 | |
| s, crenata | Do | uble Pink | Deutzia |
| 3 to 4 ft | | 5.00 | |
| 4 to 5 ft | | 6.00 | |
| 5 to 6 ft | .90 | 0.00 | 15.00 |
| s. var. pride of rochester | 7 | ride of R | 7 1 |
| 3 to 4 ft | | 5.00 | ochester |
| 4 to 5 ft. | | | |
| 5 to 6 ft. | .90 | 8.00 | |
| | .50 | | |
| s. waterer | | Waterer | Deutzia |
| 2 to 3 ft. | .60 | 5.00 | |
| 3 to 4 ft. | .75 | 6.50 | |
| DIERVILLA trifida | Dwarf | Bush-Hone | eysuckle |
| 2 to 3 ft. | .60 | 5.00 | 39.00 |
| 3 to 4 ft | .75 | 6.00 | |
| | | | |

| | Each | Per 10 Per 100 |
|-----------------------|------------------|--------------------|
| ELEAGNUS angustifolia | | Russian-Olive |
| 2 to 3 ft | .50 | 4.00 |
| 3 to 4 ft | .60 | |
| 4 to 5 ft. | .75 | 6.50 |
| longipes | | Cherry Elaeagnus |
| 2 to 3 ft | 1.00 | 9.00 |
| 3 to 4 ft | 1.25 | |
| 4 to 5 ft | 1.50 | |
| EUONYMUS alatus | 1 | Vinged Euonymus |
| 2 to 3 ft | 1.50 | 13.50 |
| 3 to 4 ft | 2.00 | 18.00 |
| 4 to 5 ft. | 3.00 | |
| 5 to 6 ft. | 4.00 | |
| 6 to 7 ft | 5.00 | |
| bungeanus | Winte | erberry Euonymus |
| 3 to 4 ft. | .75 | 6.00 |
| 4 to 5 ft | .90 | 8.00 |
| 5 to 6 ft. | 1.00 | |
| europaeus | | pean Burningbush |
| 2 to 3 ft | .60 | 5.00 |
| 3 to 4 ft | .75 | 6.00 |
| 4 to 5 ft. | 1.00 | 9.00 |
| 5 to 6 ft | 1.50 | |
| latifolius | Broad | dleaf Burningbush |
| 3 to 4 ft | .75 | 6.00 |
| 4 to 5 ft. | .90 | 8.00 |
| EXOCHORDA grandiflora | \boldsymbol{C} | ommon Pearlbush |
| 3 to 4 ft. | .75 | 7.00 |
| 4 to 5 ft | .90 | 8.00 |
| FORSYTHIA intermedia | | Border Forsythia |
| 2 to 3 ft. | .50 | 4.00 27.00 |
| 3 to 4 ft. | .60 | 4.50 36.00 |
| suspensa | } | Weeping Forsythia |
| 3 to 4 ft | .60 | 4.50 40.00 |
| 4 to 5 ft. | .75 | 6.00 48.00 |
| 5 to 6 ft. | .90 | 7.50 |
| s. fortunei | | Fortune Forsythia |
| 3 to 4 ft. | .60 | 4.00 36.00 |
| 4 to 5 ft. | .75 | 6.00 40.00 |
| 5 to 6 ft | .90 | 7.50 |
| s. sieboldi | | Siebold Forsythia |
| 4 to 5 ft. | .75 | 6.00 |
| viridissima | Gr | reenstem Forsythia |
| 3 to 4 ft. | .60 | 4.00 30.00 |
| 4 to 5 ft | .75 | 5.00 40.00 |
| 5 to 6 ft. | .90 | 7.50 |
| GENISTA tinctoria | | Woodwaxen |
| 2 to 3 ft | .50 | 4.00 |
| HALESIA tetraptera | | Great Silverbell |
| 3 to 4 ft | 1.00 | 9.00 |
| 4 to 5 ft. | 1.25 | 11.00 |

| | Each | Per 10 | Per 100 |
|-------------------------------------|----------|---------------|----------|
| HAMAMELIS virginiana | | ımon Wit | ch-Hazel |
| 2 to 3 ft | .75 | 6.50 | |
| HIBISCUS syriacus | | Shrub | Althaea |
| 3 to 4 ft. (both varieties) | .75 | 7.00 | |
| Boule de Feu-Semi-double violet | red flow | vers | |
| Jean d'Arc | | Doubl | e White |
| HYDRANGEA arborescens grandiflo | ra Sn | | |
| 18 to 24 in. | | 5.00 | |
| 2 to 3 ft | .75 | 6.50 | 60.00 |
| 3 to 4 ft | | 8.00 | |
| paniculata | | anicle Hy | drangea |
| 2 to 3 ft | .60 | 4.50 | 40.00 |
| 3 to 4 ft. | .75 | 6.00 | 50.00 |
| 4 to 5 ft | .90 | 7.50 | 65.00 |
| p. grandiflora | 1 | Hydrangea | |
| 18 to 24 in | .60 | - | _ |
| 2 to 3 ft | | 6.00 | |
| 3 to 4 ft | | | |
| Tree form 3 to 4 ft | 1.50 | 8.00 14.00 | |
| Tree form 4 to 5 ft. | | | |
| (3 ft. stems) | 1.75 | | |
| radiata | | erleaf Hy | drangea |
| 2 to 3 ft | | 5.00 | |
| 3 to 4 ft | | 6.50 | |
| HYPERICUM aureum | | len St. Jo. | hnemort |
| 18 to 24 in | | 4.50 | |
| densiflorum | .50 | | hnswort |
| 2 to 3 ft | .60 | _ | inswort |
| | | | |
| ILEX verticillata | | mon Wint | - |
| 2 to 3 ft. | | 6.50 | 54.00 |
| 3 to 4 ft | 1.00 | 9.00 | |
| KERRIA japonica | | | Kerria |
| 2 to 3 ft | .75 | 7.00 | |
| japonica fl. pl. | | Double | Kerria |
| 2 to 3 ft | .75 | 7.00 | |
| LESPEDEZA formosa | P | urple Bus | hclover |
| 3 yrs | .60 | 5.00 | |
| LIGUSTRUM amurense | | Amur | Privet |
| 2 to 3 ft | .40 | 2.50 | |
| 3 to 4 ft | .50 | 3.50 | 24.00 |
| 4 to 5 ft | .60 | 5.00 | |
| ibolium | | Ibolium | |
| A new variety having the foliage | of the | | |
| and the hardiness of the Ibota priv | et. | | prive |
| 2 to 3 ft | .40 | 3.00 | 21.00 |
| ibota | | | Privet |
| 2 to 3 ft | .40 | 3.00 | 18.00 |
| 3 to 4 ft | .50 | 4.50 | 27.00 |
| 4 to 5 ft | .60 | 5.00 | |

| · · | | | |
|---|------------|-------------------|-------------------|
| LIGUSTRUM—continued | Each | | Per 100 |
| i. regelianum | F 0 | _ | el Privet |
| 18 to 24 in. | | 4.00 | 33.00 |
| 2 to 2½ ft 2½ to 3 ft | | 5 .00 6.00 | 39.00 45.00 |
| ovalifolium | ,/0 | | ia Privet |
| 18 to 24 in | .20 | 1.50 | ia Frivei 8.00 |
| 2 to 3 ft. | | 1.80 | 10.00 |
| 3 to 4 ft. | | 2.20 | 12.00 |
| 4 to 5 ft | | 3.50 | 12.00 |
| vulgare | | | n Privet |
| 2 to 3 ft | .40 | 3.00 | |
| 3 to 4 ft | | 4.00 | |
| 4 to 5 ft. | | 5.00 | 77.00 |
| | | | 1.1 . |
| LONICERA bella albida | | Bell Hon | еуѕискіе |
| 2 to 3 ft. | | 3.50 | 45.00 |
| 3 to 4 ft. | | | 45.00 |
| 4 to 5 ft | | | |
| 5 to 6 ft. | | | 7.1 |
| fragrantissima | | inter Hon | eysuc kie |
| 2 to 3 ft. | | | |
| morrowi | | rrow Hon | |
| 3 to 4 ft. | | 6.00 | 33.00 45.00 |
| 4 to 5 ft | 75 | 0.00 ırian Hon | |
| ruprechtiana 3 to 4 ft. | | | 33.00 |
| | | 6.00 | 45.00 |
| 4 to 5 ft. | | 8.00 | 45.00 |
| 5 to 6 ft | | 8.00 | |
| tatarica | | II | |
| 3 to 4 ft | | urian Hon 4.50 | 33.00 |
| 4 to 5 ft. | | 6.00 | 36.00 |
| 5 to 6 ft. | | 7.50 | 45.00 |
| | White Tate | | |
| 2 to 3 ft | | | 33.00 |
| 3 to 4 ft. | | 5.00 | 40.00 |
| 4 to 5 ft. | | | 10.00 |
| | | | 111 |
| LYONIA ligustrina (Andromeda 2 to 3 ft. | | 9.00 | кіеветту |
| 3 to 4 ft. | | 12.00 | |
| 4 to 5 ft | | 12.00 | |
| MYRICA caroliniensis | | orthern E | Racharra |
| 12 to 15 in | ′ .60 | 5.00 | |
| NEMOPANTHUS mucronatus | | | |
| | | Mounta | ın-Holly |
| 3 to 4 ft | | 7.00 | |
| | | 7.00 | |
| 5 to 6 ft. | | 9.00 | |
| PHILADELPHUS coronarius | | weet Moc | - |
| 3 to 4 ft. | | 4.50 | 33.00 |
| 4 to 5 ft. | | 6.00 | 39.00 |
| 5 to 6 ft | | 7.50 | |
| 6 to 7 ft. | 1.25 | 10.00 | |
| | | | |

| PHILADELPHUS—continued c. foliis aureis | Gol | Per 10 den Moc | |
|---|-------------|------------------|------------------|
| 12 to 15 in | .65 | 6.00 | 62.00 |
| 15 to 18 in 18 to 24 in | .75 .90 | 8.00 | 63.00 |
| 16 to 24 in | | | |
| gordonianus | | don Moc | korang e |
| 4 to 5 ft | .75 | | |
| grandiflorus | Big Scent | less Moc | korange |
| 3 to 4 ft | .60 | 4.00 | 33.00 |
| 4 to 5 ft | .75 | 5.00 | 39.00 |
| 5 to 6 ft | .90 | 6.00 | 45.00 |
| 6 to 7 ft | 1.00 | 8.00 | 70.00 |
| Hybrid Varieties of | Mock Orar | ige | |
| Avalanche | | | |
| 2 to 3 ft | .75 | 6.00 | 45.00 |
| Lemoine | | | |
| 2 to 3 ft | .75 | 6.00 | |
| 3 to 4 ft. | .90 | | |
| Mont Blanc | | | |
| 2 to 3 ft | .75 | 6.00 | |
| 3 to 4 ft | .90 | 7.50 | |
| | .50 | 7.50 | |
| Virginal (Splendid New Hybrid) | 1 00 | 0.00 | |
| 2 to 3 ft | 1.00 | 8.00 | |
| PHYSOCARPUS opulifolia | $C\epsilon$ | ommon N | linebark |
| 3 to 4 ft. | .50 | 4.00 | 36.00 |
| 4 to 5 ft | .60 | 5.00 | |
| 5 to 6 ft | .75 | 6.00 | |
| o. aureus | G | oldleaf N | linebark |
| 3 to 4 ft | | 4.00 | |
| 4 to 5 ft | | | 42.00 |
| 5 to 6 ft. | | 6.00 | 48.00 |
| | | | |
| POTENTILLA fruticosa | | rubby Ci | nquefoil |
| 18 to 24 in | | 5.00 | |
| 3 to 4 ft | .75 | 6.50 | |
| PRUNUS glandulosa albiplena L | Ohle. Pinkt | lowering | Almond |
| 2 to 3 ft | | 8.00 | 11mona |
| 3 to 4 ft | | 0.00 | |
| maritima | | Rog | ch Plum |
| 18 to 24 in | .60 | 5.00 | ch i tun |
| 2 to 3 ft | | 6.50 | |
| 3 to 4 ft. | .90 | 0.50 | |
| | ble, Whites | Townsuina | Almond |
| 2 to 3 ft | .90 | 8.00 | Антопи |
| triloba | | | ıg Plum |
| 3 to 4 ft | 1.00 | 8.00 | .5 1 ttill |
| 4 to 5 ft. | | 11.00 | |
| | | | la a a la a more |
| virginiana 3 to 4 ft | | non Choi 4.00 | recherry |
| J 10 7 11. | .50 | 4.00 | |

| FRICE LIST, FAI | LL, 1927 | | 91 |
|-----------------------|----------|-----------|---------------|
| | | Per 10 | |
| RHAMNUS caroliniana | | rolina Bu | |
| 4 to 5 ft. | .60 | | 48.00 |
| 5 to 6 ft | .75 | | 60.00 |
| 6 to 7 ft. | 1.00 | 9.00 | |
| carthartica | Co | mmon Bu | ckthorn |
| 2 to 3 ft | .50 | 3.60 | 33.00 |
| 3 to 4 ft | .60 | 5.00 | 39.00 |
| 4 to 5 ft | .75 | 6.00 | |
| RHODORA canadensis | | 1 | Rhodara |
| 15 to 18 in | 2.00 | 18.00 | |
| 18 to 24 in. | 2.50 | 22.00 | |
| 2 to 2½ ft. | 3.00 | 28.00 | |
| RHODOTYPOS kerrioides | | | Jetbead |
| 2 to 3 ft | .75 | 6.50 | 48.00 |
| 3 to 4 ft. | .90 | 8.00 | 70.00 |
| | .911 | | |
| RHUS canadensis | | Fragran | t Sumac |
| 18 to 24 in. | .65 | 6.00 | |
| 2 to 3 ft | .75 | 7.00 | |
| copallina | | Shining | Sumac |
| 2 to 3 ft | .50 | | |
| 3 to 4 ft | .60 | | |
| 4 to 5 ft. | .75 | 6.50 | |
| 5 to 6 ft, | .90 | 8.00 | |
| cotinus | Co | mmon Sm | oketree |
| 3 to 4 ft | 1.25 | | |
| glabra | | Smooth | Sumac |
| 4 to 5 ft | .50 | 4.00 | |
| 5 to 6 ft | .60 | 5.00 | 42.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| typhina | | Staghorn | Sumac |
| 4 to 5 ft. | .60 | | 42.00 |
| 5 to 6 ft | .75 | 6.00 | 51.00 |
| 6 to 8 ft. | .90 | 8.50 | , , , , , |
| | | D | 4 . |
| ROBINIA hispida | 60 | | Acacia |
| 2 to 3 ft; | .60 | | 45.0 0 |
| 3 to 4 ft. | .75 | 6.00 | |
| ROSA blanda | | Meado | w Rose |
| 18 to 24 in | .50 | 4.00 | 36.00 |
| 2 to 3 ft | .60 | 5.00 | |
| hugonis | | Hugon | is Rose |
| 2 yrs | 1.50 | 12.50 | |
| lucida | | Virgin | ia Rose |
| 15 to 18 in | .50 | 4.50 | |
| 18 to 24 in. | .55 | 5.00 | |
| 2 to 3 ft | .60 | 5.50 | |
| lucida alba | | | |
| 15 to 18 in | .60 | 5.00 | |
| 18 to 24 in | .75 | 6.50 | |
| | | | |

| ROSA—continued | Each | Per 10 Per 100 |
|----------------------------|--------|-------------------|
| multiflora | | Japanese Rose |
| 3 to 4 ft | .50 | 4.00 30.00 |
| nitida | | Bristly Rose |
| 18 to 24 in | .50 | 4.00 |
| 2 to 3 ft | .60 | 5.50 |
| palustris (carolina) | | Swamp Rose |
| 2 to 3 ft | .50 | 4.00 36.00 |
| | .60 | 5.00 |
| 3 to 4 ft | .00 | |
| rubiginosa | | Sweetbrier Rose |
| 2 to 3 ft | .60 | 4.50 36.00 |
| 3 to 4 ft | .75 | 6.00 45.00 |
| 4 to 5 ft | .90 | 7.50 |
| rubrifolia | | Redleaf Rose |
| 18 to 24 in | .60 | 5.00 |
| 2 to 3 ft | .75 | 6.50 |
| rugosa | | Rugosa Rose |
| 18 to 24 in | .50 | 4.50 33.00 |
| 2 to 3 ft | .60 | 5.00 36.00 |
| 3 to 4 ft | .90 | 8.00 |
| | | hite Rugosa Rose |
| rugosa alba 15 to 18 in | .50 | 4.50 33.00 |
| 18 to 24 in | .55 | 5.00 |
| | .)) | |
| setigera | | Prairie Rose |
| 2 to 3 ft | .50 | 4.00 27.00 |
| 3 to 4 ft | .60 | 4.50 30.00 |
| spinossissima | | Scotch Rose |
| 18 to 24 in | .75 | 6.50 60.00 |
| 2 to 3 ft | .90 | 8.00 72.00 |
| wichuraiana | | Wichurian Rose |
| 2 yrs | .60 | 4.50 42.00 |
| 3 yrs | .75 | 6.00 |
| , | 177 | |
| RUBUS odoratus | | vering Raspberry |
| 2 to 3 ft | .50 | 4.00 |
| 3 to 4 ft | .60 | 5.00 |
| SAMBUCUS canadensis | | American Elder |
| 2 to 3 ft | .50 | 4.00 |
| 3 to 4 ft | .60 | 5.00 |
| 4 to 5 ft | .75 | 6.50 |
| nigra aurea | Golden | European Elder |
| 2 to 3 ft. | .60 | 5.00 |
| 3 to 4 ft. | .75 | 7.00 |
| SORBARIA sorbifolia | , | Ural False-Spirea |
| 2 to 3 ft | .50 | 4.00 36.00 |
| 3 to 4 ft | | |
| | .60 | |
| SPIREA arguta | | Garland Spirea |
| 3 to 4 ft. | .60 | 5.00 39.00 |
| 4 to 5 ft | .75 | 6.00 45.00 |
| 5 to 6 ft | ,90 | 7.50 |

| SPIREA—continued | Each | Per 10 | Per 100 |
|---|------------------------------|---------------|------------------|
| bumalda | | Bumalda | Spirea |
| 2 to 3 ft | .60 | 5.00 | • |
| b. anthony waterer | Anthon | y Waterei | Spirea |
| 18 to 24 in | .50 | | 36.00 |
| 2 to 2 ½ ft | .60 | 5.00 | 45.00 |
| b. froebeli | | Froebel | Spirea |
| 2 to 3 ft | .60 | 4.50 | 36.00 |
| 3 to 4 ft | .75 | 6.50 | 48.00 |
| fortunei (callosa rosea) | | Fortune | Spirea |
| 2 to 3 ft | .50 | 4.00 | |
| 3 to 4 ft | .60 | 4.50 | 36.00 |
| japonica ovalifolia (callosa alba) | White | Japanese | Spirea |
| 18 to 24 in | .50 | | 30.00 |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| prunifolia | | Brida | lwreath |
| 18 to 24 in. | .50 | 4.00 | 33.00 |
| 2 to 3 ft | .60 | 5.00 | 39.00 |
| 3 to 4 ft | .75 | 6.50 | 48.00 |
| reevesiana | | Rooves | Spiraea |
| 2 to 3 ft | .50 | | 36.00 |
| 3 to 4 ft | .60 | 5.50 | 30.00 |
| | .00 | 3.30 | |
| superba | 4.0 | - | l Spirea |
| 18 to 24 in. 2 to 3 ft. | .40 .50 | 3.50 | 40.00 |
| | | | |
| thunbergi | | Thunberg | _ |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| 3 to 4 ft. | | 6.00 | 54.00 |
| 4 to 5 ft. | .90 | 8.00 | |
| trichocarpa A very handsom Has showy white | e new shrut flowers in Ju | ne. | |
| 2 ft | 1.25 | 11.00 | 100.00 |
| vanhouttei | 1 | Vanhoutte | - |
| 2 to 3 ft | .50 | | 30.00 |
| 3 to 4 ft | .60 | 5.00 | |
| 4 to 5 ft. | .75 | 6.00 | 45.00 |
| 5 to 6 ft | 1.00 | 9.00 | |
| STEPHANANDRA flexuosa | Cutle | eaf Steph | anandra |
| 2 to 3 ft | .50 | 4.00 | |
| SYMPHORICARPOS chenaulti | | | |
| A new variety of Symphoricarpos wh | ich we offer | for the first | time. |
| 2 to 3 ft | | 9.00 | |
| racemosus | | nmon Sn | owberry |
| 2 to 3 ft | .50 | 4.00 | 36.00 |
| 3 to 4 ft | .60 | 5.00 | 42.00 |
| 4 to 5 ft | .75 | 6.00 | |
| vulgaris - | | Co | ra lberry |
| 3 to 4 ft | .60 | 4.50 | 39.00 |
| 4 to 5 ft | .75 | 6.00 | |
| | | | |

| | Each | Per 10 F | Per 100 |
|--|-------------|----------------------|---------|
| SYRINGA japonica (See Deciduous | | 16110 1 | EI 100 |
| chinensis (rothomagensis) | 21000) | Chinese | Lilac |
| 2 to 3 ft | .90 | 8.00 | |
| 3 to 4 ft | 1.25 | 11.00 | |
| josikaea | | Hungarian | Lilac |
| 2 to 3 ft | .75 | 6.50 | 20000 |
| 3 to 4 ft | 1.00 | 9.00 | |
| 4 to 5 ft | 1.25 | 11.00 | |
| 5 to 6 ft | 1.50 | 14.00 | |
| pekinensis | | | Lilac |
| 4 to 5 ft | .90 | 8.00 | , 2000 |
| 5 to 6 ft. | 1.00 | 0.00 | |
| | 1.00 | Persian | . Tilaa |
| persica 2 to 3 ft | .75 | 6.50 | |
| 3 to 4 ft | 1.00 | 9.00 | 80.00 |
| | | | |
| p. alba 2 to 3 ft | 1.00 | hite Persiar 9.00 | ı Lılac |
| | 1.00 | | 7 :7 |
| villosa | 0.0 | | Lilac |
| 2 to 3 ft | .90 | 8.00 11.00 | |
| 3 to 4 ft. | 1.25 | | |
| 4 to 5 ft. | 1.50 | 14.00 | |
| 5 to 6 ft | 2.00 | 18.00 | |
| vulgaris | | Common | |
| 2 to 3 ft. | 1.00 | 9.00 | 80.00 |
| 3 to 4 ft. | 1.25 | | 00.00 |
| 4 to 5 ft. | 1.75 | 16.00 | |
| v. alba | | mon White | |
| 2 to 3 ft | 1.00 | 9.00 | 75.00 |
| 3 to 4 ft. | 1.25 | 11.00 | |
| 4 to 5 ft. | 1.50 | 14.00 | |
| 5 to 6 ft | 2.00 | | |
| HYDDID III A | CC | | |
| HYBRID LILA | 163 | | |
| Alba grandiflora | | | |
| 3 to 4 ft. | 1.50 | | |
| 4 to 5 ft | 2.00 | | |
| Alphonse Lavallée | | | |
| 18 to 24 in. | 1.25 | 11.00 | |
| 3 to 4 ft. | 2.00 | | |
| Charles Joly | | | |
| 18 to 24 in. | 1.25 | 11.00 | |
| Charles the Tenth | | | |
| 2 to 3 ft | 1.50 | 14.00 | |
| 3 to 4 ft | 1.75 | 16.00 | |
| Claude Bernard | | | |
| 2 to 3 ft | 1.75 | 16.00 | |
| Emile Gentil | | | |
| Double, large imbricated flowers, bright | cobalt-blue | ; a very rare | |
| shade among lilace | 2.50 | | |
| | | | |

| HYBRID LILACS—continued | Each | Per 10 Per 100 |
|--|--------------|------------------|
| Hugo Koster | | |
| (Single, dark reddish pur 18 to 24 in. | 1 2 5 | 11.00 |
| 2 to 3 ft | 1.50 | 14.00 |
| Jacques Callot | | |
| 2 to 3 ft | 1.50 | |
| 3 to 4 ft | 1.75 | |
| Jean Mace | 11,75 | |
| Double: compact panicles, irregular flo | wers chan | iging to bluish; |
| very floriferous. | 2.50 | |
| | 2.50 | |
| Ludwig Spaeth 2 to 3 ft | 1 50 | 14.00 |
| 3 to 4 ft. | | 14.00 16.00 |
| | 1./) | 10.00 |
| Marechal Lannes | semi-dor | able to double |
| Double; very large individual flowers, bluish violet. | semi-doc | ible to double. |
| 18 to 24 in. | 2.50 | |
| Marie Legraye | | |
| 2 to 3 ft | 1.50 | 14.00 |
| Michel Buchner | | |
| 2 to 3 ft | 1.50 | 14.00 |
| 3 to 4 ft | 1.75 | |
| Mme. Casimir Perier | | |
| 2 to 3 ft | 1.50 | 14.00 |
| 3 to 4 ft | 1.75 | 15.00 |
| Mme. Lemoine | | |
| 2 to 3 ft | 1.25 | 11.00 |
| 4 to 5 ft | 1.75 | |
| 5 to 6 ft | 2.25 | |
| Mrs. Edward Harding | | |
| Double red | 5.00 | |
| Pascal | 5.00 | |
| 18 to 24 in | 1.25 | |
| 2 to 3 ft | 1.50 | 14.00 |
| | 1.70 | 14.00 |
| President Grevy | 1 50 | 1.1.00 |
| 2 to 3 ft | 1.50 1.75 | |
| Reaumur— | 1./) | 10.00 |
| Single, purplish carmine and satiny rose, | a very bea | autiful variety. |
| 18 to 24 in | 2.50 | |
| 2 to 3 ft | 3.00 | |
| Red Marley | | |
| 2 to 3 ft | 1.50 | 14.00 |
| 3 to 4 ft | 2.00 | 18.00 |
| Vauban | _,,,, | |
| (Double, tender pinkish ma | uve) | |
| 2 to 3 ft | 1.50 | |
| Vestale | | |
| (Single, large pure white | 1.25 | |
| 10 to 47 III. | 1.40 | |

| 36 BAY STATE NU | RSERIES | | |
|--|--------------|--------------|---------------------|
| STANDARD HYBRID LILACS—T | ree form | | |
| We have the following varieties of h tree form. The stems are 2 f | ybrid lilacs | to offer in | the |
| tree form. The stems are 2 f | Each | | Per 100 |
| 3 to 4 ft | | rerro | 1 61 100 |
| | 2.50 | | |
| Claude Bernard | | | |
| Charles the Tenth | | | |
| Ludwig Spaeth—Single, dark red | | | |
| President Fallieries President Grevy—Double blue | | | |
| TAMARIX africana | | African | Tamarix |
| 3 to 4 ft. | .75 | 5.00 | |
| | | Evanal | Tamarix |
| gallica 3 to 4 ft | .75 | 6.00 | 1 amarix |
| 7 to 4 ft | ./) | 0.00 | |
| VACCINIUM corymbosum | H_{i} | ighbush I | 3luebe rry |
| 2 to 3 ft. | 1.25 | 11.00 | |
| 3 to 4 ft. | | 15.00 | |
| 4 to 5 ft | 2.50 | 22.50 | |
| VIBURNUM aceritolium | | | iburnum |
| 2 to 2 ½ ft | .75 | 6.50 | 7 7 |
| americanum The American form of V | Americ | an Crant | errybush |
| 2 to 3 ft | .60 | 5.50 | |
| 3 to 4 ft | .75 | 7.00 | |
| carlesi | F | ragrant I | iburnum |
| 12 to 18 in | 2.00 | 19.00 | to ter mem |
| 18 to 24 in. | 2.50 | 17.00 | |
| cassinoides | 2130 | TF | 71.1 D 1 |
| 2 to 3 ft | .75 | | 7 ithe-Rod 48.00 |
| 3 to 4 ft. | ./5 | 6.00 8.00 | 48.00 |
| 4 to 5 ft. | 1.50 | 12.00 | |
| 5 to 6 ft. heavy | 2.50 | 22.50 | |
| 6 to 7 ft. heavy | 3.50 | 33.00 | |
| | 5.50 | | |
| dentatum | | | rowwood |
| 3 to 4 ft. | | | 65.00 |
| 4 to 5 ft. | | 9.00 | |
| 5 to 6 ft | 2.50 | | |
| lantana | | Wayfa | ring-Tree |
| 2 to 3 ft | | 5.50 | |
| = 3 to 4 ft | | 6.50 | |
| 4 to 5 ft. | .90 | 8.00 | |
| lentago | | N | nnybe rry |
| 3 to 4 ft | .75 | 6.50 | |
| 4 to 5 ft | | 7.00 | |

6.50 54.0**0** 7.00 60.00

7.00 60.00 8.00 70.00

12.50 100.00

.80

1.00

1.50

2.50

4 to 5 ft.

5 to 6 ft. _____

6 to 7 ft. ----

8 to 10 ft. ----

| VIBURNUM—continued | Each | Per 10 Per 100 |
|-----------------------|--------|--------------------|
| molle | Ke | ntucky Viburnum |
| 2 to 3 ft | .60 | 5.50 45.00 |
| 3 to 4 ft | .75 | 7.00 |
| 4 to 5 ft. | 1.00 | 9.00 |
| 5 to 6 ft | 1.50 | |
| opulus | Europe | an Cranberrybush |
| 3 to 4 ft | .75 | 6.50 |
| 4 to 5 ft | 1.00 | 9.00 |
| 5 to 6 ft | 1.50 | 12.00 |
| 6 to 7 ft | 2.00 | 18.00 |
| o. sterile | 0 | Common Snowball |
| 2 to 3 ft | .75 | 6.50 |
| 3 to 4 ft | .90 | 8.00 |
| 1 to 5 ft | 1.25 | 11.00 |
| 5 to 6 ft | 1.50 | 14.00 |
| tomentosum | Doi | ublefile Viburnum |
| 2 to 2½ ft. | .75 | 7.00 |
| t. plicatum | J | apanese Snowball |
| 2 to 3 ft | .90 | 8.00 |
| WEIGELA floribunda | | Crimson Weigela |
| 2 to 3 ft | .60 | 5.50 |
| 3 to 4 ft | .75 | 6.00 |
| rosea | | Pink Weigela |
| 2 to 3 ft. | .50 | 4.50 36.00 |
| 3 to 4 ft | .60 | 5.00 45.00 |
| r. variegata | V | ariegated Weigela |
| 18 to 24 in. | .50 | 4.50 |
| 2 to 3 ft | .60 | 5.00 |
| Hybrid varieties:- | | |
| candida | | Snow Weigela |
| 2 to 3 ft. | .60 | 5.00 |
| desboisi | | |
| 2 to 3 ft | .60 | 5.00 42.00 |
| Eva Rathke | .00 | 3.00 12.00 |
| 18 to 24 in. | .60 | 5.50 48.00 |
| 2 to 3 ft | .75 | 7.00 60.00 |
| 3 to 4 ft. | .90 | 8.00 |
| | ., | |
| hendersoni | | enderson Weigela |
| 2 to 3 ft. | .50 | 4.50 39.00 5.50 |
| 3 to 4 ft | .60 | 3.30 |
| ZANTHORHIZA apiifolia | | Yellowroot |
| 12 to 15 in | .40 | 3.60 27.00 |
| 15 to 18 in | .50 | 4.50 30.00 |
| ZENOBIA pulverulenta | | Dusty Zenobia |
| - | 1.50 | 14.00 |
| 2 to 3 it. | 1.70 | 11.00 |

VINES AND CLIMBING PLANTS

| | Each | | Per 100 |
|---------------------------------|------------|-------------------|-------------------|
| ACTINIDIA arguta | | | Actin idia |
| 3 yrs | 1.25 | 11.00 | |
| 4 yrs | 1.50 | 14.00 | |
| AKEBIA quinata | | Fivelea | Akebia |
| 3 yrs | .75 | 6.50 | |
| AMPELOPSIS heterophylla | Porc | celain An | nelonsis |
| 3 yrs | | 6.00 | ·p cvc parc |
| quinquefolia | | Virginia | Creener |
| 2 yrs | | | a, cope. |
| 3 yrs | .50 .60 | 4.50 | 30.00 |
| g. engelmanni | | gelmann | Creeper |
| 3 yrs | | 4.00 | - |
| tricuspidata (veitchi) | | Japanese | |
| 2 yrs. Pot grown (3 in pots, | | o apanooo | ar cop a |
| tops tied to stakes) | .60 | 5.50 | 50.0 0 |
| 3 yrs. Pot grown (4 in pots, | | | |
| tops tied to stakes) | .75 | 7.00 | 60.0 0 |
| ARISTOLOCHIA sipho | | Dutchm | ans-pipe |
| 3 vrs | 1.25 | 11.00 | шиз-рърв |
| 4 yrs | 1.50 | 14.00 | |
| 5 yrs | 1.75 | 15.00 | |
| tomentosa | Southern | | aus Pine |
| 2 yrs | .75 | 6.50 | uns-ripe |
| 3 yrs | 1.00 | 8.50 | |
| BIGNONIA radicans | | Trumpe | tonoonom |
| 3 yrs | .50 | | 30.00 |
| 4 yrs | .60 | 5.00 | |
| BOSTON IVY (see Ampelopsis tric | uspidata) | | |
| CELASTRUS orbiculatus | _ | ental Bit | |
| 3 vrs. | | entat Bit 5.00 | tersweet |
| 4 yrs. | .90 | | |
| 5 yrs. | 1.00 | 8.00 | |
| scandens | | rican Bitt | orestant |
| 3 yrs | .75 | | 36.00 |
| 4 yrs. | .90 | | 55.00 |
| 5 yrs | 1.00 | 8.00 | |
| | C. | | |
| CLEMATIS paniculata 2 yrs. | | lutumn C | |
| 3 yrs | .50 .60 | 4.00 5.00 | 27.00 36.00 |
| 4 yrs | .75 | 6.00 | 48.00 |
| texensis (coccinea) | .,) | Scarlet C | |
| 2 yrs | .60 | -5.50 | iematis |
| , | .00 | | |
| virginiana 3 yrs. | E 0 | | s-bower |
| y 15 | .50 | 3.50 | 24.00 |

| | Each | Per 10 |) Per 100 |
|--|------------------|-------------------|---------------------------------|
| CLEMATIS HYBRIDS | Large- | flowering | Clematis |
| 2 yrs. heavy | 1.50 | 12.50 | |
| Duchess of Edinburg-Double w | hite | | |
| Henryi—Creamy white | | | |
| Jackmani—Velvety purple | | | |
| Mme. Edouard Andre-Crimson | | | |
| Mme. Baron Veillard-Soft pink | | | |
| Ramona—Light blue. | | | |
| HYDRANGEA petiolaris | CI | imbine F | lydranges |
| Plants from 3 in. pots | | 7.00 | ., |
| LONICERA flava | | | neysuckl e |
| 4 yrs. extra | | 4.00 | |
| japonica | Japa | | neysuckl e |
| 4 yrs | | | 33.00 |
| j. aureoreticulata Yellon 4 yrs. | vnet Japa | nese Hoi | ieysuckl e |
| | .50 Hall Japa | | |
| 3 yrs | | | 24.00 |
| 4 yrs. | | 4.50 | |
| sempervirens | | npet Hon | |
| 3 yrs | | | 24.00 |
| 4 yrs | .60 | 4.50 | 27.0 0 |
| LYCIUM chinense | Chinese | Matrim | ony Vina |
| 3 yrs | | | 27.00 |
| | | | |
| POLYGONUM auberti | | hinese Fl | |
| 3 yrs. (from 6 in. pots) VITIS aestavalis | 1./5 | | er Grape |
| 3 yrs | .60 | Summe | er Grupe |
| coignetiae | ,,,, | G | loryvine |
| 3 yrs | .75 | 6.00 | |
| heterophylla (See Ampelopsis he | | .) | |
| THE CONTRACT OF THE CONTRACT O | | | TTPZ |
| WISTERIA frutescens 5 yrs. | | lmerican 22.00 | W isteria |
| | | | TW7 |
| f. magnifica 5 yrs. | 2.50 | elloweye | 180.00 |
| | | | |
| sinensis 3 yrs. | .75 | Chinese 6.00 | W iste ria 50.0 0 |
| 4 yrs | 1.00 | 8.00 | |
| 5 yrs | 1.25 | 10.00 | 90.00 |
| Standards 2½ to 3 ft. stems | 2.50 | 22.00 | |
| s. alba | White | Chinese 1 | Wisteria |
| 3 yrs | .75 | 6.00 | |
| Standards 21/2 to 3 ft. stems | 2.50 | 22.00 | |

HARDY ROSES

For fall planting roses do best when transplanted late in the fall—particularly in November—after the wood has ripened.

Strong field grown plants, 2 years old, at \$1.00 each for less than 5 of one kind; 5 or more of one kind at \$9.00 per 10; unless otherwise noted.

If we are out of the variety ordered, we shall select the variety most closely resembling it UNLESS OTHERWISE ADVISED.

HYBRID TEA ROSES

Columbia—Beautiful rose-pink, perfectly formed blossoms.

Duchess of Wellington-Saffron yellow, stained crimson.

Etoile de France—Rich velvety crimson, large and double.

General MacArthur-Large velvety-scarlet.

Gruss an Teplitz-Scarlet, shading to velvety crimson.

Kaiserin Auguste Vi toria-Soft creamy-white.

Killarney Queen—Deep shell pink long pointed buds, improved Killarney.

Killarney White-Pure white, long pointed buds.

Lady Alice Stanley—Outside of petals coral-pink, inside pale flesh-pink.

Lieutenant Chaure-Velvety crimson-red, shaded with garnet.

Los Angeles-Bright flame pink shaded with gold.

Mme. Butterfly—Large brilliant pink flowers suffused apricot and gold.

Mme. Edouard Herriott—Coral red, shaded red and bright scarlet.

Mrs. Aaron Ward—Coppery orange in open bud, pinkish fawn when full.

Ophelia—Salmon flesh, shaded with rose.

Pharisaer-Rosy white, shaded with rose.

Radiance—Brilliant carmine-pink, with salmon-pink and yellow shadings.

Red Radiance—Similar to Radiance but color is deep red.

Souvenir de Claudius Pernet—A new rose of a beautiful sunflower yellow, with brilliant green foliage and few thorns.

William R. Smith—Creamy white, suffused with bright rose-pink.

Willowmere—Rich shrimp pink, shaded yellow in center and carmine pink at the edge of petals.

HYBRID PERPETUAL ROSES

Generally speaking, the Hybrid Perpetual Roses are hardier than the Hybrid
Tea Roses, but do not bloom over as long a period during the summer.

Frau Karl Druschki-Pure white.

General Jacqueminot-Bright scarlet crimson.

Harrison Yellow-Yellow.

Mrs. John Laing-Large, soft pink; fragrant and steady bloom.

Mrs. R. G. Sherman Crawford—Deep rosy pink, outer petals shaded with pale flesh and base of petals white.

Paul Neyron-Deep rose colored flowers very large.

Ulrich Brunner-Cherry crimson, large.

POLYANTHA ROSES

\$1.00 each, \$9.00 per ten.

Baby Rambler—Red Jeanne d'Arc—Pure White
Baby Rambler White—White Ideal—Deep Red
Chatillon Rose—Pink La Marne—Delicate Pink

CLIMBING ROSES AND WICHURAIANA HYBRIDS
Strong, field-grown plants,

| Strong, field-grown | - | | |
|-----------------------------------|------|--------|---------|
| | Each | Per 10 | Per 100 |
| American Pillar-Rosy pink, single | | | |
| flowers | .75 | 6.00 | |
| Aviateur Bleriot—Exquisite buds | | | |
| of saffron yellow, shaded apricot | 1.00 | 9.00 | |
| Climbing American Beauty - Rich | | | |
| carmine blossoms | .75 | 6.50 | 60.00 |
| Crimson Rambler — Deep crimson | | | |
| flowers | .75 | 6.00 | 45.00 |
| Dr. Van Fleet-Deep flesh pink; | | | |
| glossy foliage | .75 | 6.00 | 45.00 |
| Dorothy Perkins-Shell pink | .75 | 6.00 | 39.00 |
| Dorothy Perkins Red-See Excelsa. | | | |
| Excelsa—Double crimson flowers, | | | |
| good foliage | .75 | 6.00 | 42.00 |
| Hiawatha — Single deep crimson | | | |
| shadings, clear white at base of | | | |
| petals | .75 | 6.00 | 45.00 |
| Mary Wallace—One of the newer | | | |
| varieties, semi-double, bright | | | |
| clear rose pink, salmon at base | | | |
| of petals | 1.00 | 9.00 | |
| Paul's Scarlet Climber-Very de- | | | |
| sirable new rose of vivid scarlet | .75 | 7.00 | |
| Silver Moon - Semi-double, pure | | | |
| white flowers; glossy foliage | .75 | 6.00 | |
| South Orange Perfection — flowers | | | |
| double, blush pink at tips chang- | | | |
| ing white | .75 | | |
| Tausendschon-Large trusses pink | | | |
| blossoms | .75 | 6.00 | |
| White Dorothy Perkins-White | .75 | 6.00 | 39.00 |
| White Rambler—Clusters of small | | | |
| white fragrant flowers | .75 | 6.00 | 45.00 |
| | | | |

ROSA RUGOSA HYBRIDS

\$1.00 each, \$9.00 per 10

Blanche de Coubert—Semi-double pure white. Conradi Ferdinand Meyer—Fine large silvery pink blossoms.

F. J. Grootendorst—New bright crimson variety,
free bloomer.

Max Graf—Large single bright pink. Habit of growth prostrate.

Roseraire de l'Hay—Flowers double, violet red. Mme. Georges Bruant—Semi-double waxy white flowers.

FRUIT TREES

| | FRUIT IR | EES | | |
|--|--|------------------|-------------|-------------|
| STANDARD APP | LES | Each | Per 10 | Per 100 |
| 2 vr. 5 to | 7 ft. 11 in. | 1.25 | 11.50 | 100.00 |
| Baldwin | Gravenstein | | Winter | Banana |
| Delicious | McIntosh Re | | | |
| 3 vr certifie | d trees, 5 to 7 ft. | | 13.50 | |
| | 4 yr. apple trees | | | ed as to |
| | by Professor J. K. | | | |
| Agricultural College | | 0114 (1 01 | 1110 | aciiacees |
| | | wench Snit | 70nhura | |
| Delicious | McIntosh Red | Stav | man's V | /inesap |
| Fameuse | Northern Spy | Wil | liam's | • |
| Gravenstein Grimes Golden | Hubbardston Nor McIntosh Red Northern Spy Red Astrachan R. I. Greening | Yell | low Tra | nsparent |
| 4 1 .1 | "C-1 6 7 | £. | | |
| 1 to 1 1/2 | in | 2 00 | 18.00 | |
| Duchess | R. I. Greening | Yell | ow Trai | isparent |
| 1 to 1½ Duchess Red Astrachan | Wealthy | 2 017 | .0 11 1 141 | . opurcare |
| CDAD ADDIES | | | | |
| 3 yr., 5 to 7 Hyslop | ft | 1.25 | 11.50 | |
| Hyslop | Martha | Tra | nscenden | t |
| DWARF APPLES | | | | |
| 2 yr | | 1.50 | 14.00 | |
| Baldwin | Gravenstein | R. I | . Greenii | ng |
| 2 yr. Baldwin Delicious Early Harvest | McIntosh Red Red Astrachan | Yell | ow Tran | sparent |
| STANDADD DEAD | DC | | | |
| 3 yr., 5 to 7 | ft | 1.50 | 12.50 | |
| Bartlett | Beurre d'Anjou | Shel | don | |
| 3 yr., 5 to 7 Bartlett Beurre Bosc | Clapp's Favorite Seckel | Wın | ter Nelis | |
| DWARF PEARS | | | | |
| 3 yr | | 1.50 | 12.50 | |
| Clapp's Favorite | Duchess | Seck | el | |
| CHERRIES | | | | |
| | ft. $\frac{11}{16}$ in. and up | 1.50 | 14 00 | |
| Black Tartarian | Montmorency | Win | dsor | |
| Black Tartarian Early Richmond Governor Wood | Napoleon Bigarrez Water House | u Yello | ow Span | ish |
| PEACHES | | | | |
| 1 yr., 4 to 5 f | ft. % in. and up | .75 | 6.00 | 50.00 |
| 1 yr., 4 to 5 t Belle of Georgia | Crawford Late | J. H. H | ale | |
| Champion | Foster | Old Mi | xon Free | |
| | Rochester (new) | | | |
| PLUMS | | | | |
| | t | 1.50 | | |
| Abundance Bradshaw | Burbank Shrop. Damson | Lomba Reine (| | |
| DIGGOIIA W | Italian Prune | TCITIC (| Jiaude | |
| QUINCES | | | | |
| 4 to 5 ft | | 1.50 | 12.50 | |
| Champion | Orange | Rea's | Mammo | ot h |
| | | | | |

SMALL FRUITS

| ASPARAGUS | | |
|--|----------------|------------------|
| 2 yr. Per 25 Per 100 3 yr. | Per 25 | Per 100 |
| Conover's Colossal 1.00 3.00 | 1.50 | 4.50 |
| Giant Argenteuil 1.00 3.00 | 1.50 | 4.50 |
| Martha Washington 1.50 4.00 | No 3 yr. | roots |
| Palmetto 1.00 3.00 | 1.50 | 4.50 |
| BLACKBERRIES | Per 10 | Per 100 |
| All Varieties | 1.25 | 10.00 |
| Erie Eldorado Rathbun | Snyder | |
| GRAPES | | |
| 3 yrs | 5.00 | 45.00 |
| Blue-Black: Campbell's Early, Concord, | Moore's | Early. |
| Worden | | |
| Red: Catawba, Delaware, Salem, Vergennes | | |
| White: Green Mountain (\$0.75 each, \$6.50 |) per 10) | |
| Moore's Diamond, Niagara | | |
| | | |
| RASPBERRIES—All are strong transplants | | |
| Columbian—red | Per 10 1.50 | Per 100 12.00 |
| Cumberland—black | 1.25 | 10.00 |
| Cuthbert—red | 1.25 | 10.00 |
| Golden Queen—yellow | 1.50 | 12.00 |
| Herbert—red (first class sucker plants) | 1.00 | 9.00 |
| Marlboro—red | 1.25 | 10.00 |
| Ranere (St. Regis)—red, everbearing | 1.25 | 10.00 |
| RHUBARB | | |
| Each | Per 10 | Per 100 |
| Myatt's Linnaeus, Victoria, 2 yr50 | | 36.00 |
| myace a Dimacus, victoria, 2 yr | 1.50 | 90.00 |
| STRAWBERRIES | P | otgrown |
| | Per 25 | Per 100 |
| Marshall—midseason | 2.50 | 6.00 |
| Progressive—everbearing | 2.50 | 6.00 |
| Senator Dunlap—early | 2.50 | 6.00 |
| | | |

Herbaceous Department

On account of the increasing popularity and demand for Herbaceous Perennials, our acreage has been extended from year to year, so that now this department alone covers about thirty-two acres. We are adding new and choice plants to our collection each year.

About all the plants we grow are strong field-grown; the only exceptions being a few species which transplant better by being grown in pots, also some of the choice new varieties.

We invite you to visit our perennial department and see our new propagating greenhouses, our large stock of perennials, and our added facilities for handling orders.

Kindly note, that with the exception of Astilbes, Iris and Paeonies. we have discontinued offering herbaceous plants in single quantities.

Experience has shown us that we cannot go over a large acreage, dig, label, and wrap up a single plant at the present prices, except at a loss. We are, therefore, offering perennials in quantities of three instead of singly. The price per plant has not changed, except in a few cases, but as it takes practically no longer to dig, label and wrap three of a kind instead of one, we believe we can handle small quantities in this way with a narrow margin of profit. Experience leads us to believe that too many try to make a garden, using just one of a kind, whereas, it is actually necessary to have three or better still five or ten of a kind, to give a mass of color and a good effect.

We, therefore, believe that this arrangement will work out satisfactorily both for our customers and for ourselves.

Remember that five plants or more of one variety will be priced at the ten rate.

HARDY PERENNIALS, FERNS AND GRASSES

Varieties marked with an asterisk (*) are particularly adapted for the rock garden.

Full descriptions will be found in our Handbook of General Information.

See CONDITIONS on page 3.

| ACANTHUS | Three | | Per 100 |
|----------------------------------|-------|------|----------|
| mollis—Soft Acanthus | 1.05 | | Acanthus |
| m. latifolius-Broadleaf Acanthus | 1.05 | 3.00 | |

| FRICE LIST, FA | LL, 1927 | | 45 |
|---|-------------|-------------|-------------------|
| ACHILLEA | Three | Per 10 | Per 100 Yarrow |
| *ageratum—Sweet Yarrow | .90 | 2.40 | 18.00 |
| *filipendulina (eupatorium) | .50 | 2.10 | 10.00 |
| Fernleaf Yarrow | .75 | 2.20 | 15.00 |
| *millefolium—Common Yarrow | .75 | 2.20 | 15.00 |
| | .79 | 2.40 | 18.00 |
| *m. Cerise Queen | .75 | 2.40 | |
| *m. rosea—Pink Yarrow ptarmica—''The Pearl'' | | | 15.00 |
| | .75 | 2.20 | 15.00 |
| p. Perry White | .90 | 2.40 | 18.00 |
| *sericea | 1.50 | 4.00 | 15.00 |
| *tomentosa—Wooly Yarrow | .75 | 2.20 | 15.00 |
| ACONITUM | | $M\epsilon$ | onksho od |
| autumnale—Autumn Monkshood | 1.50 | 4.00 | 25.00 |
| a. barbatum | 1.05 | 3.00 | |
| a. cammarum Stoerkianum | 1.20 | 3.50 | |
| Fischeri—Azure Monkshood | 1.20 | 3.50 | 25.00 |
| f. wilsoni | 3.00 | 9.00 | |
| napellus—Aconite | 1.05 | 2.70 | 24.00 |
| n. bicolor—Bicolor aconite | 1.20 | 3.50 | 30.00 |
| n. exaltatum | 2.25 | | |
| n. longigulatum | 2.25 | | |
| n. Spark—Sparks aconite | 1.05 | 3.00 | 25.00 |
| n. tennisectum | 1.20 | 3.50 | |
| n. pulcheriana | .90 | 2.50 | |
| uncinatum—Clambering Monks- | ., . | 2.50 | |
| hood | 1.05 | 2 50 | 20.00 |
| ACORUS | 1.00 | | Sweetflag |
| | 7.5 | | , , |
| calamus—Sweetflag | .75 | 2.20 | 15.00 |
| c. variegatus—Yellowstripe Sweet | 7.5 | 2.20 | 1.6.00 |
| Flag | .75 | | 16.00 |
| ACTAEA | | | anebe rry |
| rubra—Red Baneberry | .90 | | 18.00 |
| spicata—Black Baneberry | .90 | 2.40 | 18.00 |
| AEGOPODIUM | | G | outweed |
| *podograria variegatum — Silver- | | | |
| edge Goutweed | .90 | 2.40 | 18.00 |
| AGROSTEMMA (See Lychnis) | | | |
| AJUGA | | | Bugle |
| *genevensis—Geneva Bugle | .90 | 2.40 | |
| *metallica crispa—Curly Bugle | 1.05 | 3.00 | |
| *reptans rubra—Purpleleaf Bugle | .90 | 2.40 | 18.00 |
| | .,, | | |
| ALTHAEA rosea | | П | ollyhock |
| Double varieties—Appleblossom, | | | |
| blood red, crimson, deep rose, | | | |
| Dr. Faust, pink, salmon, white | 7.5 | | 15.00 |
| and yellow | .75 | 2.20 | 15.00 |
| Single varieties — Pink, red, | 7.5 | 2.20 | 15.00 |
| white, yellow | .75 | 2.20 | 15.00 |
| Allegheny | .75 | 2.20 | 15.00 |
| 5 or more plants of one variety will 25 or more at 100 | be priced a | at 10 rate: | |
| as of more at 100 | | | |

| 40 BAI STATE NO | RSERIES | | |
|--|--------------|-----------|-----------------|
| A V VOCATA | Three | Per 10 | Per 100 |
| ALYSSUM | | | Alyssum |
| *argenteum—Silver Alyssum *rostratum—Yellowhead Alyssum | .75 | 2.20 | . 15.00 |
| *rostratum—Yellowhead Alyssum *saxatile compactum—Dwarf | .90 | 2.40 | 18.00 |
| Goldentuft | .75 | 2.20 | 15.00 |
| *s. sulphureum | .90 | 2.50 | 20.00 |
| AMSONIA | | | Amsonia |
| salicifolia—Willow Amsonia | .90 | 2.40 | 18.00 |
| tabernaemontana | .90 | 2.40 | 18.00 |
| ANCHUSA | | | Bugloss |
| barrelieri—Early Bugloss | .90 | 2.40 | 18.00 |
| italica—Italian Bugloss | .90 | 2.40 | 18.00 |
| i. Dropmore—Dropmore Bugloss | .90 | 2.40 | 18.00 |
| i. opal—Opal Bugloss | .90 | 2.40 | 18.00 |
| myosotidiflora—Siberian Bugloss | 1.20 | 3.50 | 24.00 |
| sempervirens—Evergreen Bugloss | .90 | 2.40 | 18.00 |
| ANEMONE | *** | | Anemo ne |
| canadensis (pennsylvanica)— | | • | 1 |
| Meadow Anemone | .90 | 2.40 | 18.00 |
| hupehensis | .90 | 2.50 | 20.00 |
| japonica—Japanese Anemone | .90 | 2.40 | 18.00 |
| j. albaWhite Japanese | | | |
| Anemone | .90 | 2.40 | 18.00 |
| j. elegantissima | .90 | 2.50 | 20.00 |
| j. Lady Ardilaun | .90 | 2.40 | 18.00 |
| j. Mt. Rose | .90 | 2.50 | 20.00 |
| j. Prince Heinrich | .90 | 2.50 | 20.00 |
| j. Queen Charlotte | .90 | 2.40 | 18.00 |
| j. rosea superba | .90 | 2.40 | 18.00 |
| j. Whirlwind | .90 | 2.40 | 18.00 |
| *pulsatilla-European pasque- | | | |
| flower | .90 | 2.40 | 18.00 |
| p. albaWhite pasqueflower | 1.05 | 3.00 | 24.00 |
| *p. rubra—Red pasqueflower | .90 | 2.40 | 20.00 |
| *sylvestris-Snowdrop Anemone | .90 | 2.40 | 18.00 |
| ANTENNARIA | | | |
| *dioica—Common Pussytoes | 1.20 | 3.50 | 25.00 |
| ANTHEMIS | | C | amomile |
| nobilis-Common Camomile | .90 | 2.40 | 18.00 |
| tinctoria—Yellow Camomile | .90 | 2.40 | 18.00 |
| t. kelwayi—Kelway Camomile | .90 | 2.40 | 18.00 |
| t. E. C. Buxton | .90 | 2.50 | 20.00 |
| t. Sulphur Queen | .90 | 2.50 | 20.00 |
| ANTHERICUM | | | |
| liliago—St. Bernardlily | 1.05 | 2.70 | 20.00 |
| 1. giganteum | 1.05 | 2.70 | 20.00 |
| Remember that 25 perennials of one kind | are entitled | to the hu | ndred rate |
| Whenever the hundred rate is given | | | |

whenever the hundred rate is given.

⁵ or more plants of one variety will be priced at 10 rate; $25\ \ {\rm or\ more\ at\ 100}$ rate.

| AQUILEGIA | Three | | Per 100 |
|--|-------|-------------|------------------------|
| *caerulea—Colorado Columbine_ | .90 | 2.40 | 18.00 |
| *c. alba—White Colorado Columbine | .90 | 2.40 | 18.00 |
| *Californica (See Formosa Truncat | | 2.10 | 10.00 |
| *canadensis—American | .d) | | |
| Columbine | .75 | 2.20 | 15.00 |
| *chrysantha—Golden Columbine | .90 | 2.40 | 18.00 |
| *flabellata nana—Fan Columbine | .75 | 2.20 | 15.00 |
| *f. nana alba—White Fan | ./3 | 2.20 | 15.00 |
| | 75 | 2.20 | 15.00 |
| Columbine | .75 | 2.20 | 15.00 |
| *formosa truncata (Californica) | 0.0 | 2.40 | 10.00 |
| California Columbine | .90 | 2.40 | 18.00 |
| reuteri | 1.20 | 3.50 | 30.00 |
| skinneri-Mexican Columbine | .75 | 2.20 | 15.00 |
| vulgaris—European Columbine | .75 | 2.20 | 15.00 |
| v. alba—White European | | | |
| Columbine | .75 | 2.20 | 15.00 |
| v. flore plena alba—Dble. White | | | |
| European Columbine | .75 | 2.20 | 15.00 |
| v. nivea—Munstead White | | | |
| Columbine | .75 | 2.20 | 15.00 |
| | | | |
| ARABIS | | | ockcress |
| *albida—Wallcress | .90 | 2.40 | 18.00 |
| *albida fl. pl | 1.05 | 3.00 | 24.00 |
| *alpina—Alpine Rockcress | .75 | 2.20 | 15.00 |
| *alpina nana compacta— | 0.0 | 2.40 | 10.00 |
| Dwarf Alpine Rockcress | .90 | 2.40 | 18.00 |
| ARENARIA | | S | andwort |
| *balearica—Corsican Sandwort | 1.05 | 2.70 | 20.00 |
| *montana—Mountain Sandwort | .90 | 2.40 | 18.00 |
| *verna caespitosa — Moss Sand- | | | |
| wort | .90 | 2.40 | 18.00 |
| ARMERIA | | | Thrift |
| *cephalotes rubra—Sea Pink | .90 | 2.40 | 18.00 |
| dianthoides | .90 | 2.40 | 18.00 |
| *formosa rosea | .75 | 2.20 | 15.00 |
| *Launcheana | .75 | 2.20 | 15.00 |
| *1. robusta | .90 | 2.40 | 18.00 |
| *maritima | .75 | 2.20 | 15.00 |
| *m. alba | .90 | 2.40 | 18.00 |
| A DEPOSITOR A CONTROL VALUE | | | _ |
| ARRHENATHERUM | | (| <i>Datgrass</i> |
| bulbosum variegatum— | 0.0 | 2.40 | 10.00 |
| Variegated Oatgrass | .90 | 2.40 | 18.00 |
| 5 or more plants of one variety wil 25 or more at 100 | rate. | at 10 rate; | |

| | Three | Per 10 | |
|---|-------|--------|----------|
| ARTEMISIA | | Wa | rmwood |
| abrotanum—Southernwood | 1.50 | 4.50 | |
| absinthium — Common Worm- | | | |
| wood | .90 | 2.40 | 18.00 |
| dracunculus—Tarragon | .75 | 2.20 | 15.00 |
| lactiflora—White Mugwort | 1.05 | 2.70 | 20.00 |
| pontica—Roman Wormwood | .90 | 2.40 | 18.00 |
| purshiana (gnaphaloides) | .75 | 2.20 | 15.00 |
| stellariana—Beach Wormwood | .75 | 2.20 | 15.00 |
| ARUNCUS | | Go | atsbeard |
| sylvester—Common Goatsbeard | 1.05 | 3.00 | 20.00 |
| ASCLEPIAS | | M | lilkweed |
| incarnata—Swamp Milkweed | .90 | 2.40 | 18.00 |
| tuberosa—Butterflyweed | 1.05 | 2.70 | 21.00 |
| ASPERULA | | 11 | zoodruf |
| odorata—Sweet Woodruff | .90 | 2.40 | ** |
| ASPHODELINE | | Ja | cobs-rod |
| lutea—Common Jacobs-rod | .90 | 2.40 | 18.00 |
| ASTER | | | Aster |
| acris | .75 | 2.20 | 15.00 |
| *alpinus—Rock Aster | .75 | 2.20 | 15.00 |
| *a. albus | .75 | 2.20 | 15.00 |
| *a. Dark Beauty | .75 | 2.20 | 15.00 |
| *a. giganteus | .75 | 2.20 | 15.00 |
| *a. himalaicus | .75 | 2.20 | 15.00 |
| *a. longifolius | .75 | 2.20 | 15.00 |
| *a. Nixe | .75 | 2.20 | 15.00 |
| *a. ruber | .75 | 2.20 | 15.00 |
| amellus bessarabicus—Bessarabian | ./) | 2.20 | 15.00 |
| Aster | .75 | 2.20 | 15.00 |
| amellus Elegans | .75 | 2.20 | 15.00 |
| 9 | | | |
| amellus Rosea | .75 | 2.20 | 15.00 |
| ericoides—Heath Aster | .75 | 2.20 | 15.00 |
| laevis—Smooth Aster | .75 | 2.20 | 15.00 |
| mauve cushion—Forms a cush- | | | |
| ion-like plant not over 9 in. | | | |
| tall. Flowers are delicate | | | |
| mauve produced in large | | | |
| quantities very late in the | | | |
| fall | .90 | 2.40 | 18.00 |
| multiflorus-Wreath Aster | .75 | 2.20 | 15.00 |
| novae-angliae — New England | | | |
| Aster | .75 | 2.20 | 15.00 |
| roseus | .75 | 2.20 | 15.00 |
| roseum superbum — Color | | | |
| almost red and a profuse | | | |
| bloomer | 1.20 | 3.50 | 24.00 |
| 5 or more plants of one variety will 25 or more at 100 | | | |

| THICE HIST, TA | DD, 1721 | | 47 |
|--|------------|--------|----------------|
| ASTERS—continued | Three | Per 10 | Per 100 |
| nori-belgi—New York Aster | .75 | 2.20 | 15.00 |
| ptarmicoides—White Upland Aster | .75 | 2.20 | 15.00 |
| shorti — Georgia Aster — Light | | | |
| blue | .90 | 2.40 | 18.00 |
| sibiricus — Blue; foliage turns | 1.05 | 3.00 | |
| bright crimson | 1.05 | 3.00 | 10.00 |
| spectabilis Nenco—deep lavender | .75 | 2.40 | 18.00 15.00 |
| tartaricus | ./9 | 2.20 | 15.00 |
| NAMED WARDY | 4 CPP 77 C | | |
| NAMED HARDY Arbendroth—Lavender-blue; | ASTERS | | |
| grows 5 ft. | .90 | 2.40 | 18.00 |
| Beauty of Colwall — Double | | | |
| lavender | .90 | 2.40 | 18.00 |
| Blue Gem — Double flowers of | | | |
| rich blue | 1.20 | 3.50 | 24.00 |
| Climax—Light lavender-blue | .90 | 2.40 | 18.00 |
| Combe Fishacre | .75 | 2.20 | 15.00 |
| Elta—Double pale lilac | 1.20 | 3.50 | 24.00 |
| Esma Feltham Blue—blue with yellow | .75 | 2.20 | 15.00 |
| center | .90 | 2.40 | 18.00 |
| Grace | .75 | 2.20 | 15.00 |
| Grey Lady—Exquisite shade of | .,, | 2.20 | 13.00 |
| opal, large semi-double flowers | 1.20 | 3.50 | 24.00 |
| Isabel | .75 | 2.20 | 15.00 |
| Japanese-Double white | .90 | 2.40 | |
| Lady Lloyd — Clear rose-pink, | | | |
| 3 ft | 1.20 | 3.50 | 24.00 |
| Lady Trevellyn | .75 | 2.20 | 15.00 |
| Laevis floribunda | .75 | 2.20 | 15.00 |
| Madonna | .75 | 2.20 | 15.00 |
| Mrs. Raynor | .75 | 2.20 | 15.00 |
| Novelty—Deep pink | .90 | 2.40 | 18.00 |
| Peggy Ballard—Large, pyramidal sprays of double rosy mauve | | | |
| flowers, 3 ft. | 1.20 | 3.50 | 24.00 |
| Perry's Favorite—Bright rose | .90 | 2.40 | 18.00 |
| Perry's White | .75 | 2.20 | 15.00 |
| Snowflake | .75 | 2.20 | 15.00 |
| St. Egwin-Bright pink | .90 | 2.40 | 18.00 |
| Top Sawyer | .75 | 2.20 | 15.00 |
| T. S. Ware | .75 | 2.20 | 15.00 |

| ASTILBE | | | Astilbe |
|--|--|--|--|
| X J.: X7 | Each | Per 10 | Per 100 |
| Arendsi Varieties Ceres—Rosy Lilac | .50 | 4.00 | |
| Crepuscule | .50 | 4.00 | |
| Feerie | .50 | 4.50 | |
| Gerbe d' Argent (pure white) | .50 | 4.00 | 30.00 |
| Gloria—Deep pink | .40 | 3.50 | 25.00 |
| Juno—Violet rose | .50 | 4.00 | 30.00 |
| Meta Immick—Deep pink | .50 | 4.00 | 30.00 |
| Moerheim—Pure white | .50 | 4.00 | 30.00 |
| Mont Blanc—Pure white | .50 | 4.00 | |
| Pyramidal—White | .50 | 4.00 | |
| Rose Pearl—Shell pink | .40 | 3.50 | 30.00 |
| Salland—Red | | 4.00 | 30.00 |
| | .50 | | |
| Vesta—Lilac rose | .40 | 3.50 | 30.00 |
| astilboides—Goatsbeard Astilbe | .30 | 2.40 | 18.00 |
| chinenis—Chinese Astilbe | .35 | 2.70 | 20.00 |
| davidi—David Astilbe | .50 | 4.00 | |
| grandis—Great Astilbe | .50 | 4.00 | 20.00 |
| japonica—Japanese Astilbejaponica varieties: | .35 | 2.70 | 20.00 |
| Peach Blossom | .50 | 4.00 | |
| Queen Alexandra | .40 | 3.50 | 24.00 |
| Washington | .35 | 3.00 | 25.00 |
| W. E. Gladstone | .50 | 4.00 | 30.00 |
| | | | |
| AUBRIETIA | | Δ | uhriotia |
| AUBRIETIA | Three | A Per 10 | l ubrietia Per 100 |
| | | Per 10 | Per 100 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville | 1.05 | Per 10 2.70 | Per 100 20.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis | 1.05 | Per 10 2.70 3.50 | Per 100 20.00 30.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis | 1.05 1.20 1.05 | Per 10 2.70 3.50 2.70 | Per 100 20.00 30.00 20.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia — Aubr | 1.05 | Per 10 2.70 3.50 | Per 100 20.00 30.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis | 1.05 1.20 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 | Per 100 20.00 30.00 20.00 20.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia — Aubrietia — *d. graeca—Greek Aubrietia — Purple Lady Aubrieta — Aubrieta — Aubrieta | 1.05 1.20 1.05 | Per 10 2.70 3.50 2.70 | Per 100 20.00 30.00 20.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis | 1.05 1.20 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 | Per 100 20.00 30.00 20.00 20.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo | 1.05 1.20 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 <i>Wil</i> 2.40 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis | 1.05 1.20 1.05 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo | 1.05 1.20 1.05 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 Wil 2.40 2.40 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo tinctoria—Yellow Wild-indigo | 1.05 1.20 1.05 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 Wil 2.40 2.40 Blackb | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia — *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta — BAPTISIA australis—Blue Wild-indigo — tinctoria—Yellow Wild-indigo — BELAMCANDA | 1.05 1.20 1.05 1.05 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 Wil 2.40 2.40 Blackb 2.40 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo tinctoria—Yellow Wild-indigo BELAMCANDA chinensis—Blackberry-lily BELLIS perennis—English Daisy | 1.05 1.20 1.05 1.05 1.05 1.05 | Per 10 2.70 3.50 2.70 2.70 2.70 Will 2.40 2.40 Blackb 2.40 Englis | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo tinctoria—Yellow Wild-indigo BELAMCANDA chinensis—Blackberry-lily | 1.05 1.20 1.05 1.05 1.05 .90 .90 | Per 10 2.70 3.50 2.70 2.70 2.70 Will 2.40 2.40 Blackb 2.40 Englis 2.20 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 th Daisy |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo tinctoria—Yellow Wild-indigo BELAMCANDA chinensis—Blackberry-lily BELLIS perennis—English Daisy | 1.05 1.20 1.05 1.05 1.05 .90 .90 | Per 10 2.70 3.50 2.70 2.70 2.70 Will 2.40 2.40 Blackb 2.40 Englis | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 th Daisy 15.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Bougainville *d. florariensis — Aubrietia — Aubrietia — Aubrietia — Purple L a d y Aubrieta — Purple L a d y Aubrieta — BAPTISIA australis—Blue Wild-indigo — tinctoria—Yellow Wild-indigo — BELAMCANDA — chinensis—Blackberry-lily — BELLIS perennis—English Daisy — Giant White — Giant White — Bougainville — Bou | 1.05 1.20 1.05 1.05 1.05 1.05 .90 .90 .90 | Per 10 2.70 3.50 2.70 2.70 2.70 Wil 2.40 2.40 Blackb 2.40 Englis 2.20 2.20 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 th Daisy 15.00 15.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Bougainville *d. florariensis — Aubrietia — Aubrietia — Purple Lady *d. graeca—Greek Aubrietia — Aubrieta — Purple Lady *d. purpurea — Pur | 1.05 1.20 1.05 1.05 1.05 1.05 .90 .90 .90 | Per 10 2.70 3.50 2.70 2.70 2.70 Wil 2.40 2.40 Blackb 2.40 Englis 2.20 2.20 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 th Daisy 15.00 15.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Bougainville *d. florariensis — Aubrietia — Aubrietia — Aubrietia — Purple Lady Aubrieta — Purple Lady Aubrieta — BAPTISIA australis—Blue Wild-indigo — tinctoria—Yellow Wild-indigo — BELAMCANDA — chinensis—Blackberry-lily — BELLIS — perennis—English Daisy — Giant White — Giant Pink — BELLIUM | 1.05 1.20 1.05 1.05 1.05 1.05 .90 .90 .90 .75 .75 | Per 10 2.70 3.50 2.70 2.70 2.70 Will 2.40 2.40 Blackb 2.40 Englis 2.20 2.20 4.00 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 b Daisy 15.00 15.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple Lady Aubrieta BAPTISIA australis—Blue Wild-indigo — tinctoria—Yellow Wild-indigo — tenctoria—Yellow Wild-indigo — BELAMCANDA — chinensis—Blackberry-lily — BELLIS perennis—English Daisy — p. Giant White — p. Giant Pink BELLIUM *bellioides BOCCONIA | 1.05 1.20 1.05 1.05 1.05 1.05 .90 .90 .90 .75 .75 | Per 10 2.70 3.50 2.70 2.70 2.70 Will 2.40 2.40 Blackb 2.40 Englis 2.20 2.20 4.00 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 erry-lily 18.00 th Daisy 15.00 15.00 |
| *deltoidea—Common Aubrietia *d. Bougainvillei — Bougainville *d. florariensis — Aubrietia *d. graeca—Greek Aubrietia *d. purpurea — Purple L a d y Aubrieta BAPTISIA australis—Blue Wild-indigo — tinctoria—Yellow Wild-indigo — tentoria—Yellow Wild-indigo — BELAMCANDA — chinensis—Blackberry-lily — BELLIS perennis—English Daisy — p. Giant White — p. Giant Pink BELLJUM *bellioides | 1.05 1.20 1.05 1.05 1.05 1.05 .90 .90 .75 .75 1.50 | Per 10 2.70 3.50 2.70 2.70 2.70 Will 2.40 2.40 Blackb 2.40 Englis 2.20 2.20 4.00 Plun 2.40 | Per 100 20.00 30.00 20.00 20.00 20.00 d-indigo 18.00 18.00 18.00 b-erry-lily 18.00 15.00 15.00 |

| BOLTONIA | Three | Per 10 | Per 100 Boltonia |
|--|-------|--------|---------------------|
| asteroides—White Boltonia | .75 | 2.20 | 15.00 |
| latisquama—Violet Boltonia | .75 | 2.20 | 15.00 |
| 1. nana—Dwarf Pinkray Boltonia | .90 | 2.40 | 18.00 |
| laevigata | .75 | 2.20 | 15.00 |
| BUPHTHALMUM | | | 0 |
| | 1.05 | 2.70 | Oxeye |
| salicifolium—Willowleaf Oxeyespeciosum—Heartleaf Oxeye | 1.05 | 2.70 | 20.00 |
| speciosum—Heartiear Oxeye | 1.05 | 2.70 | 20.00 |
| CALIMERIS | | | |
| incisa—Starwort | .90 | 2.40 | 18.00 |
| CALTHA | | | |
| palustris—Marshmarigold | .90 | 2.40 | 18.00 |
| parustris—iviaisminarigoru | .,,0 | 2.10 | 10.00 |
| CAMPANULA | | E | Bellflowe r |
| *alliariaefolia—Spurred Bellflower | 1.20 | 3.50 | 27.00 |
| *carpatica—Carpathian Bellflower | .90 | 2.40 | 18.00 |
| *c. alba—White Carpathian Bell- | | | |
| flower | .90 | 2.40 | 18.00 |
| *c. turbinata—Top Bellflower | 1.05 | 2.70 | 20.00 |
| *c. turbinata alba — White Top | | | |
| Flower | 1.05 | 2.70 | 20.00 |
| *glomerata dahurica—Danesblood | 1.05 | 2.70 | 20.00 |
| g. superba—Showy Cluster Bell- | | | |
| flower | .90 | 2.40 | |
| *lactiflora—Milky Bellflower | .90 | 2.40 | 18.00 |
| latifolia—Great Bellflower | .90 | 2.40 | 18.00 |
| 1. macrantha—Royal Bellflower | .90 | 2.40 | 18.00 |
| latiloba (Grandis) — Olympic | | | 4000 |
| Bellflower | .90 | 2.40 | 18.00 |
| latiloba alba | .90 | 2.40 | 18.00 |
| medium—(pink, blue, white and | 0.0 | 2.40 | 10.00 |
| mixed) Canterbury-Bell | .90 | 2.40 | 18.00 |
| m. calycanthema (pink, blue, | | | |
| white and mixed) Cup-and- | 0.0 | 2.40 | 10.00 |
| saucer Bellflower persicifolia — Peachleaf Bell- | .90 | 2.40 | 18.00 |
| | .90 | 2.40 | 18.00 |
| p. alba—White Peachleaf Bell- | .90 | 2.40 | 18.00 |
| flower | .90 | 2.40 | 18.00 |
| p. moerheimi — Morheim Bell- | ,90 | 2.40 | 18.00 |
| flower | .90 | 2.40 | 18.00 |
| pulcherrima | .75 | 2.20 | 15.00 |
| pyramidalis — The Chimney | ./) | 2.20 | 19.00 |
| Bellflower | .90 | 2.40 | 18.00 |
| p. alba-White Chimney Bell- | .,,0 | 2.10 | 10.00 |
| flower | .90 | 2.40 | 18.00 |
| *rotundifolia—Harebell | .90 | 2.40 | 18.00 |
| *trachelium—Coventry-Bells | .90 | 2.40 | 18.00 |
| trachenum—Coventry-Bens | | 2.70 | 10.00 |

⁵ or more plants of one variety will be priced at 10 rate; 25 or more at 100 rate.

| | Three | Per 10 | Per 100 |
|---------------------------------|---|--------|--------------------|
| CAREX | | | Sedg e |
| *morrowi variegata — Silveredge | . 05 | 2.00 | |
| Morrow Sedge | 1.05 | 3.00 | |
| CARLINA | | | |
| *acaulis | 1.50 | 4.00 | |
| CASSIA | | | |
| marilandica-Wild Senna | .90 | 2.40 | 18.00 |
| CATANANCHE | | Cu | pids-dart |
| caerulea—Blue Cupids-dart | .90 | 2.40 | 18.00 |
| c. alba—White Cupids-dart | .90 | 2.40 | 18.00 |
| | | | |
| CEDRONELLA | 1.05 | 2.70 | 20.00 |
| *cana—Hoary Cedronella | 1.05 | | |
| CENTAUREA | | | Centaur e a |
| *dealbata—Persian Centaurea | .90 | 2.40 | 18.00 |
| macrocephala—Globe Centaurea | .90 | 2.40 | 18.00 |
| *montana—Mountain-bluet | .90 | 2.40 | 18.00 |
| *m. alba—White Mountain-bluet | .90 | 2.40 | 18.00 |
| *ruthenica—Ruthenian Centaurea | 1.05 | 3.00 | |
| CENTRANTHUS | | Jupi | tersbear d |
| ruber—Jupitersbeard | 1.05 | 2.70 | |
| r. alba—White Jupitersbeard | .90 | 2.40 | 18.00 |
| | | C | 11 |
| CEPHALARIA | 0.0 | 2.40 | ephalaria 18.00 |
| tatarica—Tatarian Cephalaria | .90 | 2.40 | 10.00 |
| CERASTIUM | | | erastium |
| *argenteum | 1.20 | 3.50 | |
| *biebersteini—Taurus Cerastium_ | .90 | 2.40 | |
| *tomentosum—Snow-in-summer | .75 | 2.20 | 15.00 |
| CERATOSTIGMA | | | |
| *plumbaginoides—Larpente | | | |
| plumbago | 1.05 | 2.70 | 21.00 |
| CHEIRANTHUS | | | |
| *allioni—wallflower | .75 | 2.20 | 15.00 |
| CHELONE | | T_1 | urtlehe ad |
| glabra—White turtlehead | .90 | 2.40 | |
| lyoni—Pink turtlehead | .90 | 2.40 | |
| CHRYSANTHEMUM (also see Pyro | | | nthemum |
| *arcticum—Arctic Chrysanthemum | .90 | 2.40 | |
| latifolium | .75 | | 15.00 |
| maximum — Pyrenees Chrysan- | • | 2.20 | |
| themum | .75 | 2.20 | 15.00 |
| m. Alaska | .90 | 2.40 | 18.00 |
| m. King Edward | .90 | 2.40 | 18.00 |
| m. Robinson | .75 | 2.20 | 15.00 |
| m. Shasta Daisy | .75 | 2.20 | 15.00 |
| m. The Speaker | 1.05 | 2.70 | 20.00 |
| m. Triumph | .90 | 2.40 | 18.00 |
| uliginosum—Giant Daisy | .75 | 2.20 | 15.00 |
| 0 | | | 15.00 |

NAMED HARDY CHRYSANTHEMUMS

Those marked (LF) are the large flowering varieties.

| | Three | Per 10 | Per 100 |
|--------------------------------------|-------------|-------------|----------|
| Aberdeen—Bright maroon | .90 | 2.40 | 18.00 |
| Autumn Glow - Rose crimson | | | |
| (LF) | .90 | 2.40 | 18.00 |
| Baby—Button type, yellow | .90 | 2.40 | 18.00 |
| Boston-Golden bronze | .90 | 2.40 | 18.00 |
| Brutus—Old gold | .90 | 2.40 | 18.00 |
| Capt. R. H. Cook—Dark rose | | | |
| with brownish center midsea- | | | |
| son (LF) | .90 | 2.40 | 18.00 |
| Eve-Dwarf, deep pink (LF) | .90 | 2.40 | 18.00 |
| Excelsior—Canary yellow | .90 | 2.40 | 18.00 |
| Field of Snow—Pure white (LF) | .90 | 2.40 | 18.00 |
| Glory of Seven Oaks-Golden | | | |
| yellow—early | .90 | 2.40 | 18.00 |
| Golden Pheasant—Orange yellow | .90 | 2.40 | 18.00 |
| Hilda Wells | .90 | 2.40 | 18.00 |
| James Boone—Large white | .90 | 2.40 | 18.00 |
| Julie Lagravere — Large velvety | .,, | 2.10 | 10.00 |
| maroon | .90 | 2.40 | 18.00 |
| Mrs. Albert Phillips—Beautiful | .,, | 2.10 | 10.00 |
| single pink (LF) | .90 | 2.40 | 18.00 |
| Oconto—Splendid pure white | .,, | 2.10 | 10.00 |
| (LF) | .90 | 2.40 | 18.00 |
| Old Homestead—Pink (LF) | .90 | 2.40 | 18.00 |
| Ouray — Rich dark mahogany | .90 | 2.40 | 10.00 |
| brown (LF) | .90 | 2.40 | 18.00 |
| Petit Louis—Rose-pink, bronze | .90 | 2.40 | 10.00 |
| center (LF) | 0.0 | 2.40 | 10.00 |
| | .90 | 2.40 | 18.00 |
| Provence—Rose-pink, tipped | 0.0 | 2.40 | 10.00 |
| rosy red Ruby Queen—Dark ruby-red | .90 | 2.40 | 18.00 |
| | .90 | 2.40 | 18.00 |
| Skibo—Yellow button | .90 | 2.40 | 18.00 |
| Victory—White (LF) | .90 | 2.40 | 18.00 |
| White DotyPure white globu- | 0.0 | 2.40 | 10.00 |
| lar flowers | .90 | 2.40 | 18.00 |
| CIMICIFUGA | | | Bugbane |
| foetida simplex — Kamchatka | | , | Dugoune |
| Bugbane | 2.25 | 6.00 | |
| japonica—Japanese Bugbane | 1.20 | 3.50 | |
| racemosa—Cohosh Bugbane | 1.05 | 3.00 | 21.00 |
| racemosa—Conosh bugbane | 1.05 | 5.00 | 21.00 |
| CLEMATIS (also see vines) | | | Clematis |
| heracleaefolia davidiana — Fra- | | | |
| grant Tube Clematis | 1.50 | 4.50 | 40.00 |
| integrifolia | 1.50 | 3.50 | 10.00 |
| recta—Ground Clematis | 1.05 | 3.00 | 21.00 |
| viticella—Italian Clematis | 1.50 | 4.00 | 21.00 |
| 5 or more plants of one variety will | | | |
| or more plants of one variety will | ne priced . | at 10 rate; | |

| | Three | | |
|-----------------------------------|-------|-------------|----------|
| CONVALLARIA | | Lily of the | |
| majalis, clumps | 1.50 | | 40.00 |
| majalis, strong pips | .50 | 1.00 | 7.50 |
| COPTIS | | | dthread |
| *trifolia—Goldthread | .75 | | 15.00 |
| COREOPSIS | | C | oreopsis |
| delphinifolia — Larkspur Core- | | | 4 7 00 |
| opsis | .75 | 2.20 | 15.00 |
| grandiflora—Big Coreopsis | .75 | 2.20 | 15.00 |
| lanceolata—Lance Coreopsis | .75 | 2.20 | 15.00 |
| rosea—Rose Coreopsis | .75 | 2.20 | 15.00 |
| verticillata—Threadleaf Coreopsis | .75 | 2.20 | 15.00 |
| CORONILLA | | | |
| *varia—Crownvetch | .90 | 2.40 | |
| CRUCIANELLA | | | |
| *stylosa—Common Crosswort | 1.20 | 3.50 | 27.00 |
| CYNANCHUM | | | |
| ncuminatifolium—Mosquito-trap | .90 | 2.40 | |
| CYPRIPEDIUM | | Lad | yslipper |
| acaule—Pink Ladyslipper, 4 in. | | | |
| pot | .90 | | 18.00 |
| DELPHINIUM | | L | arkspur |
| cashmerianum—Cashmere Lark- | | | |
| spur | 1.05 | 3.00 | 20.00 |
| elatum—Bee Larkspur | .90 | 2.40 | 18.00 |
| formosum—Hardy Larkspur | .90 | 2.40 | 18.00 |
| Belladonna | .90 | 2.40 | 18.00 |
| Bellamosum — Dark blue | | | |
| form of Belladonna | .90 | 2.40 | 18.00 |
| Coelestinum - Sky blue | | | |
| Larkspur | .90 | 2.40 | 18.00 |
| Gold Medal Hybrids | .90 | 2.40 | 18.00 |
| grandiflorum chinense — Slender | | | |
| Larkspur | .90 | 2.40 | 18.00 |
| album | .90 | 2.40 | 18.00 |
| azureum | .90 | 2.40 | 18.00 |
| NAMED VARI | ETIES | | |
| | Each | Per 10 | |
| Amos Perry | .90 | 7.50 | |
| Bay State Seedling-An unusual | | | |
| variety of delicate mauve; | | | |
| blossom is double | 1.50 | 14.00 | |
| J. C. Jenkins | .90 | 7.50 | |
| King of Delphiniums | .90 | 7.50 | |
| Lamartine | .90 | 7.50 | |
| Langport Glory | .90 | 7.50 | |
| Moerheimi | 1.50 | 14.00 | |
| Moerheimi (Improved) — Pure | | | |
| white, strong hardy grower | 1.50 | 14.00 | |
| Mrs. James Kelway | .90 | 7.50 | |
| | | | |

⁵ or more plants of one variety will be priced at 10 rate; 25 or more at 100 rate.

| PRICE LIST, FAI | L, 1927 | | 55 |
|---|---------|-------------|---------|
| NAMED VARIETIES—continued | Each | Per 10 | |
| Rosenlust | .90 | 7.50 | |
| Smoke of War | .90 | 7.50 | |
| Star of Langport | .90 | 7.50 | |
| True Blue | .90 | 7.50 | |
| DIANTHUS | | | Pink |
| | Three | Per 10 | Per 100 |
| *arenarius-Sand-loving Pink | .90 | 2.40 | 18.00 |
| barbatus (Sweet-William)—Colors | : | | |
| pink, red and white | .75 | 2.20 | 15.00 |
| b. Newport Pink | .90 | 2.40 | 18.00 |
| b. Scarlet Beauty | .90 | 2.40 | 18.00 |
| *caesius | .90 | 2.40 | 18.00 |
| Allwoodi | 1.05 | 3.00 | |
| var. Jean—Pure white with deep | | | |
| violet-crimson center | 1.05 | 3.00 | 20.00 |
| var. Robert—A delicate shade of | | | |
| old rose with light maroon | | | |
| center | 1.05 | 3.00 | |
| carthusianorum—Carthusian pink | .90 | 2.40 | |
| caryophyllus—Hardy Carnations | | | |
| -double pink | .90 | 2.40 | 18.00 |
| c. Grenadin—Scarlet | .90 | 2.40 | 18.00 |
| c. Grenadin-White | .90 | 2.40 | 18.00 |
| chinensis Heddewigi—Heddewig | | | |
| pink | .90 | 2.40 | 18.00 |
| *c. seguieri—Ragged Pink | 1.50 | 4.00 | |
| *deltoides-Maiden pink | .90 | 2.40 | 18.00 |
| *d. alba—White Maiden pink | .90 | 2.40 | 18.00 |
| *d. brilliant | .90 | 2.40 | 18.00 |
| latifolius atrococcinea fl. pl.— | ., 0 | 2 | 10.00 |
| dble. cluster pink | .90 | 2.40 | |
| *monspessulanus | 1.50 | 4.00 | |
| plumarius—Grass pink | .75 | 2.20 | 15.00 |
| p. semperflorens—Perpetual pink | .75 | 2.20 | 15.00 |
| *speciosus—Lavender-pink | .90 | 2.40 | 18.00 |
| superbus—Lilac Pink | .90 | 2.40 | 18.00 |
| Hardy Garden Pinks— | . 20 | 2.70 | 10.00 |
| Abbotsford—Crimson | .90 | 2.40 | 18.00 |
| *Carmen—Light pink, fragrant | .90 | 2.40 | 18.00 |
| *Essex Witch—Bright pink | .90 | 2.40 | 18.00 |
| *Furst Bismark | 1.05 | 3.00 | 10.00 |
| *Her Majesty—Large pure white | .90 | 2.40 | 18.00 |
| *Homer—Dark red | 1.05 | 2.70 | 20.00 |
| *Juliet—White | | 2.40 | |
| | .90 | 2.40 | 18.00 |
| *Lord Lyons—Pink | .90 | 2.40 | 18.00 |
| *Louisa M. Alcott—Large, deep | 0.0 | 2.40 | 10.00 |
| pink | .90 | 2.40 | 18.00 |
| *Mrs. Sinkins-Large white, fra- | 0.0 | 2.40 | |
| grant | .90 | 2.40 | 10.00 |
| *Souvenir de Sale—Soft pink | .90 | 2.40 | 18.00 |
| *White Reserve — Everblooming | 0.0 | 2.40 | 10.00 |
| pure white | .90 | 2.40 | 18.00 |
| 5 or more plants of one variety will 25 or more at 100 | rave. | at 10 rate: | |

| 50 BAI STATE NUL | KŞEKIES | | |
|--|---------|--------|-----------|
| DICENTRA | Three | Per 10 | Per 100 |
| *eximea—Fringed Bleedingheart | 1.05 | 2.70 | 20.00 |
| *formosa—Western Bleedingheart | 1.05 | 2.70 | 20.00 |
| spectabilis—Bleedingheart | 2.25 | 7.00 | |
| DICTAMNUS | | | Gasplant |
| fraxinella—Gasplant | 1.20 | 3.50 | 25.00 |
| albus-White Gasplant | 1.20 | 3.50 | 25.00 |
| albus caucasicus—Giant Gasplant | 1.20 | 3.50 | 25.00 |
| DIGITALIS | | | Foxglove |
| ambigua—Yellow Foxglove | .90 | 2.40 | 18.00 |
| lanata-Grecian Foxglove | .90 | 2.40 | 18.00 |
| purpurea—Common Foxglove | .90 | 2.40 | 18.00 |
| p. alba — Common White Fox- | | | |
| glove | .90 | 2.40 | 18.00 |
| p. gloxinaeflora—Gloxinia Fox- | | | |
| glove | .90 | 2.40 | 18.00 |
| p. gloxinaeflora rosea | .90 | 2.40 | 18.00 |
| DODECATHEON | | | |
| *meadia—Common Shootingstar | .90 | 2.40 | |
| DORONICUM | | Leo | pardbane |
| caucasicum—Caucasian Leopard- | | 200 | ou would |
| bane | 1.50 | 4.00 | |
| magnificum—Sunflower Leopard- | 1.50 | | |
| bane | 1.50 | 4.00 | |
| plantagineum excelsum—Showy | 1.50 | 1.00 | |
| Leopardbane | 1.50 | 4.00 | |
| ECHINACEA | 1.50 | 1.00 | |
| purpurea—Purple Coneflower | .90 | 2.40 | 18.00 |
| ECHINOPS | ., , | | bethistle |
| pumilum—Globethistle | .90 | 2.40 | |
| ritro—Steel Globethistle | .90 | 2.40 | |
| | .90 | 2.40 | 18.00 |
| sphaerocephalus—Common Globethistle | .90 | 2.40 | 10.00 |
| | .90 | 2.40 | 18.00 |
| EPILOBIUM | | | ng Sally |
| angustifolium | .90 | 2.40 | 18.00 |
| EPIMEDIUM | | | |
| *alpinum—Alpine Epimedium | 1.50 | 4.50 | |
| *macranthum niveum — Snowy | | | |
| Epimedium | 1.50 | 4.50 | |
| *pinnatum elegans | 1.50 | | |
| *p. sulphureum | 1.50 | 4.50 | |
| ERIGERON | | | Fleabane |
| aurantiacus—Orange Fleabane | 1.05 | 2.70 | 20.00 |
| *caucasicus | 1.50 | 4.00 | |
| *coulteri | .90 | 2.40 | 18.00 |
| *Quakeress | .90 | 2.40 | 18.00 |
| *speciosus—Oregon Fleabane | .90 | 2.40 | 18.00 |
| ERINUS | | | |
| alpinus—Alpine Liverbalsam | 1.50 | 4.50 | |
| *hirsutus | 1.50 | 4.00 | |
| IIII 3 ULUS | 1.50 | 7.00 | |

⁵ or more plants of one variety will be priced at 10 rate: 25 or more at 100 rate.

| | LL, 1927 | | 57 |
|--|-------------|-------------|-----------------------------|
| | Three | Per 10 | Per 100 |
| ERYNGIUM | | | Eryngo |
| alpinum-Bluetop Eryngo | .90 | 2.40 | 18.00 |
| amethystinum-Amethyst | | | |
| Eryngo | .90 | 2.40 | 18.00 |
| aquaticum—Button-Snakeroot | .90 | 2.40 | 18.00 |
| ERYSIMUM | | Bl | isterc r es s |
| *pulchellum—Rockery Blistercress | .90 | 2.40 | 18.00 |
| EUPATORIUM | | Eu | patorium |
| aromaticum melissoides (frazeri) | | | |
| Melissa Thoroughwort | .90 | 2.40 | 18.00 |
| coelestinum—Mistflower | 1.05 | 2.70 | 20.00 |
| purpureum—Joe-Pye-weed | .75 | 2.20 | 15.00 |
| urticaefolium (ageratoides) Snow | | | |
| Thoroughwort | 1.05 | 2.70 | 20.00 |
| EUPHORBIA | 1.03 | 2.70 | Spurge |
| corrollata—Flowering Spurge | .75 | 2.20 | 15.00 |
| epythimoides—Cushion Spurge - | .90 | 2.40 | 17.00 |
| epythinioides—Cusinon Spurge | .90 | 2.40 | |
| Hardy Fe | RNS | | |
| *ADIANTUM pedatum—Amer- | | | |
| ican Maidenhair Fern | .90 | 2.40 | 18.00 |
| ASPLENIUM platyneuron (ebe- | | | |
| neum)—Ebony Spleenwort | | | |
| *ATHYRIUM filix-femina-Lady | | | |
| Fern | | | |
| CAMPTOSORUS rhizophyllus | | | |
| —Walking Fern | | | |
| *CRYTOGRAMMA acrosti- | | | |
| choides—American Rockbrake | | | |
| | | | |
| *DENNSTEDTIA punctilobula— | | | |
| Hay-scented Fern | | | |
| DRYOPTERIS goldiana—Gol- | | | |
| die Fern | | | |
| *D. marginalis — Leather Wood- | | | |
| fern | | | |
| D. spinulosa—Toothed Woodfern | | | |
| ONOCLEA sensibilis—Sensitive | | | |
| Fern | | | |
| OSMUNDA cinnamomea—Cin- | | | |
| namon Fern | | | |
| O. regalis-Royal Fern | | | |
| POLYPODIUM vulgare—Com- | | | |
| mon Polypody | | | |
| *POLYSTICHUM acrostichoides | | | |
| —Christmas Fern | | | |
| PTERETIS nodulosa — Ostrich | | | |
| | | | |
| * Fern | | | |
| *WOODSIA Ilvensis — Rusty | | | |
| Woodsia | | | |
| WOODWARDIA areolata— | | | |
| (angustifolia) Chainfern 5 or more plants of one variety wi 25 or more at 100 | | 4.2 | |
| | I he priced | at III rate | |

| JO BAIL STAIL IVEL | COLICIDO | | |
|---|----------|---------|-------------------|
| FESTUCA | Three | Per 10 | Per 100 Fescue |
| *glauca—Blue Fescue | .90 | 2.40 | |
| FILIPENDULA | | | dowsweet |
| camtschatica (Spiraea gigantea) | | 112 041 | |
| Kamchatka Meadowsweet | .90 | 2.40 | 18.00 |
| *hexapetala (Spiraea filipendula) | .,, | 2.10 | 10.00 |
| —Dropwort | .90 | 2.40 | 18.00 |
| *hex. fl. pl.—Double Dropwort | .90 | 2.40 | 10.00 |
| palmata (Spiraea Palmata) — | . , , 0 | 2.10 | |
| Siberian Meadowsweet | 1.05 | 2.70 | 20.00 |
| p. alba—White Siberian Meadow- | 1.00 | 2.70 | 20.00 |
| * | 1.05 | 2.70 | 20.00 |
| sweet | 1.05 | 2.70 | 20.00 |
| p. elegansrubra venusta—Carmine Meadow- | 1.05 | 2.70 | 20.00 |
| | 1.05 | 2.00 | 21.00 |
| sweet | 1.05 | 3.00 | 24.00 |
| ulmaria — European Meadow- | 1 20 | 2 50 | |
| sweet | 1.20 | 3.50 | |
| ulmaria fl. pl.—Double Euro- | | | |
| pean Meadowsweet | .90 | 2.40 | 18.00 |
| FUNKIA (See Hosta) | | | |
| GAILLARDIA | | | |
| aristata—Common perennial Gail- | | | |
| lardia | .75 | 2.20 | |
| a. grandiflora | .75 | 2.20 | 15.00 |
| a. maxima | .75 | 2.20 | 15.00 |
| GALEGA | | | Goatsrue |
| Heldreichi | 1.05 | 2.70 | 20.00 |
| officinalis-Common Goatsrue | 1.05 | 2.70 | 20.00 |
| o. alba—Albino Goatsrue | 1.05 | 2.70 | 20.00 |
| o. Hartlandi—Hartland Goatsrue | 1.05 | 2.70 | 20.00 |
| GALIUM | | | |
| *boreale—Northern Bedstraw | .90 | 2.40 | 18.00 |
| *verum—Yellow Bedstraw | 1.50 | 4.00 | |
| GERANIUM | | C | ranesbill |
| *argenteum | 1.20 | 3.50 | 27.00 |
| *sanguineum — Bloodred Cranes- | | | |
| bill | .90 | 2.40 | 18.00 |
| *s. album-White Cranesbill | .90 | 2.40 | 18.00 |
| grandiflorum—Lilac Cranesbill | .90 | 2.40 | 18.00 |
| maculatum—Wild Geranium | .90 | 2.40 | 18.00 |
| GEUM | | 2.40 | |
| ~ | | | Avens |
| chiloense atrosanguineum — | | | |
| Double crimson geum | .90 | | 18.00 |
| c. atrococcineum flore plena | .90 | 2.40 | 18.00 |
| c. Mrs. Bradshaw | 1.05 | 3.00 | 20.00 |
| montanum Heldreichi — Orange | | | |
| Geum | 1.05 | 2.70 | 20.00 |
| GILLENIA | | | |
| trifoliata—Bowmansroot | 1.20 | 3.00 | 24.00 |
| GLYCERIA (See PANICULARIA) | | | |
| _ | | | |

| | Three | | Per 100 |
|---------------------------------------|------------|--------------|----------------|
| GYPSOPHILA | | | y psophila |
| acutifolia—Green Gypsophila | .90 | 2.40 | 18.00 |
| *cerastioides—Mouse-ear Gypso- | 0.0 | 2.10 | |
| phila | .90 | 2.40 | 18.00 |
| paniculata—Babysbreath | .90 | 2.40 | 18.00 |
| paniculata fl. pl.—Double Babys- | 1 20 | 2.50 | |
| breath | 1.20 | 3.50 | |
| paniculata fl. pl. Bristol Fairy | 1.50 | 1400 | |
| Each | 1.50 | 14.00 | 10.00 |
| *repens—Creeping Gypsophila | .90 | 2.40 | 18.00 |
| steveni—Steven Gypsophila | .90 | 2.40 | 18.00 |
| HELENIUM | | Sn | eezeweed |
| autumnale—Common Sneezweed | .90 | 2.40 | 18.00 |
| a. Gartensonne | .90 | 2.50 | |
| a. julisonne | 1.20 | 3.00 | 25.00 |
| a. Pumilum—Dwarf Sneezeweed | .90 | 2.40 | |
| a. Pumilum magnificum | .90 | 2.40 | |
| a. Riverton Beauty | 1.05 | 2.70 | 20.00 |
| a. Riverton Gem | 1.05 | 2.70 | 20.00 |
| a. rubrum | 1.20 | 3.00 | 24.00 |
| nudiflorum striatum | .90 | 2.40 | 18.00 |
| hoopesi—Orange sneezeweed | 1.05 | 2.70 | 20.00 |
| HELIANTHEMUM | | | Sunrose |
| *chamaecistus (vulgare) — Com- | | | Suurose |
| mon Sunrose | .90 | 2.40 | 18.00 |
| *c. tomentosum (angustifolium)— | .50 | 2.70 | 10.00 |
| Rosemary Sunrose | .90 | 2.40 | 18.00 |
| *c. citrinum | .90 | 2.40 | 18.00 |
| *c. cupreum (hyssopifolium) | .90 | 2.40 | 18.00 |
| *grandiflorum | 1.50 | 4.00 | 10.00 |
| *perfoliatum roseum | .90 | 2.40 | 18.00 |
| *halimifolium multiflorum— | .,, | 2.10 | 10.00 |
| Morocco Sunrose | .90 | 2.40 | 18.00 |
| *pilosum | 1.50 | 4.00 | • |
| k | | | |
| HELIANTHUS | | S | unflower |
| acutifolius | .90 | 2.40 | 18.00 |
| decapetalus—Thinleaf Sunflower | .75 | 2.20 | 15.00 |
| d. multiflorus fl. pl. — Double | | | |
| Golden Thinleaf Sunflower | 1.05 | 2.70 | 21.00 |
| maximiliana — Maximilian Sun- | | | |
| flower | .75 | 2.20 | 15.00 |
| mollis—Ashy Sunflower | .75 | 2.20 | 15.00 |
| questifolius | .90 | 2.40 | |
| orgyalis | .90 | 2.40 | |
| rigidus | .90 | 2.40 | 18.00 |
| | | | |
| scaberrimus Miss Mellishs. Wolley Dod | .90 .90 | 2.40 2.40 | 18.00 18.00 |

| | Three | Per 10 | Per 100 |
|--|-------------|-----------------------|-------------------------|
| HELIOPSIS | | I | leliopsi <mark>s</mark> |
| helianthoides (laevis) Sunflower | | | |
| Heliopsis | .90 | 2.40 | 18.00 |
| h. pitcheriana—Pitcher Heliopsis | .90 | 2.40 | 18.00 |
| h. pitcheriana semi-plena | .90 | 2.40 | |
| scabra—Rough Heliopsis | .90 | 2.40 | 18.00 |
| s. excelsa | .90 | 2.40 | 18.00 |
| HEMEROCALLIS | | | |
| auruntiaca major—Great Orange | | | |
| Day Lily | 1.05 | 3.00 | |
| citrina—Citron Day Lily | .90 | 2.40 | 18.00 |
| dumortieri—Early Day Lily | .90 | 2.40 | 18.00 |
| d. sieboldi (blooms 3 weeks after | | | |
| dumortieri) | .90 | 2.40 | 18.00 |
| flava—Lemon Day Lily | 1.20 | 3.00 | 21.00 |
| Note: Real flava is scarce; we guara fulva—Tawny Day Lily | ntee this : | stock to be t 2.20 | 16.00 |
| gracilis | 1.05 | 2.70 | 20.00 |
| luteola—Golden Day Lily | 1.20 | 3.00 | 21.00 |
| middendorfi—Amur Day Lily | .90 | 2.40 | 18.00 |
| thunbergi—Japanese Day Lily | .90 | 2.40 | 18.00 |
| HYBRID HEMER | | | 10.00 |
| Apricot | 1.05 | 2.70 | 20.00 |
| Aureole | .90 | 2.40 | 18.00 |
| Dr. Regel | .90 | 2.40 | 18.00 |
| Florham | .90 | 2.40 | 18.00 |
| Gold Dust | .90 | 2.40 | 18.00 |
| Kwanso flore-pleno | .90 | 2.40 | 18.00 |
| Orangeman | .90 | 2.40 | 18.00 |
| HEPATICA | | | Hepatica |
| acutiloba—Sharplobe Hepatica | .90 | 2.40 | 18.00 |
| triloba—Roundlobe Hepatica | .90 | 2.40 | 18.00 |
| HERNIARIA | | | |
| *glabra—Burstwort | 1.20 | 3.50 | 30.00 |
| HESPERIS | | | Rocket |
| *matronalis—Dames Rocket | .90 | 2.40 | 18.00 |
| *m. alba—White Dames Rocket | .90 | 2.40 | 18.00 |
| HEUCHERA | | A | lumroot |
| *americana—American Alumroot | .90 | 2.40 | 18.00 |
| brizoides-Pinkbells | 1.05 | 2.70 | 21.00 |
| *sanguinea—Coralbells | .90 | 2.40 | 18.00 |
| *s. alba—White Coralbells | .90 | 2.40 | 18.00 |
| *s. gracillima (gracilis rosea) — | | | |
| Grassleaf Coralbells | .90 | 2.40 | 18.00 |
| *Grenadin scarlet | 1.05 | 2.70 | 21.00 |
| *hybrids—Flowers twice as large | | | |
| as sanguinea | .90 | 2.40 | 18.00 |
| *Perrys White | 1.50 | 4.50 | |
| *Pluie de Feu | 1.20 | 3.50 | |
| *Shirley | .90 | 2.40 | 18.00 |
| *splendens | .90 | 2.40 | 18.00 |
| 5 or more plants of one variety wil | 1 1 | . 10 | |

| THICE DIST, FA. | 1111, 1941 | | 01 |
|---|-------------|------------|------------|
| | Three | Per 10 | Per 100 |
| HIERACIUM | | | |
| aurantiacum — Orange Hawk- | | | |
| weed | .90 | 2.40 | 18.00 |
| pilosella | 1.20 | 3.50 | 27.00 |
| HIBISCUS | | | |
| militaris—Soldier Rosemallow | .75 | 2.20 | 15.00 |
| moscheutos—Common Rosemal- | | | |
| low | .90 | 2.40 | 18.00 |
| oculiroseus—Crimson-Eye Rose- | | - 10 | |
| mallow | .90 | 2.40 | 18.00 |
| m. Marvel Mallows-Red, white, | 0.0 | 2.40 | 20.00 |
| pink and mixed | .90 | 2.40 | 20.00 |
| HOSTA (Funkia) | | | antainlily |
| caerulea—Blue Plantainlily | .90 | 2.40 | 18.00 |
| lancifolia—Lanceleaf Plantainlily | .90 | 2.40 | 18.00 |
| 1. albo-marginata — Silveredge | 0.0 | 2 40 | |
| Lanceleaf Plantainlily | .90 | 2.40 | 18.00 |
| l. undulata variegata — Wavyleaf | 0.0 | 2.40 | 10.00 |
| Plantainlily | .90 | 2.40 | 18.00 |
| ovata | .90 | 2.40 | 18.00 |
| o. Thomas Hogg | .90 | 2.40 | 18.00 |
| plantaginea grandiflora (sub- cordata grandiflora) — Big | | | |
| Plantainlily | 1.50 | 4.50 | 39.00 |
| sieboldiana — Cushion Plantain- | 1.50 | 4.50 | 39.00 |
| lily | 1.05 | 2.70 | 21.00 |
| HUMULUS | 1.00 | 2.70 | 21.00 |
| lupulus—Common Hop | 1.50 | 4.00 | |
| HYPERICUM | 1.50 | 1.00 | |
| patulum—Japanese Hypericum. | 1.20 | 3.50 | 27.00 |
| *repens (a wonderful plant) | 1.20 | 3.50 | 30.00 |
| | 1.20 | 2.20 | 50.00 |
| HYSSOPUS | 0.0 | 2.40 | 1000 |
| *officinalis—Hyssop | .90 | 2.40 | 18.00 |
| *officinalis rosea | .90 | 2.40 | 18.00 |
| IBERIS | 0.0 | 2.40 | 1000 |
| *gibraltarica | .90 | 2.40 | 18.00 |
| *gibraltarica rosea | .90 | 2.40 | 18.00 |
| *saxatilis corifolia | .90 | 2.40 | 18.00 |
| *sempervirens—Evergreen candy- tuft | 0.0 | 2.40 | 10.00 |
| | .90 | 2.40 | 18.00 |
| *s. Little Gem | .90 .90 | 2.40 | 18.00 |
| *s. Snowflake | .90 | 2.40 | 13.00 |
| INCARVILLEA | | | 22.00 |
| delavayi—Trumpet Vine | 1.20 | 3.00 | 22.00 |
| grandiflora | 1.20 | 3.00 | 25.00 |
| INULA | | | |
| *ensifolia—Swordleaf Inula | 1.20 | 3.50 | 30.00 |
| glandulosa—Caucasian Inula | .90 | 2.40 | 18.00 |
| salicina-Willowleaf Inula | .90 | 2.40 | 18.00 |
| 5 or more plants of one variety wil 25 or more at 100 | l be priced | at 10 rate | : |
| 55 of more at 100 | .acc. | | |

IRIS

We have upwards of one hundred and fifty varieties in our collection, including all classes in both named varieties and separate colors. For description see our Catalog.

| IRIS | Each |
|---------------------------------|------|
| *Alpine — Early flowering Iris, | |
| March to May, 6 to 9 in | .50 |
| 77 1 1 | |

| varieties: | |
|--------------------------|------------------|
| Alida | Grandee |
| Balceng | Josephine |
| Biflora | Midnight |
| Blue King | Miss White |
| Bluestone | Nudicaulis |
| Charmer | Orange Queen |
| Chameiris Aurea Maculata | Othello |
| Citrea | Queen |
| Cyanea | Statellae |
| Delicata | Stewart |
| Diana | Stray in Florida |
| Eburnea | Sulphurea |
| Excelsior | Virgo |
| Florida | _ |

GERMAN IRIS—TALL BEARDED IRIS

In the following list of Tall-Bearded Iris (German Iris) are included a number of the older varieties, as well as many of the newer sorts. Many of the older varieties have certain characteristics that make them still greatly desirable, and we have added in the past few years a number of newer varieties that we consider of real value. Descriptions of these Iris will be found in our Descriptive Handbook.

| ar Descriptive Trandbook. | | | |
|-------------------------------|------|--------|---------|
| | Each | Per 10 | Per 100 |
| Admiral Togo | .30 | 2.40 | 18.00 |
| Afterglow (Sturtevant 1917) | | | |
| 8.6 | .75 | | |
| Alcazar (Vilmorin 1910) 8.9 | .40 | 3.00 | 27.00 |
| Amas 7.8 | .40 | 3.50 | |
| Archeveque (Vilmorin 1911) | | | |
| 8.3 | .50 | 4.00 | |
| Atroviolacea | .30 | 2.40 | 18.00 |
| Augustina | .30 | 2.40 | 18.00 |
| Aurea | .35 | 3.00 | 24.00 |
| Brooklyn | .30 | 2.40 | 18.00 |
| Canary Bird | .30 | 2.40 | 18.00 |
| Caprice (Vilmorin 1904) 7.5 - | .35 | 3.00 | 24.00 |
| Charlotte Patti | .30 | 2.40 | 18.00 |
| Charles Dickens | .30 | 2.40 | 18.00 |
| Comte de St. Clair | .30 | 2.40 | 18.00 |
| Darius | .30 | 2.40 | 18.00 |
| Flavescens | .30 | 2.40 | 18.00 |
| Florentina Alba | .30 | 2.40 | 18.00 |
| Florentina Blue | .30 | 2.40 | 18.00 |
| Garrick | .30 | 2.40 | 18.00 |
| Gen. Grant | .30 | 2.40 | 18.00 |
| | | | |

⁵ or more plants of one variety will be priced at 10 rate: 25 or more at 100 rate.

| GERMAN IRIS—continued | Each | Per 10 | |
|---|-------|--------|-------|
| Gold Bound | .30 | 2.40 | 18.00 |
| Hector | .30 | 2.40 | 18.00 |
| Herant | .30 | 2.40 | 18.00 |
| Her Majesty (Perry 1903) 7.3 | .35 | 3.00 | 21.00 |
| Hokanum | .30 | 2.40 | 18.00 |
| Horatius | .30 | 2.40 | 18.00 |
| Iris King (Goos & Koenemann | | | |
| 1907) 7.9 | .35 | 3.00 | 10.00 |
| Johan de Witt | .30 | 2.40 | 18.00 |
| Juaniata (Farr 1909) 8.1 | .35 | 3.00 | 24.00 |
| L'Africaine | .30 | 2.40 | 18.00 |
| Loreley (Goos & Koenemann | 2 = | | 20.00 |
| 1909) 7.9 | .35 | 2.70 | 20.00 |
| Madame Chereau | .30 | 2.40 | 18.00 |
| Midnight | .30 | 2.40 | 18.00 |
| Monsignor (Vilmorin 1907) 8.4 | .50 | 4.00 | |
| Mother of Pearl (Sturtevant | | | |
| 1921)—Pale bluish lavender | 1.50 | 13.50 | |
| Mrs. Charles Darwin | .30 | 2.40 | 18.00 |
| Mrs. Horace Darwin (Foster | | | |
| 1903) 6.8 | .30 | 2.50 | |
| Nihelungen (Goos & Koene- | | | |
| mann 1910) 7.3 | .35 | 2.70 | 20.00 |
| Oroya | .30 | 2 40 | 18.00 |
| Pallida Dalmatica | .40 | 3.00 | 24.00 |
| Pallida Speciosa | .30 | 2.40 | 18.00 |
| Parc de Neuilly (Verdier 1910) | | | |
| 8.1 | .50 | 4.00 | |
| Pauline | .30 | 2.40 | 18.00 |
| Pecutum | .30 | 2.40 | 18.00 |
| Perfection (Barr) 7.8 | .35 | 3.00 | |
| Pocahontas (Farr 1915) 7.7 | .50 | | |
| Princess Beatrice | .40 | 3.00 | 24.00 |
| Princess Victoria Louise (Goos | | | |
| & Koenemann 1910) 7.2 | .30 | 2.40 | |
| Prosper Laugier (Verdier 1914) | | | |
| 8.3 | .50 | 4.50 | |
| Purple King | .30 | 2.40 | 18.00 |
| Quaker Lady (Farr 1909) 8.4. | .50 | 4.50 | |
| Queen of May | .30 | 2.40 | 18.00 |
| Rebecca | .30 | 2.40 | 18.00 |
| Rhein Nixe (Goos & Koene- | | | |
| mann 1910) 8.4 | .35 | 3.00 | 21.00 |
| Sherwin-Wright (Kohankie | | | |
| 1915) 7.6 | .35 | 3.00 | 24.00 |
| Sir Robert Peel | .30 | 2.40 | 18.00 |
| Striata | .30 | 2.40 | 18.00 |
| Violetta | .30 | 2.40 | 18.00 |
| White Knight (Saunders 1916) | . , 0 | 2.10 | 10.00 |
| 8.3 | .35 | 3.00 | |
| William III. | .30 | 2.40 | 18.00 |
| | | | 10.00 |
| 5 or more plants of one variety will 25 or more at 100 | rate. | | |
| | | | |

| | | _ | |
|-------------------------------|-------|--------|---------|
| TARREST INDIBIDE INC. 3 | Each | Per 10 | Per 100 |
| KAEMPFERI—JAPANESE IRIS N | | | 2600 |
| Alida | .50 | 4.00 | 36.00 |
| Aspasie | .50 | 4.00 | 36.00 |
| Astarte | .50 | 4.00 | 36.00 |
| Babylon | .50 | 4.00 | 36.00 |
| Band of Clouds | .50 | 4.00 | 36.00 |
| Blue Belle | .50 | 4.00 | 36.00 |
| Blue Bird | .50 | 4.00 | 36.00 |
| Blue Danube | .50 | 4.00 | 36.00 |
| Commodore Perry | .50 | 4.00 | 36.00 |
| Double Blue Belle | .50 | 4.00 | 36.00 |
| Gold Bound | .50 | 4.00 | 36.00 |
| Harlequin | .50 | 4.00 | 36.00 |
| Helen von Siebold | .50 | 4.00 | 36.00 |
| Iso-No-Nami | .50 | 4.00 | 36.00 |
| Kamaochi-guma | .50 | 4.00 | 36.00 |
| Mahogany | .50 | 4.00 | 36.00 |
| Maple Cascade | .50 | 4.00 | 36.00 |
| Moonlit Waves | .75 | 7.00 | |
| Navy-Blue | .50 | 4.00 | 36.00 |
| Neptune | .50 | 4.00 | 36.00 |
| Ondine | .50 | 4.00 | 36.00 |
| Oscar | .50 | 4.00 | 36.00 |
| Painted Lady | .50 | 4.00 | 36.00 |
| Paragon | .50 | 4.00 | 36.00 |
| Patrocole | .50 | 4.00 | 36.00 |
| Purple Emperor | .50 | 4.00 | 36.00 |
| Purple and Gold | .50 | 4.00 | 36.00 |
| Pyramid | .50 | 4.00 | 36.00 |
| Reine de Bulgare | .50 | 4.00 | 36.00 |
| Turban | .50 | 4.00 | 36.00 |
| Uchiu | .50 | 4.00 | 36.00 |
| Venus | .50 | 4.00 | 36.00 |
| William Tell | .50 | 4,50 | 40.00 |
| Zama Forest | .50 | 4.00 | 36.00 |
| Kaempferi Mixed Colors — | .,0 | 1.00 | 50.00 |
| Mixed Jap. Iris | .35 | 3.00 | 20.0 |
| MISCELLANEOUS IRIS | Three | Per 10 | Per 100 |
| chrysographes—Goldvein Iris | 1.20 | 3.50 | 30.00 |
| *cristata—Crested Iris | .90 | 2.40 | 18.00 |
| pseudacorus | .90 | 2.40 | |
| *pumila atroviolacea (Maroon- | | | |
| red) | 1.05 | 2.70 | 20.00 |
| *p. aurea | 1.05 | 2.70 | 20.0 |
| *p. Bride—Ivory white | | 2.70 | 20.00 |
| *p. cyanea—Deep blue | | 2.70 | 20.0 |
| *p. lutea—Yellow | | | 20.0 |
| | | 2.70 | 20.0 |
| *p. Sambo | | 2.70 | 20.0 |
| *p. White Queen | | 2.70 | 20.0 |
| Siberica | .90 | 2.40 | 18.0 |

| PRICE LIST, FA | LL, 1927 | | 05 |
|---|----------|------------|------------------|
| MISCELLANEOUS IRIS—cont. | Three | Per 10 | Per 100 |
| s. alba | .75 | 2.20 | 15.00 |
| s. leucanthemum | .75 | 2.20 | 15.00 |
| s. orientalis Blue—Yale color | .90 | 2.20 | 15.00 |
| s. Snow Queen | .90 | 2.40 | 18.00 |
| verna | .90 | 2.40 | 18.00 |
| versicolor | .90 | 2.40 | 18.00 |
| JASIONE | | | |
| *perennis | .90 | 2.40 | |
| KNIPHOFIA | | , | Torchlily 1 |
| uvaria pfitzeriana — Bonfire | | | |
| Torchlily | .90 | 2.40 | 18.00 |
| u. grandiflora—Dayglow Torch- | | | |
| lily | .90 | 2.40 | 18.00 |
| u. nobilis—Giant Torchlily | .90 | 2.40 | 18.00 |
| LACTUCA | | | |
| perennis | 1.50 | 4.00 | |
| LATHYRUS | | | Pea |
| latifolius—Perennial Pea | .90 | 2.40 | 18.00 |
| 1. albus-White Perennial Pea | .90 | 2.40 | 20.00 |
| 1. Pink Pearl | .90 | 2.40 | 18.00 |
| *vernus-Spring Bittervetch | .90 | 2.40 | |
| LAVANDULA | | 1 | Lavend er |
| officinalis (vera) True lavender | 1.05 | 2.70 | |
| spica-Spike lavender | 1.05 | 2.70 | 20.00 |
| LEONTIPODIUM | | E | delweiss |
| *alpinum | 1.20 | 3.50 | 30.00 |
| LIATRIS | | G_{ℓ} | yfeather |
| pycnostachya — Cattail Gay- | | | |
| feather | .90 | 2.40 | 18.00 |
| spicata—Spike Gayfeather | .90 | 2.40 | 18.00 |
| LIGULARIA | | | |
| clivorum (Senecio clivorum) | | | |
| Ragweed | 1.50 | 4.00 | 30.00 |
| veitchiana | 1.80 | 5.00 | |
| wilsoniana | 1.80 | 5.00 | |
| LILIUM | | | Lily |
| auratum—Goldband Lily | 1.50 | 4.00 | 30.00 |
| canadense—Canada Lily | .90 | 2.40 | 18.00 |
| candidum—Madonna Lily | 1.20 | 3.50 | 30.00 |
| carolinianum—Carolina Lily | 1.05 | 3.00 | 30,00 |
| elegans—Deep maroon | 1.05 | 3.00 | 24.00 |
| hansoni—Hanson Lily | 2.25 | 6.00 | 21.00 |
| longiflorum (white) Easter Lily | 1.20 | 3.50 | 25.00 |
| 1. giganteum—Giant Lily | 1.20 | 3.50 | 27.00 |
| regale—Royal Lily | 1.80 | 5.50 | 50.00 |
| speciosum album—White Specio- | 1.00 | 7.70 | 70.00 |
| sum Lily | 1.20 | 3.50 | 30.00 |
| s. rubrum—Red Speciosum Lily | 1.20 | 3.50 | 25.00 |
| superbum — (Reddish orange) | 1.20 | 5.50 | 23.00 |
| American Turkscap Lily | 1.05 | 2.70 | 20.00 |
| tigrinum—Tiger Lily | .90 | 2.70 | 20.00 |
| tigrinum fl. pl.—Double Lily | 1.05 | 3.00 | 20.00 |
| | | | |
| 5 or more plants of one variety will 25 or more at 100 | rate. | 14101 | |
| | | | |

| LIMONIUM | Three | Per 10 | Per 100 |
|--|--------------|------------|------------|
| *latifolium-Bigleaf Sea-lavender | .90 | 2.40 | 18.00 |
| LINARIA | | | |
| striata | 1.20 | 3.50 | |
| LINUM | | | Flax |
| *flavum—Golden Flax | 1.05 | 2.70 | 20.00 |
| *narbonnense—Narbone Flax | 1.05 | 2.70 | 20.00 |
| *perenne-Perennial Flax | .90 | 2.40 | 18.00 |
| *p. alba-White Perennial Flax. | .90 | 2.40 | 18.00 |
| LOBELIA | | | |
| cardinalis—Cardinalflower | .90 | 2.40 | 18.00 |
| siphilitica—Large Blue Lobelia | .90 | 2.40 | 18.00 |
| var. alba—Large White Lobelia | .90 | 2.40 | |
| LUPINUS | | | Lupine |
| polyphyllus — Washington Lu- | | | - |
| pine | .90 | 2.40 | 18.00 |
| p. albiflorus — White Washing- | | | |
| ton Lupine | .90 | 2.40 | 18.00 |
| p. Moerheimi - Moerheim Lu- | | | |
| pine | 1.05 | 2.70 | 20.00 |
| p. roseum—Blush Lupine | 1.05 | 2.70 | 20.00 |
| p. Downer's hybrids | .90 | 2.40 | |
| LYCHNIS | | | Campion |
| *alpina—Arctic Campion | 1.05 | 2.70 | 20.00 |
| a. alba | .90 | 2.40 | 18.00 |
| a. rubra plena | .90 | 2.40 | 18.00 |
| chalcedonica | .90 | 2.40 | -18.00 |
| coronaria—Rose Campion | .75 | 2.20 | 15.00 |
| c. alba—White Campion | .75 | 2.20 | 15.00 |
| flos-cuculi-Ragged-robbin | .90 | 2.40 | 18.00 |
| | .90 | 2.40 | 18.00 |
| flos-jovis—Flower-of-Jove haageana—Haage Campion | .90 | 2.40 | 18.00 |
| Campion | .90 | 2.40 | 18.00 |
| viscaria splendens — Rosepink | | | |
| Campion | .90 | 2.40 | 18.00 |
| viscaria splendens fl. pl.—Double | | | |
| Rosepink Campion | .90 | 2.40 | 18.00 |
| LYSIMACHIA | | L_0 | oosestrife |
| nummularia—Moneywort | .75 | 2.20 | 15.00 |
| clethroides — Clethra Loosestrife | .90 | 2.40 | |
| LYTHRUM | | | |
| alatum—Winged Lythrum | .90 | 2.40 | 18.00 |
| salicaria roseum — Rose Loose- | | | |
| strife | .90 | 2.40 | 18.00 |
| s. roseum Perrys Variety | .90 | 2.40 | 18.00 |
| MALVA | | | Mallow |
| alcea—Hollyhock Mallow | .90 | 2.40 | 18.00 |
| moschata—Musk Mallow | .90 | 2.40 | 18.00 |
| m. alba—White Musk Mallow | .90 | 2.40 | 18.00 |
| MELISSA | | | Balm |
| officinalis-Common Balm | .90 | 2.40 | 18.00 |
| 5 or more plants of one variety wi | Il be priced | at 10 rate | |

⁵ or more plants of one variety will be priced at 10 rate, 25 or more at 100 rate.

| ALEA/DYLA | Three | Per 10 | Per 100 |
|--|-------------|-----------|-------------------|
| MENTHA Danamaiat | .75 | 2.20 | |
| piperita—Peppermint | | 2.40 | |
| spicata—Spearmint | .90 | 2.40 | 18.00 |
| MERTENSIA | | 1 | Bluebells |
| *Virginica—Virginia Bluebells | .90 | 2.40 | 18.00 |
| MISCANTHUS | | | |
| sinensis Eulalia | 1.05 | 3.00 | |
| s. gracillimus—Maiden Grass | 1.05 | 3.00 | |
| s. variegatus—Striped Eulalia | 1.05 | 3.00 | |
| s. Zebrinus—Zebra Grass | 1.05 | 3.00 | |
| MITCHELLA | | | |
| *repens—Partridgeberry 4 in. pots | .90 | 2.40 | 18.00 |
| MONARDA | | | Beebalm |
| didyma—Oswego Beebalm | .90 | 2.40 | 18.00 |
| d. Cambridge Scarlet—Beebalm | .90 | 2.40 | 18.00 |
| d. salmonea—Salmon Beebalm | 1.05 | 3.00 | |
| d. violacea | .90 | 2.40 | 18.00 |
| fistulosa—Wildergamot | .90 | 2.40 | |
| f. alba-White Wildergamot | .90 | 2.40 | |
| MYOSOTIS | | | |
| *dissitiflora — Swiss Forget-me- | | | |
| not | .75 | 2.20 | 15.00 |
| *scorpioides semperflorens— | | | |
| Dwarf Perpetual Forget-me- | | | |
| not | .75 | 2.20 | 15.00 |
| NEPETA | | | |
| *cataria—Catnip | .90 | 2.40 | 18.00 |
| hederacea (glechoma)—Ground- | | | |
| Ivy | .90 | 2.40 | 18.00 |
| macrantha | 1.05 | 2.70 | 20.00 |
| *mussini | 1.05 | 2.70 | |
| | 1.05 | | |
| NIEREMBERGIA rivularis—Whitecup | 1.05 | | upflower 20.00 |
| | 1.05 | 2.70 | 20.00 |
| OENOTHERA | | | |
| *eximea — White Evening-prim- | 0.0 | 2.40 | |
| rose | .90 | 2.40 | |
| fruticosa major — Bush Snow- | | 2.46 | 1000 |
| drops | .90 | | 18.00 |
| f. youngi—Youngs Sundrops | .90 | | 18.00 |
| glauca fraseri-Fraser Sundrops | .90 | 2.40 | 18.00 |
| *missouriensis—Ozart Sundrops | 1.20 | 3.00 | 25.00 |
| speciosa | .90 | 2.40 | |
| | Japa | anese Pac | |
| PACHYSANDRA | | | |
| PACHYSANDRA *terminalis, from 2½ in. pots *terminalis, field grown | .90 1.05 | 2.20 | 15.00 18.00 |

PAEONIES

| PAEONI | ES | | |
|---|----------|-----------|------------------|
| The fall is the best time of | the year | for trans | planti ng |
| paeonies. | Each | Don 10 | Per 100 |
| Albert Crousse — Large compact | .75 | 6.00 | F 61 100 |
| rose; white, fragrant, late | | 6.00 | |
| Alexandre Dumas | .75 | 0.00 | |
| Augustin d'Hour-Large, dark | 1.00 | 0.00 | |
| solferino red | 1.00 | 9.00 | |
| Beaute Française | .75 | 6.00 | |
| Comte de Diesbache | .75 | 5.00 | |
| Comte de Nippon | .75 | 6.00 | |
| Couronne d'Or | .75 | 6.00 | |
| Dr. Bretonneau | .75 | 6.00 | |
| Docteur Caillot | .75 | 6.00 | |
| Dorchester | | 8.00 | |
| Duc de Cazes | .75 | 6.00 | |
| Duchesse de Nemours | .90 | 8.00 | 70.00 |
| Edouard Andre | .75 | 6.00 | |
| Edulis Superba | .75 | 6.00 | |
| Felix Crousse | 1.00 | 9.00 | |
| Festiva Maxima | .75 | 6.50 | 50.00 |
| Floral Treasure | .75 | 6.00 | |
| Francois Ortegat | .75 | 5.00 | |
| Fulgida | .75 | 6.00 | |
| General Bertrand | .75 | 6.00 | |
| Golden Harvest | .75 | 6.00 | |
| Humei | .75 | 6.00 | |
| Karl Rosenfield | 1.50 | 14.00 | |
| Lady Leonora Bramwell | .75 | 6.00 | |
| LaSublime | .75 | 5.00 | |
| La Tendresse | 1.00 | 9.00 | |
| La Tulipe | .75 | 6.00 | |
| L'Indispensable | 1.00 | 9.00 | |
| Louis Van Houtte | .90 | 8.00 | |
| Mme. Auguste Dessert | 2.00 | 18.00 | |
| Mme. de Verneville | .90 | 8.00 | |
| Mme. Ducel—Light mauve-rose | 1.00 | 9.00 | |
| Modeste Guerin | .90 | 8.00 | |
| Mons. Jules Elie | 1.25 | 11.00 | |
| Officinalis Alba | .75 | 7.00 | |
| Officinalis Rosea | .75 | 7.00 | |
| Officinalis Rubra | | 9.00 | |
| Queen Victoria | | 6.00 | |
| Rosea Plena Superba | .60 | 5.00 | |
| Rubra Superba (Richardson) | | 9.00 | |
| Sappho | 1.25 | 11.00 | |
| Solfatare—Yellow | .90 | 8.00 | |
| Walter Faxon | 5.00 | 48.00 | |
| Double Pink, Double Red and | 5.00 | | |
| Double White | .50 | 4.00 | |
| Single Pink, Single Red, and | .,, | | |
| Single White | 1.50 | 14.00 | |
| 5 or more plants of one variety w 25 or more at 10 | | | |
| 25 or more at 10 | 10 rate. | | |

| | , | | 0, |
|-------------------------------------|----------|-------------------------|---------|
| | Three | Per 10 | Per 100 |
| PANICULARIA | | - | |
| speciosum—Ribbon grass | .90 | 2.40 | 18.00 |
| variegata | .90 | 2.40 | 18.00 |
| PAPAVER | | | Poppy |
| *alpinum | 1.05 | 2.70 | 21.00 |
| *alpinum blanc | 1.05 | 2.70 | 21.00 |
| *alpinum roseum | 1.05 | 2.70 | 21.00 |
| orientale—Orientale Poppy | .90 | 2.40 | 18.00 |
| orientale hybrids, varieties | 1.20 | 3.00 | 24.00 |
| Beauty of Livermore | Queen I | Alexa <mark>ndra</mark> | |
| Goliath Oriflame | Royal S | carlet | |
| Loreley Oriental King | Salmon | Queen | |
| Mrs. Perry Princess Victoria Louise | Silver Q |)ueen | |
| *nudicaule — Iceland Poppy; | | | |
| orange, white and yellow | .90 | 2.40 | 18.00 |
| PENTSTEMON | | | |
| acuminatus-Stiff Pentstemon | .90 | 2.40 | 18.00 |
| arizonicus | 1.20 | 3.50 | 27.00 |
| barbatus Coral Gem | 1.05 | 3.00 | |
| barbatus Huntington Shell Pink | 1.05 | 3.00 | |
| diffusus-Bushy Pentstemon | .90 | 2.40 | |
| heterophyllus - Violet Pentste- | | | |
| mon | .90 | 2.40 | 18.00 |
| laevigatus digitalis — Foxglove | | | |
| Pentstemon | .90 | 2.40 | 18.00 |
| ovatus-Eggleaf Pentstemon | .90 | 2.40 | 18.00 |
| pygmaens | 1.50 | | |
| torreyi-Torrey Pentstemon | .90 | 2.40 | 18.00 |
| tubiflorus—Tube Pentstemon | .90 | 2.40 | 18.00 |
| PHALARIS | | | |
| arundinacea—Reed Canary Grass | .90 | 2.40 | 18.00 |
| a. variegata—Ribbon Grass | .90 | 2.40 | |
| | | | 10.00 |

PHLOX

Our collection of Phlox includes the finest sorts to be found in this country.

| PHLOX | | | Phlox |
|---|------------|-------|----------------------|
| *amoena—Amoena Phlox | .90 | 2.40 | 18.00 |
| divaricata—Blue Phlox | 1.20 | 3.00 | 24.00 |
| d. alba | .90 | 2.40 | 18.00 |
| d. laphami | 1.05 | 3.00 | |
| maculata—Sweet William Phlox | .90 | 2.40 | 18.00 |
| *ovata—Mountain Phlox | .90 | 2.40 | 18.00 |
| | | | |
| PANICULATA | | Garde | n Phlox |
| PANICULATA Albion—Medium white | .75 | | n <i>Phlox</i> 15.00 |
| | .75 .90 | 2.20 | |
| Albion-Medium white | | 2.20 | 15.00 |
| Albion—Medium white Annie Cook—Flesh pink | | 2.20 | 15.00 |

⁵ or more plants of one variety will be priced at 10 rate; 25 or more at 100 rate

| PHLOX-continued | Three | Per 10 | Per 100 |
|----------------------------------|-------|--------|----------------|
| Astrild-Brilliant cochineal car- | | | |
| mine, shaded deeper toward | | | |
| center | .90 | 2.40 | 18.00 |
| Atlas—Salmon pink | .90 | 2.40 | 18.00 |
| B. Comte-Dark red | .90 | 2.40 | 18.00 |
| Baron van Dedem-Salmon red | .90 | 2.40 | 18.00 |
| Beacon-Brilliant cherry red | .90 | 2.40 | 18.00 |
| Blue Hill—This phlox is the | | | |
| nearest to a blue of any we | | | |
| have seen | 1.05 | 3.00 | 24.00 |
| Boule de Feu—Cherry red | .90 | 2.40 | 18.00 |
| Commander-in-Chief — New | | | |
| beautiful crimson-red with | | | |
| darker eye. Color does not | | | |
| bleach or fade | 1.05 | 3.00 | 24.00 |
| Coquelicot—Orange scarlet | 1.05 | 3.00 | 24.00 |
| Crepuscule—Shading from crim- | 1.03 | 3.00 | 2 1.00 |
| son center through rose-lilac | | | |
| to a white edge | .90 | 2.40 | 18.00 |
| Debs-The finest red phlox there | .,, | 2.10 | 10.00 |
| is. Color is bright fiery crim- | | | |
| son. There is no other phlox | | | |
| that resembles Debs | 2.25 | 7.00 | |
| Deutschland—A rich scarlet va- | 4.49 | 7.00 | |
| riety that is a great improve- | | | |
| ment over Coquelicot. A new | | | |
| variety | 1.05 | 2.70 | 20.00 |
| Eclaireur—Carmine salmon cen- | 1.00 | 2.70 | 20.00 |
| | .90 | 2.40 | 18.00 |
| Embrasement — Bright orange- | .90 | 2.70 | 10.00 |
| scarlet | .90 | 2.40 | 18.00 |
| | .90 | 2.40 | 18.00 |
| Epopee — Reddish violet, bright | .90 | 2.40 | 10 00 |
| center Etta's Choice—Pure white | .90 | 2.40 | 18.00 18.00 |
| | .90 | 2.40 | 18.00 |
| Elizabeth Campbell — Bright | 1 05 | 2.00 | 24.00 |
| salmon pink, dark red eye | 1.05 | 3.00 | 24.00 |
| Eugene Danzanvilliers — Lilac- | 0.0 | 2.40 | 10.00 |
| blue, white center | .90 | 2.40 | 18.00 |
| Europa - Snow white, carmine | 0.0 | 2 (0 | 1000 |
| center | .90 | 2.40 | 18.00 |
| Firebrand—Bright red with | | | |
| deeper center | 1.05 | 3.00 | 24.00 |
| Frau G. Von Lassburg—Pure | | | |
| white | .90 | 2.40 | 18.00 |
| Frau Anton Buchner—The best | | | |
| white | .90 | 2.40 | 18.00 |
| Frederick Passy - Fine Dwarf | | | |
| Phlox (12 in.), lavender pink | .90 | 2.40 | 18.00 |
| General Chanzy — Scarlet pink | | | |
| tinted salmon | .90 | 2.40 | 18.00 |

⁵ or more plants of one variety will be priced at 10 rate; 25 or more at 160 rate.

| PHLOX—continued | Three | Per 10 | Per 100 |
|--------------------------------------|-------|--------|---------|
| General Van Heutz Orange | | | |
| scarlet with white eye | .90 | 2.40 | 18.00 |
| Goliath—Red | .90 | 2.40 | 18.00 |
| Gruppenkonigin — Flesh-colored | | | |
| rose, with carmine eye | .90 | 2.40 | 18.00 |
| Hector-Fine pink | .90 | 2.40 | 18.00 |
| Independence—Pure white | .90 | 2.40 | 18.00 |
| Iris—Light purple | .90 | 2.40 | 18.00 |
| Japonaise — Delicate rose, white | | | |
| center | .90 | 2.40 | 18.00 |
| Jeanne d'Arc-Pure white | .90 | 2.40 | 18.00 |
| Johnson's Favorite - Light | | | |
| salmon-pink with a dark red | | | |
| eye, resembling Elizabeth | | | |
| Campbell, but superior in | | | |
| every way. Strong grower. | 1.50 | 4.50 | 39.00 |
| Juliet-Light pink, dark red eye | .90 | 2.40 | 18.00 |
| Julius Heurlin — Light salmon- | .,, 0 | 2.10 | 10.00 |
| pink | .90 | 2.40 | 18.00 |
| Jules Sandeau—Large, fine, very | .,, | 2.10 | 10.00 |
| free-flowering, pure pink. | | | |
| Grows about 15 in. high | 1.05 | 3.00 | 24.00 |
| LeMahdi—Deep velvety purple; | 1.00 | 5.00 | 27.00 |
| | .90 | 2.40 | 18.00 |
| large spikes | .90 | 2.40 | 18.00 |
| L'Esperance — Light, lavender, | 0.0 | 2.40 | 10.00 |
| pink white center | .90 | 2.40 | 18.00 |
| L'Evenement — Delicate pink, | .90 | 2.40 | 18.00 |
| tinted, salmon | .90 | 2.40 | 10.00 |
| Le Soleil — Brilliant china-rose, | 0.0 | 2.40 | 10.00 |
| rose center | .90 | 2.40 | 18.00 |
| Maid Marion — Soft lavender | 1.05 | 2.00 | 24.00 |
| very even in color | 1.05 | 3.00 | 24.00 |
| Mia Ruys—A good improvement | . 20 | 2 50 | 20.00 |
| over Tapis Blanc | 1.20 | 3.50 | 30.00 |
| Mme. Meuret—Flame color, car- | | | |
| mine center | .90 | 2.40 | 18.00 |
| Mme. Paul Dutrie-Soft pink, | | | |
| suffused with white | .90 | 2.40 | 18.00 |
| Mme. P. Langier — Bright red, | | | |
| vermillion center | .90 | 2.40 | 18.00 |
| Michael Buchner—Dark purple | .90 | 2.40 | 18.00 |
| Mrs. Jenkins—Pure white, very | | | |
| large truss | .90 | 2.40 | 18.00 |
| Mrs. Milly von Hoboken — | | | |
| Another new variety. Soft | | | |
| pink without eye. Large | | | |
| flowers on long erect spike | 1.05 | 2.70 | 20.00 |
| Pantheon — Brilliant rose, very | | | |
| effective | .90 | 2.40 | 18.00 |
| 5 or more plants of one variety will | | | |

⁵ or more plants of one variety will be priced at 10 rate; 25 or more at 100 rate.

| PHLOX—continued Peach Blow—Delicate pink, rose | Three | Per 10 | Per 100 |
|---|-------------|------------|---------|
| center | .90 | 2.40 | 18.00 |
| Percheau d'Island — A splendid variety with deep red blos- | | | |
| soms. Tall | .90 | 2.40 | 18.00 |
| Prof. Virchow — Brilliant car- | | | |
| mine overlaid with orange | | | |
| scarlet | .90 | 2.40 | 18.00 |
| Queen—Pure white; late | .90 | 2.40 | 18.00 |
| Rheinlander — This new variety | | | |
| has immense blossoms of | 1 05 | 2.00 | 24.00 |
| salmon pink with claret eye | 1.05 | 3.00 | 24.00 |
| Richard Wallace — Pure white, | .90 | 2.40 | 18.00 |
| Riverton Jewel—Lovely shade of | .90 | 2.40 | 10.00 |
| mauve-rose with brilliant car- | | | |
| mine-red eye | .90 | 2.40 | 18.00 |
| R. B. Struthers—Bright, pinkish | ., 0 | 2.10 | 10.00 |
| salmon crimson eye | .90 | 2.40 | 18.00 |
| Rijnstroom—Bright carmine rose | .90 | 2.40 | 18.00 |
| Saison Lierval — White, light | | | |
| pink center | .90 | 2.40 | 18.00 |
| Tapis Blanc—Dwarf, very large | | | |
| fine white blossom | 1.05 | 2.70 | 20.00 |
| Thor — Lively shade of deep | | | |
| salmon-pink, suffused and overlaid with a scarlet glow; | | | |
| analine red eye | .90 | 2.40 | 18.00 |
| Victor — Bright salmon pink, | .90 | 2.10 | 10.00 |
| large blossom | 1.05 | 2.70 | 20.00 |
| W. C. Egan—Very large flowers | | | |
| of delicate lilac with large | | | |
| bright solferino eye. The | | | |
| color effect as a whole is a | | | |
| pleasing shade of soft pink | .90 | 2.40 | 18.00 |
| Widar — Bright reddish violet | 0.0 | 2.40 | 1000 |
| with large white center - glaberrima suffruticosa Indian | .90 | 2.40 | 18.00 |
| Chief | .90 | 2.40 | 18.00 |
| s. Miss Lingard | .90 | 2.40 | 18.00 |
| *stellaria—Mauve Phlox | .90 | 2.40 | 18.00 |
| *stolonifera (reptans) | .75 | 2.20 | 15.00 |
| *subulata—Moss Pink | .75 | 2.20 | 15.00 |
| Note:—We have two varieties of | | | ana ia |
| light pink, the other deep pink. Spec | ify which | you pre | fer. |
| *s. albaWhite Moss pink | .75 | 2.20 | 18.00 |
| pink | .75 | 2.20 | 18.00 |
| *s. G. F. Wilson — Blue Moss | | | |
| *s. lilacina | .75 | 2.20 | 15.00 |
| 5 or more plants of one variety will 25 or more at 100 | be priced a | t 10 rate: | |
| 25 or more at 100 | rale. | | |

| | , | | |
|-------------------------------------|-------------|-------------|-----------|
| PHLOX—continued | Three | | Per 100 |
| *s. Nelsoni | .75 | 2.20 | 15.00 |
| *s. The Bride | .90 | 2.40 | 18.00 |
| *s. Vivid—Bright fiery rose. The | | | |
| finest free-blooming dwarf va- | 1.05 | 3.00 | 24.00 |
| riety there is | 1.05 | 3.00 | 24.00 |
| PHYSALIS | | | ndcherry |
| francheti-Lantern Groundcherry | .90 | 2.40 | 18.00 |
| PHYSOTEGIA | | False-dr | agonhead |
| virginiana—Virginia False- | | | |
| dragonhead | .90 | 2.40 | 18.00 |
| v. alba—White False-dragonhead | .90 | 2.40 | 18.00 |
| v. Rubra—Red False-dragonhead | .90 | 2.40 | 18.00 |
| v. speciosa — Tall Cluster False- | | | |
| dragonhead | .90 | 2.40 | 18.00 |
| v. grandiflora vivid—Deep pink. | | | |
| A wonderful little plant. | 0.0 | 2.40 | |
| growing about 15 in. high | .90 | 2.40 | |
| PLATYCODON | | Ball a | onflower |
| grandiflora—Balloonflower | .90 | | 18.00 |
| g. album—White Balloonflower | .90 | 2.40 | 18.00 |
| g. mariesi—Maries Balloonflower | .90 | 2.40 | 18.00 |
| PLUMBAGO larpentae—(See CERA | ATOSTIC | SMA) | |
| PODOPHYLLUM | | | |
| peltatum—Common Mayapple | .90 | 2.40 | 18.00 |
| POLEMONIUM | | | |
| *caeruleum—Greek-valerian | .90 | 2.40 | 18.00 |
| *c. album-White Greek-valerian | .90 | 2.40 | 18.00 |
| *reptans—Creeping Polemonium | .90 | 2.40 | 18.00 |
| humile (richardson)—D warf | | | |
| Polemonium | .90 | 2.40 | 18.00 |
| POLYGONATUM | | | |
| commutatum (giganteum)— | | | |
| Great Solomonseal | .90 | 2.40 | 18.00 |
| POLYGONUM | | Flo | eceflower |
| affine—Himalayan Fleeceflower | .90 | 2.40 | , |
| cuspidatum—(sieboldi) Japanese | .50 | 2.40 | 10.00 |
| fleeceflower | 1.05 | 2.70 | 20.00 |
| filiforme variegatum — Marbled | | | |
| Jumpseed | .90 | 2.40 | 18.00 |
| POTENTILLA | | C | inguefoil |
| *atrosanguinea—Himalayan Cin- | | | mque,ou |
| quefoil | .90 | 2.40 | 18.00 |
| *fragiformis | 1.20 | 3.50 | 25.00 |
| *grandiflora—Alpine Cinquefoil | .90 | 2.40 | 18.00 |
| *hippiana | 1.20 | 3.50 | 25.00 |
| *hirta | 1.20 | 3.50 | 25.00 |
| *hybrida Miss Willmott | 1.05 | 2.70 | 20.00 |
| 5 or more plants of one variety wil | 1 be priced | at 10 rate: | |

| POTENTILLA—continued nepalensis (formosum)—Nepal | Three | Per 10 | Per 100 |
|--|------------------|-----------|-----------|
| Cinquefoil | .90 | 2.40 | 18.00 |
| *olympicum | 1.20 | 3.50 | |
| *purpurea fl. pl. | .90 | 2.40 | 18.00 |
| *pyrenaica—Pyrenees Cinquefoil | .90 | 2.40 | 18.00 |
| *rupestris-Cliff Cinquefoil | 1.20 | 3.50 | |
| *tridentata-Wineleafe Cinquefoil | .90 | 2.40 | 18.00 |
| Mixed double varieties | 1.05 | 2.70 | 20.00 |
| PRIMULA | | | Primrose |
| *acaulis—English Primrose | 1.05 | 2.70 | 20.00 |
| auricula | 1.05 | 2.70 | 20.00 |
| bulley ana | 1.05 | 2.70 | 20.00 |
| cortusoides—Bigleaf Primrose | .90 | 2.40 | 18.00 |
| elatior alba—Oxlip Primrose | .90 | 2.40 | 18.00 |
| japonica—Japanese Primrose | 1.05 | 3.00 | 10.00 |
| *officinalis hybrida — Cowslip | 1105 | 3.00 | |
| (Drooping) | .90 | 2.40 | 18.00 |
| polyantha—Munstead strain | .90 | 2.40 | 18.00 |
| pulverulenta — Silverdust Prim- | | | |
| rose | 1.05 | 2.70 | 20.00 |
| sikkinnensis | 1.05 | 2.70 | |
| veitchi | 1.05 | 2.70 | |
| *veris — Cowslip Primrose (Up- | | | |
| right) | .90 | 2.40 | 18.00 |
| *vulgaris | .90 | 2.40 | 18.00 |
| PRUNELLA | | | Selfheal |
| *grandiflora—Great Selfheal | .90 | 2.40 | 18.00 |
| *webbiana—Webb Selfheal | .90 | 2.40 | |
| PYRETHRUM | | Persi | ian Daisy |
| roseum single | 1.05 | | 24.00 |
| Varieties: Coccinea (rich, reddish purple), Elsie Gertrude (pale flesh, very large), Hebe (pure white), James Kelway (vivid scarlet, very large and free), Nimrod (large and free silvery rose), Rosy Morn (Rose-pink, | 1103 | | 2.1.00 |
| very pretty). roseum single, mixed | .90 | 2.40 | 18.00 |
| roseum atrosanguineum (Single crimson) | .90 | 2.40 | 18.00 |
| uliginosum (Giant Daisy) | 1.05 | 2.70 | |
| RANUNCULUS | | | Buttercup |
| acris fl. pl.—Tall Double Butter- | | | P |
| cup | .90 | 2.40 | |
| repens—Creeping Buttercup | | 2.40 | 18.00 |
| 5 or more plants of one variety w | | | |
| | III DE DITCEIL 2 | L IU Lale | |

| RUDBECKIA | Three | | Per 100 neflower |
|--|-------|-------|----------------------------|
| fulgida—Orange Coneflower | .75 | 2.20 | 15.00 |
| laciniata—Cutleaf Coneflower | .75 | 2.20 | 15.00 |
| lac-Golen Glow | .75 | 2.20 | 15.00 |
| 1. Goldstrahl | .75 | 2.20 | 15.00 |
| 1. Reine d'Or — Dwarf Golden | | | |
| Glow | .90 | 2.40 | 18.00 |
| purpurea (See Echinacea pur- purea) | | | |
| speciosa (newmanni) — Showy | 0.0 | 2.40 | 10.00 |
| Coneflower | .90 | 2.40 | 18.00 |
| subtomentosa — Sweet Cone- | 0.0 | 2.40 | |
| flower | .90 | 2.40 | |
| triloba—Brown-eyed-Susan | .90 | 2.40 | 18.00 |
| RUTA | | | |
| *graveolens—Common Rue SALVIA | .75 | 2.20 | 15.00 |
| *azurea grandiflora—Great Azure | | | |
| Sage | .90 | 2.40 | 18.00 |
| a. angustifolia (pitcheri) | .90 | 2.40 | |
| *argentea—Silver Sage | .90 | 2.40 | 18.00 |
| officinalis-Garden Sage | .90 | 2.40 | 18.00 |
| *pratensis-Meadow Sage | .90 | 2.40 | 18.00 |
| *sclarea—Common Clary | 1.50 | 4.00 | |
| SANGUINARIA | | | |
| *canadensis—Bloodroot | .75 | 2.20 | 15.00 |
| SANTOLINA | | | |
| *chamaecyparissus—Lavender- | | | |
| Cotton | .90 | 2.40 | 18.00 |
| SAPONARIA | | | |
| *ocymoides—Rock Soapwort | 1.05 | 2.70 | 20.00 |
| *officinalis fl. pl.—Double Bounc- | 1.02 | 2.70 | 20.00 |
| ing-bet | .90 | 2.40 | 18.00 |
| SATUREIA | .,, | 20.10 | 10.00 |
| *montana—Winter Savory | 1.20 | 3.50 | 30.00 |
| SAXIFRAGA | 1.20 | | axifrage |
| *cordifolia—Heartleaf Saxifrage | 1.05 | 3.00 | 20.00 |
| *crassifolia—Leather Saxifrage | 1.05 | 2.70 | 20.00 |
| lingulata—Tongue Saxifrage | 1.05 | 3.00 | 20.00 |
| michauxi—Michaux Saxifrage | 1.05 | 3.00 | 20.00 |
| McNabiana | 1.05 | 2.50 | 20.00 |
| virginiensis—Virginia Saxifrage | 1.05 | 3.00 | 20.00 |
| | 1.00 | | ~ * * |
| SCABIOSA | | | Scabiosa |
| caucasica—Caucasian Scabiosa | 1.05 | 2.70 | 21.00 |
| c. alba—White Caucasian Scabi- | | | |
| osa | 1.20 | 3.50 | 30.00 |
| japonica—Japanese Scabiosa | .90 | 2.40 | 18.00 |
| lyratifolia | 1.50 | | |
| Pennsylvanicum | .90 | 2.40 | 18.00 |
| sylvatica | 1.05 | 3.00 | 20.00 |

| | Three | Per 10 | Per 100 |
|---|-------------|-------------|----------|
| SEDUM | | S | tonecrop |
| *acre—Goldmoss | .75 | 2.20 | 15.00 |
| *album-White Stonecrop | .75 | 2.20 | 15.00 |
| *anglicum | .90 | 2.40 | 18.00 |
| *dasyphyllum—Leafy Stonecrop_ | 1.05 | 3.00 | 25.00 |
| *ewersi-Ewers Stonecrop | .90 | 2.40 | 18.00 |
| *kamtschaticum - Orange Stone- | | | |
| crop | .75 | 2.20 | 15.00 |
| *maximowiczi-Amur Stonecrop | .90 | 2.40 | 18.00 |
| *maximum—Great Stonecrop | .90 | 2.40 | 18.00 |
| *m. haematodes (atropurpureum) | .90 | 2.40 | 18.00 |
| *m. stahli | .90 | 2.40 | 18.00 |
| *pruinatum fosterianum | .90 | 2.40 | 18.00 |
| *sarmentosum - Stringy Stone- | | | |
| crop | .90 | 2.40 | 18.00 |
| *sexangulare—Hexagone Stonecrop | .90 | 2.40 | 18.00 |
| *sieboldi—Siebold Stonecrop | .90 | 2.40 | 18.00 |
| *spectabile—Showy Stonecrop | .75 | 2.20 | 15.00 |
| *s. Brilliant | .90 | 2.50. | 20.00 |
| *s. atropurpureum—Purple Showy | | | |
| Stonecrop | .90 | 2.40 | 18.00 |
| *stoloniferum - Running Stone- | | | |
| crop | .90 | 2.40 | 18.00 |
| *ternatum-Mountain Stonecrop | .90 | 2.40 | |
| SEMPERVIVUM | | н | ouseleek |
| *alberti | .75 | | 15.00 |
| *arachnoideum—Spiderweb House- | ./) | 2.20 | 13.00 |
| leek | .75 | 2.20 | 15.00 |
| *assimile | .75 | 2.20 | 15.00 |
| fauconati | .75 | 2.20 | 15.00 |
| *globiferum—Globe Houseleek | .75 | 2.20 | 15.00 |
| *hispidulum | .75 | 2.20 | 15.00 |
| *potsi | .75 | 2.20 | 15.00 |
| *tectorum—Roof Houseleek | .75 | 2.20 | 15.00 |
| | ./) | | |
| SIDALCEA | | | emallow |
| candida—White Prairiemallow | .90 | 2.40 | 18.00 |
| Rosy Gem | .90 | 2.40 | 18.00 |
| SILENE | | | Catchfly |
| *alpestris—Alpine Catchfly | 1.50 | 4.00 | , , |
| maritima—Sea Campion | 1.05 | 2.70 | 20.00 |
| pensylvanica—Peatpink | .90 | 2.40 | 18.00 |
| schafta—Schafta Catchfly | .90 | 2.40 | 18.00 |
| SILPHIUM | | | |
| | 0.0 | | sinweed |
| laciniatum—Compassplant perfoliatum—Cup Rosinweed | .90 | 2.40 | 18.00 |
| | .90 | 2.40 | 18.00 |
| SISYRINCHIUM | | | |
| angustifolium (Bermudianum)— | | | |
| Common Blue-eyed-grass | .75 | 2.20 | 15.00 |
| 5 or more plants of one variety will | be priced a | it 10 rate; | |

| 11002 2101, 171 | , 1721 | | |
|---|----------------------|------------|----------|
| SOLIDACO | Three | | Per 100 |
| solidansis—Canada Goldenrod | .75 | 2.20 | 15.00 |
| | | | |
| rigidus—Stiff Goldenrod | .75 | 2.20 | 15.00 |
| rugosa—Wrinkled Goldenrod | .75 | 2.20 | 15.00 |
| sempervirens—Seaside Goldenrod | .75 | 2.20 | 15.00 |
| Spiraea aruncus is listed ur | nder ARU | JNCUS | |
| SPIRAEA | | | |
| eximia—Billiard Spirea | .90 | 2.40 | 18.00 |
| multiflora—Snowgarland | .90 | 2.40 | 18.00 |
| STACHYS | | | Betony |
| *grandiflora—Big Betony | .90 | 2.40 | 18.00 |
| *g. superba—Mauve Betony | .90 | 2.40 | 18.00 |
| *lanata—Woolly Betony | .90 | 2.40 | 18.00 |
| STATICE (See LIMONIUM latifolin | | | |
| STELLARIA | | 0 500 111 | |
| holostea—Easterbells | .90 | 2.40 | 18.00 |
| STENANTHIUM | | | |
| *robustum—Featherfleece | .90 | 2.40 | |
| STOKESIA | | | Stokesia |
| laevis (cyanea) Stokesia | .90 | 2.40 | 18.00 |
| 1. alba—White Stokesia | .90 | 2.40 | 18.00 |
| 1. rosea—Rose Stokesia | 1.05 | 2.70 | 20.00 |
| TELEKIA (See BUPHTHALMUM) | 1.00 | 2.70 | 20.00 |
| TEUCRIUM | | | |
| *chamaedrys — Chamaedrys Ger- | | | |
| mander | .90 | 2.40 | 18.00 |
| *orientale | 1.50 | 4.00 | |
| THALICTRUM | | Med | adowrue |
| aquilegifolium—Columbine | | | |
| Meadowrue | .90 | 2 40 | . 18.00 |
| aquil. purpureum—Purple Col- | .,, 0 | 2.10 | . 10.00 |
| umbine Meadowrue | .90 | 2.40 | 18.00 |
| delavayi | 1.05 | 2.70 | 20.00 |
| | 1.05 | 2.70 | 20.00 |
| dipterocarpum—Yunnan | 1.05 | 2.00 | 24.00 |
| Meadowrue | 1.05 | 3.00 | 24.00 |
| glaucum—Dusty Meadowrue | .90 | 2.40 | 18.00 |
| *minus adiantifolium - Maiden- | | | |
| hair Meadowrue | .90 | 2.40 | 18.00 |
| polyganum—Tall Meadowrue | 90 | 2.40 | 18.00 |
| sulfureum—Hybrid Meadowrue | .90 | 2.40 | 18.00 |
| THERMOPSIS | | | |
| caroliniana—Carolina Thermop- | | | |
| sis | 1.20 | 3.00 | |
| mollis—Soft Thermopsis | .90 | 2.40 | |
| THYMUS | | | |
| *vulgaris—Common Thyme | .90 | 2 40 | 18.00 |
| *citriodorus | .90 | 2.40 | 18.00 |
| *serpyllum — Mother-of-Thyme | . , , , | 2.10 | 10.00 |
| (Pink) = | 1.05 | 2.70 | 20.00 |
| *serpy!lum album—White | 1.00 | 2.70 | 20.00 |
| | 1.05 | 2.70 | 20.00 |
| Mother-of-Thyme | 1.05 | 2.70 | 20.00 |
| *s. coccineum—Crimson Thyme | 1.05 | 2.70 | 20.00 |
| s. lanuginosus—Woolly Thyme | 1.05 | 2.70 | 20.00 |
| 5 or more plants of one variety will 25 or more at 100 p | be priced a rate. | t 10 rate; | |
| | | | |

| 78 BAY STATE NU. | KSEKIES | | |
|--|-------------|------------|----------|
| | Three | Per 10 | Per 100 |
| TIARELLA | | | |
| *cordifolia — Allegheny Foam- | | | |
| flower | .90 | 2.40 | 13.00 |
| TRADESCANTIA | | | |
| virginiana—Virginia Spiderwort | .90 | 2.40 | 18.00 |
| v. alba—White Spiderwort | .75 | 2.20 | 15.00 |
| v. rosea | 1.05 | 3.00 | |
| TRILISA | | | |
| odoratissima—Carolina-vanilla | .90 | 2.40 | 18.00 |
| TRILLIUM | | | |
| *grandiflorum—Snow Trillium | .75 | 2.20 | 15.00 |
| *erectum-Purple Trillium | .75 | 2.20 | 15.00 |
| TRITOMA (See KNIPHOFIA) | | | |
| TROLLIUS | 1 50 | 4 0 0 | |
| asiaticus—Siberian Globeflower | 1.50 | 4.00 | |
| asiaticus fl. pl.—Double Siberi- | 1 50 | 4.00 | |
| can Globeflower | 1.50 | 4.00 | |
| a. giganteus | 1.50 | 4.00 | |
| europaeus — Common Globe- | 1 50 | 4.00 | 26.00 |
| flower | 1.50 | 4.00 | 36.00 |
| e. Eleanor | 1.50 | 4.00 | |
| e. Fire Globe—Orange Red e. japonicus fl. pl.—Double Jap- | 1.50 | 4.00 | |
| anese Globeflower | 1.50 | 4.00 | |
| e. jap. Excelsior | 1.50 | 4.00 | |
| e. loddigesi—Goldenball Trollius | 1.50 | 4.00 | |
| e. Orange Globe | 1.50 | 4.00 | 36.00 |
| TUNICA ' | 1.70 | 4.00 | 30.00 |
| *saxifraga — Saxifrage Tunic- | | | |
| flower | .90 | 2.40 | 18.00 |
| *s. alba | .90 | 2.40 | 18.00 |
| ULEX | .,, | 2.10 | 10.00 |
| *europaeus—Common Gorse | 1.50 | 4.00 | |
| VALER!ANA | 1.50 | | Valerian |
| officinalis-Garden Heliotrope | .90 | | 18.00 |
| centranthus alba—White Valerian | .90 | | 18.00 |
| centranthus rubra—Red Valerian | .90 | 2.40 | 18.00 |
| VERBASCUM | | | Mullein |
| densiflorum | 1.05 | 2.70 | |
| longifolium pannosum—Golden | | | |
| Gate Mullein | .90 | 2.40 | |
| olympicum | .90 | 2.40 | |
| | 1.05 | 2.70 | |
| hybridum Miss Willmot | 1.05 | 3.00 | |
| VERBENA | | | |
| hastata—Blue Vervain | .90 | 2.40 | 18.00 |
| VERNONIA | | | ronweed |
| crinita (arkansana)—Bur Iron- | | | |
| weed | .90 | 2.40 | |
| noveboracensis—Common Iron- | | | |
| weed | .90 | 2.40 | |
| 5 or more plants of one variety will | be priced a | t 10 rate: | |

| TRICE LIST, FAI | 1111, 1721 | | 17 |
|------------------------------------|--------------|---------------|---------|
| | Three | Per 10 F | Per 100 |
| VERONICA | | $Sp\epsilon$ | edwell |
| *gentianoides—Gentian Speedwell | .90 | 2.40 | 18.00 |
| *incana—Wolly Speedwell | .90 | 2.40 | 18.00 |
| longifolia alba — White Beach | | | |
| Speedwell | 1.05 | 2.70 | 20.00 |
| longifolia subsessilis — Clump | | | |
| Speedwell | 1.20 | 3.50 | |
| *repens—Creeping Speedwell | 1.05 | 2.70 | 20.00 |
| spicata—Spike Speedwell | .90 | 2.40 | 18.00 |
| spicata alba—White Speedwell | .90 | 2.40 | 18.00 |
| *spuria (amethystina) — Bastard | | | |
| Speedwell | .90 | 2.40 | 18.00 |
| *spuria Royal Blue | 1.05 | 2.70 | |
| *spuria True Blue | 1.05 | 2.70 | |
| *teucrium rupestris—Rock Speed- | <i>'</i> | | |
| well | 1.05 | 2.70 | 20.00 |
| traversi—Bush Speedwell | 1.20 | 3.50 | |
| *var. alba | 1.05 | 2.70 | 20.00 |
| var. rosea | 1.05 | 2.70 | 20.00 |
| virginica—Culvers-physic | .90 | 2.40 | 18.00 |
| virginica alba | .90 | 2.40 | 18.00 |
| VINCA | | | |
| minor — Common Periwinkle | | | |
| (potgrown or field grown) | .75 | 2.20 | 15.00 |
| VINCETOXICUM (See CYNANCH | UM) | | |
| VIOLA | | | Violet |
| *bosniaca—Rose Pink | 1.05 | 3.00 | 20.00 |
| *cornuta—Tufted Pansy | .90 | 2.40 | 18.00 |
| *c. alba (type) — White Tufted | | | |
| Pansy | .90 | 2.40 | 18.00 |
| *c. atropurpurea (type) — Purple | | | |
| Tufted Pansy | .90 | 2.40 | 20.00 |
| *c. G. Wermig | .90 | 2.40 | 20.00 |
| cucullata—Blue March Violet _ | .75 | 2.20 | 15.00 |
| *florariensis | 1.20 | 3.50 | 30.00 |
| *Jersey Gem | 1.05 | 3.00 | 20.00 |
| *Hybrids—Tufted Pansies | | | |
| *Varieties: Admiration, Blue Per- | | | |
| fection, Lutea, Mauve Queen, | | | |
| Papilio, Purple Queen, White | ~ - | 2.20 | 1 |
| Perfection | .75 | 2.20 | 15.00 |
| odorata Gov. Herrick | .90 | 2.40 | 18.00 |
| odorata Single Russian — Sweet | 0.0 | 2.40 | 1000 |
| Violet Pinder Wille | .90 | 2.40 | 18.00 |
| *pedata—Birdsfoot Violet | .90 | 2.40 | 18.00 |
| *splendida | 1.20 | 3.00 | 27.00 |
| Wellsiana YUCCA | .90 | 2.40 | 18.00 |
| | | | |
| *filamentosa—Common Yucca | 0.0 | 2.10 | 10.00 |
| 2 years | .90 | 2.40 3.00 | 18.00 |
| 3 years | 1.05 | | |
| 5 or more plants of one variety wi | II be priced | l at 10 rate; | |



FALL 1927

PRICE LIST

Bay State Nurseries

W. H. WYMAN & SON

North Abington, Mass.

